



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

**1 Identification**

- **Product identifier**
- **Trade name:** LONGS PTFE SPRAY 150 ML
- **Article number:** AKB604
- **Application of the substance / the mixture** Lubricant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MOTIP DUPLI B.V.  
Wolfraamweg 2  
NL-8471 XC Wolvega  
Nederland  
Tel : +31 (0)561 694400  
Fax: +31 (0)561 694411  
e-mail: info@nl.motipdupli.com
- **Information department:** Department Product Safety
- **Emergency telephone number:**

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).

---

  - **Label elements**
  - **GHS label elements** Void
  - **Hazard pictograms** Void
  - **Signal word** Void
  - **Hazard statements** Void
  - **Precautionary statements**  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P260 Do not breathe spray.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- |  |                |
|--|----------------|
|  | Health = 0     |
|  | Fire = 3       |
|  | Reactivity = 1 |
- **HMIS-ratings (scale 0 - 4)**
- |  |            |   |                |
|--|------------|---|----------------|
| <table border="1" style="display: inline-table;"><tr><td style="background-color: blue; color: white;">HEALTH</td><td style="background-color: white; color: blue;">0</td></tr></table>        | HEALTH     | 0 | Health = 0     |
| HEALTH   | 0          |   |                |
| <table border="1" style="display: inline-table;"><tr><td style="background-color: red; color: white;">FIRE</td><td style="background-color: white; color: red;">3</td></tr></table>            | FIRE       | 3 | Fire = 3       |
| FIRE   | 3          |   |                |
| <table border="1" style="display: inline-table;"><tr><td style="background-color: yellow; color: black;">REACTIVITY</td><td style="background-color: white; color: black;">1</td></tr></table> | REACTIVITY | 1 | Reactivity = 1 |
| REACTIVITY   | 1          |   |                |
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

**Trade name: LONGS PTFE SPRAY 150 ML**


· **vPvB:** Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

EC number: 920-107-4	Distillates (petroleum), hydrotreated light  Asp. Tox. I, H304	50-<75%
----------------------	--	---------

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters -**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
No special measures required.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
Do not spray on a naked flame or any incandescent material.  
Keep respiratory protective device available.

(Contd. on page 3)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

**Trade name: LONGS PTFE SPRAY 150 ML**

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** 2 B
- **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Do not inhale gases / fumes / aerosols.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
Butyl rubber gloves with a thickness of 0.4 mm are resistant to:  
Acetone: 480 min  
Butyl acetate: 60 min  
Ethyl acetate: 170 min  
Xylene: 42 min  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Not required.

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Aerosol
<b>Color:</b>	Light brown
<b>Odor:</b>	Solvent-like
<b>Odor threshold:</b>	Not determined.

(Contd. on page 4)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: LONGS PTFE SPRAY 150 ML

(Contd. of page 3)

· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Not applicable, as aerosol.
· <b>Flash point:</b>	>100 °C (>212 °F) Not applicable, as aerosol.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	210 °C (410 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	0.5 Vol %
<b>Upper:</b>	7 Vol %
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	0.81 g/cm <sup>3</sup> (6.76 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	59.9 %
<b>VOC content:</b>	488.0 g/l / 4.07 lb/gl
<b>Solids content:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.

(Contd. on page 5)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

**Trade name: LONGS PTFE SPRAY 150 ML**

(Contd. of page 4)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Non contaminated packagings can be used for recycling.

## 14 Transport information

- |                                  |                         |
|----------------------------------|-------------------------|
| · <b>UN-Number</b>               |                         |
| · <b>DOT, IMDG, IATA</b>         | UN1950                  |
| · <b>UN proper shipping name</b> |                         |
| · <b>DOT</b>                     | Aerosols, non-flammable |
| · <b>IMDG</b>                    | AEROSOLS                |
| · <b>IATA</b>                    | AEROSOLS, non-flammable |

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: LONGS PTFE SPRAY 150 ML

(Contd. of page 5)

· **Transport hazard class(es)**· **DOT**

· **Class** 2.2  
 · **Label** 2.2

· **IMDG, IATA**

· **Class** 2.2  
 · **Label** 2.2

· **Packing group**· **DOT, IMDG, IATA** not regulated· **Environmental hazards:** Not applicable.· **Special precautions for user** Warning: Gases· **Danger code (Kemler):** -· **EMS Number:** F-D,S-U· **Stowage Code**

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre:

Category A. For AEROSOLS with a capacity above 1 litre:

Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

· **Segregation Code**

SG69 For AEROSOLS with a maximum capacity of 1 litre:  
 Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre:  
 Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

Code: E0

Not permitted as Excepted Quantity

· **UN "Model Regulation":**

UN 1950 AEROSOLS, 2.2

USA

(Contd. on page 7)



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 01/22/2018

Reviewed on 01/22/2018

**Trade name: LONGS PTFE SPRAY 150 ML**

(Contd. of page 7)

*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*  
*TLV: Threshold Limit Value*  
*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*Asp. Tox. 1: Aspiration hazard – Category 1*

· **\* Data compared to the previous version altered.**

USA