

Page 1/7

Safety Data Sheet

SDS # : A-1053	Toner -Black/Cya	n/Magenta/Yellow		
Issuing Date 2008-06-13	Revision Date	2015-10-21	Version 1	
			Active	
1. Product and Company	dentification			
Trade Name Toner		0 Continuous Feed Printin us Feed Printing System	g System, Xerox 980	
Part no. 006R01321, 006R0)1322, 006R01323, 006	R01324		
Color Pure substance/preparation	Black, Cyan, Magenta, Y Preparation	ellow		
Identified uses	Xerographic printing			
Manufactured by	Xerox Corporation Rochester, NY 14644			
Emergency telephone	Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300 (703) 527-3887 (collect outside the US or Canada)			
2. Hazards Identification				
The product contains no substa	nces which, in the form uti	CY OVERVIEW lized and at their given concentry is to health.	rations, are considered to be	
Color Black, Cyan, Magenta, Yellow	Appearance Powder	Physical state Solid	Odor Faint	
Classification of the sub	stance or mixture			
Customer use / Cartridges	and sealed bottles			
OSHA Hazard Classification	This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.			
	Standard (29 CFR 1910.	considered hazardous by the OSH 1200), this SDS contains valuable in oduct. This SDS should be retained ers of this product.	nformation for the safe handling	
Label elements				
Signal Word	None			
Hazard Statements	None required			



Page 2/7

Precautionary Statements	None required
Potential Health Effects	
Principle Routes of Exposure Acute toxicity	Inhalation
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Main symptoms	Overexposure may cause:
	mild respiratory irritation similar to nuisance dust.
Aggravated medical conditions	None under normal use conditions
Environmental hazard	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. Composition/Information on Ingredients

Product Description

This formulation represents multiple colors and the component list includes multiple pigments. The actual toner formulation for each color will differ only in the pigment used.

Chemical Name	CAS-No	Weight %
Polyester resin	117581-13-2	80-90
Carbon black	1333-86-4	10-15
Cyan Pigment	147-14-8	0-10
Polyethylene wax	9002-88-4	1-5
Magenta Pigment	980-26-7	0-10
Yellow pigment	4531-49-1	0-10
Paraffin wax	8002-74-2	1-5
Silica	844491-94-7	0-1

4. First Aid Measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance. Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Skin contact Wash skin with soap and water Inhalation Move to fresh air Ingestion Rinse mouth with water and afterwards drink plenty of water or milk Treat symptomatically Notes to physician Protection of first-aiders No special protective equipment required 5. Fire-Fighting Measures

Flammable properties

Flash point

Not flammable. Will not readily ignite

Not applicable



SDS #: A-1053

Suitable extinguishing media Unsuitable extinguishing media <u>Specific hazards arising from the chemical</u>	Use water spray or fog; do not use straight streams, Foam Do not use a solid water stream as it may scatter and spread fire
Hazardous combustion products Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx) Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures		
Personal Precautions	Avoid breathing dust	
Environmental Precautions	No special environmental precautions required	
Methods for containment	Prevent dust cloud	
Methods for cleaning up	Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.	
Other information	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.	
7. Handling and Storage		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice Avoid dust accumulation in enclosed space Prevent dust cloud	
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place, Store at room temperature	
Hygiene measures	None under normal use conditions	
8. Exposure Controls/Perso	nal Protection	
Exposure guidelines Product information	No information available	
ACGIH TLV TWA ACGIH TLV TWA OSHA PEL TWA OSHA PEL TWA Xerox Exposure Limit	10 mg/m ³ (inhalable particles) 3 mg/m ³ (respirable dust) 15 mg/m ³ (total dust) 5 mg/m ³ (respirable dust) 2.5 mg/m ³ (total dust)	



Toner -Black/Cyan/Magenta/Yellow

0.4 mg/m³ (respirable dust)

Page 4/7

Xerox Exposure Limit Other information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Occupational Exposure Controls

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. Physical and Chemical Properties

Appearance Odor threshold pH Flash point Autoignition temperature	Powder Not applicable Not applicable Not applicable Not applicable		Odor Physical state Color Boiling point/range	Faint Solid Black, Cyan, Magenta, Yellow Not applicable 49 - 60 °C 120 - 140 °F	1
Flammability Lim	iits in Air	Not applicable			
Explosive proper Vapor pressure Vapor density Water solubility Viscosity Partition coefficie Evaporation rate Melting point/ran Freezing point Decomposition to Specific gravity	ent ge	Fine dust dispersed in a source is a potential dus Not applicable Not applicable Not applicable Not applicable Not applicable Not determined Not determined Not determined ~ 1	•	entrations, and in the presence of an	ignition

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use



SDS # : A-1053	Toner -Black/Cyan/Magenta/Yellow	Page 5/7	
Stability	Stable under normal conditions		
Incompatible products	None		
Conditions to Avoid	Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard		
Hazardous Decomposition Product	s None under normal use		
Hazardous polymerization	Hazardous polymerization does not occur		
Hazardous reactions	None under normal processing		
11. Toxicological Information The toxicity data noted below is based Acute toxicity Product information Irritation	on d on the test results of similar reprographic materials. No skin irritation, No eye irritation		
LD50 Oral LD50 Dermal LC50 Inhalation	 > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr) 		
Eyes Skin Inhalation Ingestion	No known effect No known effect No known effect No known effect		
Chronic toxicity Product information Chronic effects Main symptoms	No known effects under normal use conditions Overexposure may cause: mild respiratory irritation similar to nuisance dust.		

Aggravated medical conditions None under normal use conditions

	See Other		
Chemical Name		IARC	NTP
Carbon black		2B	

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

Other toxic effects

Product information	
Sensitization	No sensitization responses were observed
Mutagenic effects	Not mutagenic in AMES Test
Target organ effects	None known
Other adverse effects	None known
Aspiration Hazard	Not applicable
-	

12. Ecological Information



Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. Disposal Considerati	ions
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	Dispose of in accordance with local regulations.
14. Transport Informatic	n

Note

This material is not subject to regulation as a hazardous material for shipping

15. Regulatory Information

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

TSCA

TSCA 12(b) does not apply to this product.

U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size".



Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS-No	California Prop. 65
Carbon black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. Other Information		
Issuing Date	2008-06-13	
Revision Date	2015-10-21	
Revision Note	(M)SDS sections updated:, 3	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end