

Manufacturer: Xerox Corporation 24600 Industrial Blvd. Hayward, CA. 94545	(Xerox Corp. Rochester, N.Y. 14644)	Emergency Tel. No. : (716) 422-2177 Information Tel. No. : (800) 828-6571
--	---	--

Section I - Product Identification

Trade Names/Synonyms: Platen Cleaner **Part No.** Included in Kits: 9R87105, 9R87106, 9R87107

Chemical Name: None

OBSOLETE

Ingredients

CAS No.

Xylene (40-50%) ¹	1330-20-7
Ethyl alcohol (30-40%)	64-17-5
Ethyl acetate (1-10%)	141-78-6
Trichlorotrifluoroethane (10-15%) ¹	76-13-1
Water (<5%)	7732-18-5
Methyl alcohol (<5%) ¹	67-56-1

Section II - Emergency and First Aid

Eyes: Flush thoroughly with water.
Skin: Wash thoroughly with soap and water.
Inhalation: Remove from exposure.
Ingestion: Dilute stomach content with several glasses of water.
Do not induce vomiting.
Primary Route of Entry: Skin
Symptoms of Overexposure: May cause nausea, vomiting, and neurologic, heart and respiratory injury.
Medical Conditions Generally Aggravated by Exposure: None when used as described by product literature.
Additional Information: Further information on file in Poisindex.

Section III - Toxicology and Health Information

This material has been evaluated by Xerox Corporation.

Oral LD₅₀:	> 5 g/kg (Rats) practically non-toxic.	TLV:	1000 ppm (trichlorotrifluoroethane)
Dermal LD₅₀:	None available		100 ppm (xylene)
Inhalation LC₅₀:	None available		400 ppm (ethyl acetate)
Eye Irritation:	Irritant		200 ppm (methyl alcohol)
Skin Sensitization:	Not a sensitizer.	PEL:	1000 ppm (trichlorotrifluoroethane)
Skin Irritation:	Not an irritant.		100 ppm (xylene)
Human Patch:	Non-sensitizing, slightly irritating.		400 ppm (ethyl acetate)
Mutagenicity:	No mutagenicity detected in the Ames Assay.		200 ppm (methyl alcohol)
Carcinogens:	None present	XEL²:	None established
Aquatic LC₅₀:	None available		
Additional Information:	None		

¹This product contains a toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40CFR Part 372. ²XEL - Xerox Exposure Limit

Section IV - Physical Data

Appearance/Odor:	Clear liquid / slight orange odor	Softening Range:	N.A.
Boiling Point:	170°F (112°C)	Melting Point:	None available
Solubility in Water:	0.2%	Specific Gravity (H₂O = 1):	0.80
Evaporation Rate:	40	Vapor Pressure (mm Hg):	None available
Vapor Density (Air = 1):	None available	pH =	None available
Volatile	N.A. % (Wgt.) 100% (Vol.)		

Section V - Fire and Explosion Data

Flash Point (Method Used): 70°F (21°C) C.C. **Flammable Limits:** **LEL:** 2%
UEL: 9%

Extinguishing Media: Foam-solid type, CO₂, dry chemical.

Special Fire Fighting Procedures: For large quantities involved in a fire, firefighters should use self-contained breathing apparatus.

Fire and Explosion Hazards: Contains flammable liquids in small quantities.

Section VI - Reactivity Data

Stability:	Unstable		Hazardous Polymerization:	May Occur	
	Stable	X		Will Not Occur	X

Hazardous Decomposition Products: CO, CO₂ and decomposition products from the plastic container.

Incompatibility (Materials to Avoid): Alkali metals and strong oxidizers. Avoid prolonged contact with aluminum. May generate toxic gases on prolonged contact with aluminum.

Section VII - Special Protection Information

Respiratory Protection: None when used as intended in Xerox products.
Eye Protection: None when used as intended in Xerox products.
Protective Gloves: None when used as intended in Xerox products.
Other: Avoid transfer of material from hand to eye.

Section VIII - Special Precautions

Handling and Storage: Store at room temperature.

Conditions to Avoid: Heat or open flames. Avoid prolonged contact with aluminum.

Section IX - Spill, Leak, and Disposal Procedures

For Spills or Leakage: Use adequate ventilation. Eliminate ignition sources. Small spills should be flushed with excess water. Large spills should be collected for disposal.

Waste Disposal Method: Absorb liquid on vermiculite or other absorbant material. Dispose of in accordance with federal, state, and local regulations.

Section X - Transportation Information

DOT Proper Shipping Name: Compound,
Cleaning liquid **ID Number:** N. A. 1993

Hazard Classification: Flammable liquid