



## Product Safety Data Sheet

SDS # : 14-00610  
2014-09-08  
Revision 1

# Xerox Color C60

### Product Description / Product Identifier

Multi-Function Equipment J-A070 (110-127Vac), J-B070  
(220-240Vac)

Speed (PPM)  
Mono / Color

65 / 60  
Mono / Color

### ELECTRICAL INPUT INFORMATION

	110V-127V	220V-240V
Voltage (Volts)		
Rated Current (Amperes):	16	10
Frequency (Hertz)	60	50
Phase Connection	single	single

### POWER AND HEAT

	Power (Watts)	Heat Output (BTU/Hr)	Power (Watts)	Heat Output (BTU/Hr)
Active <sup>1</sup>	1091.0	3722.5	1110.0	3787.3
Ready <sup>1</sup>	210.0	716.5	218.0	743.8
Sleep <sup>1</sup>	53.0	180.8	100.0	341.2
Sleep 2 <sup>1</sup>	1.0	3.4	1.7	5.8
Standby <sup>1</sup> (Off/FEMP) <sup>2</sup>	0.1	.3	.3	1.0

<sup>1</sup> Power states defined per ENERGY STAR Program requirements for Imaging Equipment: Version 1.2

<sup>2</sup> FEMP - Federal Energy Management Program

Note: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Xerox representative if you require detailed information.

### OPERATING ENVIRONMENT

Relative Humidity %	15-85%
Ambient Temperature	50-90 °F / 10-32 °C

### PRODUCT SIZE

Depth	46.01 in.	116.86 cm
Width	54.78 in.	139.15 cm
Height	31.63 in.	80.35 cm
Weight	563.2 lbs.	256 kg

### SPACE REQUIREMENTS

Refer to Installation Planning Guide

For additional information regarding different configurations please contact your local sales representative.

### LIGHT SOURCE:

Class 1 Laser product containing an embedded Class 3B Laser

### CHEMICAL EMISSIONS

Chemical Emission Test Methodology RAL-UZ171

The machine was tested under the conditions as specified in the standard inside a room of 5 m<sup>3</sup> with 1 air change per hour.

### PARAMETER

PARAMETER	Concentration	Emission Rate
Total Volatile Organic Compounds (TVOC)	-	6.0 mg/h
Dust	-	0.41 mg/h
Ozone	-	0.72 mg/h
Styrene	-	0.046 mg/h
Benzene	-	0.043 mg/h

### ACOUSTICAL NOISE

	Sound Power Level LwAd (B)	Sound Pressure Level LpAd (dBA)
Standby	5.17	34.7
Run - continuous	7.55	57.4



## Product Safety Data Sheet

### SUPPLIES

MSDS Number(s) [Europe only]

3-1362

Xerox Corporation has developed this Product Safety Data sheet for informational purposes as a courtesy for Xerox customers. Any determination regarding the proper use of this information must be made by the user, including any use of the information for compliance with applicable laws, rules and regulations. Xerox believes the information herein to be accurate as of the date of issuance but makes no representations or warranties of any kind, either express or implied, as to the accuracy, completeness or fitness for use of the information. By issuance of this Product Safety Data Sheet, Xerox does not assume any liability or responsibility for losses, claims, liabilities or damages which may result from reliance upon the information herein.

Contact U.S. Only: [usa.xerox.EHS@xerox.com](mailto:usa.xerox.EHS@xerox.com)  
Contact Non-U.S. Only: [ehs-europe@xerox.com](mailto:ehs-europe@xerox.com)