

## **Product Safety Data Sheet**

SDS #: 15-00638

2015-08-10 Revision 2

# Xerox® iGen® 5 Press

Product DescriptionProduction PrinterSpeed (PPM)90 / 120 / 150Mono / ColorColour

**ELECTRICAL INPUT INFORMATION** 

 Voltage (Volts)
 120-127V/208-220V
 220-240V/380-415V

 Rated Current (Amperes):
 2 (40A)
 2 (40A)

 Frequency (Hertz)
 60
 50

 Phase Connection
 three
 three

#### **POWER AND HEAT**

|                     | Power   | Heat Output | Power   | Heat Output |
|---------------------|---------|-------------|---------|-------------|
|                     | (Watts) | (BTU/Hr)    | (Watts) | (BTU/Hr)    |
| Active <sup>1</sup> | 13337   | 45346       | 13719   | 46645       |
| Ready <sup>1</sup>  | 9928    | 33755       | 10310   | 35054       |

<sup>&</sup>lt;sup>1</sup> Power states defined per ENERGY STAR Program requirements for Imaging Equipment: Version 1.2

Note: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Xerox representative if you require detailed information.

#### **OPERATING ENVIRONMENT**

Relative Humidity % 20-85%

Ambient Temperature 55-85 °F / 12.8-29.4 °C

PRODUCT SIZE

 Depth
 72 in.
 182.88 cm

 Width
 236 in.
 599.44 cm

 Height
 96 in.
 243.84 cm

 Weight
 7100 lbs
 3227.27 kg

#### SPACE REQUIREMENTS Refer to Installation Planning Guide

For additional information regarding different configurations please contact your local sales representative.

LIGHT SOURCE: Class 1 Laser product containing an embedded Class 3B Laser

#### **CHEMICAL EMISSIONS**

Chemical Emission Test Methodology ECMA 328

The machine was tested under the conditions as specified in the standard inside a room of 128 m³ with 12 air changes per hour.

| PARAMETER                               | Concentration          | Emission Rate |
|---|------------------------|---------------|
| Total Volatile Organic Compounds (TVOC) | 0.29 mg/m <sup>3</sup> | None detected |
| Dust                                    | 0.35 mg/m <sup>3</sup> | None detected |
| Ozone                                   | 0.04 mg/m <sup>3</sup> | None detected |

#### **ACOUSTICAL NOISE**

|                  | Sound Power Level | Sound Pressure Level |
|------------------|-------------------|----------------------|
|                  | LwAd (B)          | LpAd (dBA)           |
| Standby          | 8.4               | 65                   |
| Run - continuous | 9.0               | 71                   |

<sup>&</sup>lt;sup>2</sup> FEMP - Federal Energy Management Program



### **Product Safety Data Sheet**

**SUPPLIES** 

MSDS Number(s) [Europe only]

A-1087, A-10095, A-10096, 1-10098

Xerox Corporation has developed this Product Safety Data sheet for informational purposes as a courtesy for Xerox customers. Any determination regarding the proper use of this information must be made by the user, including any use of the information for compliance with applicable laws, rules and regulations. Xerox believes the information herein to be accurate as of the date of issuance but makes no representations or warranties of any kind, either express or implied, as to the accuracy, completeness or fitness for use of the information. By issaunce of this Product Safety Data Sheet, Xerox does not asume any liability or responsibility for losses, claims, liabilities or damages which may result from reliance upon the information herein.

Contact U.S. Only: usa.xerox.EHS@xerox.com Contact Non-U.S. Only: ehs-europe@xerox.com