

Page 1/7

Safety Data Sheet

SDS # : B-2005	Developer- Blue/(Green/Yellow/Red	
Issuing Date 2004-06-17	Revision Date 2	2015-05-15	Version 1
			Active
1. Product and Company Ic	lentification		
Trade Name Developer	^{for} DocuTect Color	n 128, DocuTech 155, Do	cuTech 180 Highlight
Part no. XC & XE: 005R00688, 005R00689, 005R00690, 005R00715, 005R00717, 005R00719, 005R00720, 005R00721, 005R00723, 005R00725, FX: 005R00697, 005R00698, 005R00699, 005R00716, Kit: 498K08820, 498K08830, 498K08860, 498K08870, 498K09380, 498K09390, 498K09400, 498K09410, 498K12160, 498K12170, 498K13660, 498K13670, 498K14150, 498K14160, 498K15340, 498K15350, 498K15530, 498K15540, 498K16360, 498K16440, 505S00011, 505S00012, 505S00013, 505S00014, 505S00015, 505S00016, 505S00017, 505S00018, 505S00019, 505S00020			
Color Pure substance/preparation	Blue, Green, Yellow, Red Preparation	1	
Identified uses	Xerographic printing		
Manufactured by	Xerox Corporation Rochester, NY 14644		
Emergency telephone Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300			
2. Hazards Identification			
Emergency Overview The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health.			
Color Blue, Green, Yellow , Red	Appearance Powder	Physical state Solid	Odor Faint
Classification of the subs	tance or mixture		

Customer use / Cartridges and sealed bottles

 OSHA Hazard Classification
 This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

 While this material is not considered hazardous by the OSHA hazard Communication Standard (20 CER 1010 1200) this SDS contains valuable information for the and information

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.



Developer- Blue/Green/Yellow/Red

Page	2	1	7
гауе	2	1	1

Label elements	
Signal Word	None
Hazard Statements	None required
Precautionary Statements	None required
Potential Health Effects	
Principle Routes of Exposure Acute toxicity	Inhalation
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Main symptoms	Overexposure may cause:
Aggravated medical conditions Environmental hazard	mild respiratory irritation similar to nuisance dust. None under normal use conditions The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. Composition/Information on Ingredients

This formulation represents multiple colors and the component list includes multiple pigments. The actual toner formulation for each color will differ only in the pigment used.

Chemical Name	CAS-No	Weight %
Steel powder	7439-89-6	90-99
Polyester resin	39382-25-7	5-7
Green Pigment	14302-13-7	0-1
Cyan pigment	147-14-8	0-1
Red pigment	7585-41-3	0-1
Yellow pigment	4531-49-1	0-1

4. First Aid Measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to physician	Treat symptomatically
Protection of first-aiders	No special protective equipment required
5. Fire-Fighting Measures	

Product Description



Flammable properties Flash point Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical	Not flammable. Will not readily ignite Not applicable Use water spray or fog; do not use straight streams, Foam Do not use a solid water stream as it may scatter and spread fire
Hazardous combustion products Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx) Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures		
Personal Precautions	Avoid breathing dust	
Environmental Precautions	No special environmental precautions required	
Methods for containment	Prevent dust cloud	
Methods for cleaning up	Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.	
Other Information	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.	
7. Handling and Storage		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice Avoid dust accumulation in enclosed space Prevent dust cloud	
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place Store at room temperature	
Hygiene measures	None under normal use condtions	
8. Exposure Controls/Personal Protection		

Exposure guidelines Product information

ACGIH TLV TWA	10 mg/m ³ (inhalable particles)
ACGIH TLV TWA	3 mg/m ³ (respirable dust)



OSHA PEL TWA	15 mg/m ³ (total dust)
OSHA PEL TWA	5 mg/m ³ (respirable dust)
Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)
Other Information	

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Occupational Exposure Controls

None under normal use conditions **Engineering measures**

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. Physical and Chemical Properties

Appearance Odor threshold pH Flash point Autoignition temperature	Powder Not applicable Not applicable Not applicable		Odor Physical state Color Boiling point/range	Faint Solid Blue, Green, Yellow , Red Not applicable
Flammability Lim	nits in Air	Not applicable		
Explosive proper Vapor pressure Vapor density Water solubility Viscosity Partition coefficie Evaporation rate Melting point/ran Freezing point Decomposition to Specific gravity	ent Ige	Not applicable Fine dust dispersed in air, in sufficient concentrations, and in the presence of an source is a potential dust explosion hazard Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not determined Not determined Not determined Not determined ~ 1 (toner component)		entrations, and in the presence of an ignition



Developer- Blue/Green/Yellow/Red

Page 5/7

10. Stability and Reactivity		
Reactivity	No dangerous reaction known under conditions of normal use	
Stability	Stable under normal conditions	
Incompatible products	None	
Conditions to Avoid	Prevent dust cloud Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard	
Hazardous Decomposition Products	s None under normal use	
Hazardous polymerization	Hazardous polymerization does not occur	
Hazardous reactions	None under normal processing	
The toxicity data noted below is based Acute toxicity Product information Irritation LD50 Oral LD50 Dermal LC50 Inhalation: Eyes	I on the test results of similar reprographic materials. No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr) No known effect	
Skin Inhalation Ingestion	No known effect No known effect No known effect	
Chronic toxicity Product information Chronic effects Main symptoms Aggravated medical conditions Carcinogenicity Other toxic effects Product information	No known effects under normal use conditions Overexposure may cause: mild respiratory irritation similar to nuisance dust. None under normal use conditions Contains no ingredient listed as a carcinogen.	

 Product information
 No sensitization responses were observed

 Sensitization
 No sensitization responses were observed

 Mutagenic effects
 Not mutagenic in AMES Test

 Target organ effects
 None known

 Other adverse effects
 None known

Aspiration Hazard Not applicable

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.



Page 6/7

13. Disposal Consideration	Disposal Considerations		
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.		
Contaminated packaging	Dispose of in accordance with local regulations.		
14. Transport Information			
Nata	This material is not subject to regulation as a hererdous material for shipping		

Note

This material is not subject to regulation as a hazardous material for shipping.

15	Regulatory	/ Information
10.	Regulatory	

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12(b) does not apply to this product.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations



Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. Other Information	ther Information		
Issuing Date	2004-06-17		
Revision Date	2015-05-15		
Revision Note	Updated for OSHA HazCom 2012 and WHMIS 2015		

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end