

Safety Data Sheet

SDS # : P-02

Dry Ink-Magenta

Issuing Date 1999-10-28

Revision Date 2015-10-05

Version 5

Active

1. Product and Company Identification

Trade Name Dry Ink for DocuColor 12, Document Centre ColorSeries 50, DocuColor 2045, DocuColor 2060, DocuColor 5252 Digital Color Press, DocuColor 5000 Digital Press, DocuColor 5000AP Digital Press, DocuColor 7000 Digital Press, DocuColor 7000AP Digital Press, DocuColor 8000 Digital Press, DocuColor 8000AP Digital Press, DocuColor 6060

Part no. 006R00947, 006R00977, 006R01051, 006R01249, 006R01253, 006R90282, 006R90291, 006R90348, 006R01201, 006R01569

Color Magenta
Pure substance/preparation Preparation

Identified uses Xerographic printing

Manufactured by Dundalk Color Toner Plant
 Xerox Technology Park
 Dublin Road
 Dundalk, County Louth
 Ireland

Distributor Xerox Corporation
 Rochester, NY 14644

Emergency telephone Safety Information US: (800) 275-9376
 Chemical Emergency only (Chemtrec) (800) 424-9300

2. Hazards Identification

Emergency Overview

The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health.

Color	Appearance	Physical state	Odor
Magenta	Powder	Solid	Faint

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

OSHA Hazard Classification This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Label elements

Signal Word None
Hazard Statements None required
Precautionary Statements None required

Potential Health Effects

Principle Routes of Exposure Inhalation
Acute toxicity
Eyes No known effect
Skin No known effect
Inhalation No known effect
Ingestion No known effect
Chronic effects
Main symptoms **Overexposure may cause:** mild respiratory irritation similar to nuisance dust.
Aggravated medical conditions None under normal use conditions
Environmental hazard The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. Composition/Information on Ingredients

Chemical Name	CAS-No	Weight %
Bisphenol A polyester resin	122970-65-4	>70
Ferrite	66402-68-4	15-30
Magenta Pigment	980-26-7	3-5
Red Pigment	5281-04-9	2-4
Amorphous silica	7631-86-9	<1
Titanium dioxide	13463-67-7	<1

4. First Aid Measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

Notes to physician Treat symptomatically

Protection of first-aiders No special protective equipment required

5. Fire-Fighting Measures

Flammable properties	Not flammable. Will not readily ignite
Flash point	Not applicable
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Hazardous combustion products	Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)
Explosion Data	
Sensitivity to Mechanical Impact	Not impact sensitive
Sensitivity to Static Discharge	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures

Personal Precautions	Avoid breathing dust
Environmental Precautions	No special environmental precautions required
Methods for containment	Prevent dust cloud
Methods for cleaning up	Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.
Other Information	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

7. Handling and Storage

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice Avoid dust accumulation in enclosed space Prevent dust cloud
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place, Store at room temperature
Hygiene measures	None under normal use conditions

8. Exposure Controls/Personal Protection

<u>Exposure guidelines</u>	No information available
Product information	
ACGIH TLV TWA	10 mg/m ³ (inhalable particles)

ACGIH TLV TWA	3 mg/m ³ (respirable dust)
OSHA PEL TWA	15 mg/m ³ (total dust)
OSHA PEL TWA	5 mg/m ³ (respirable dust)
Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Occupational Exposure Controls

Engineering measures None under normal use conditions

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. Physical and Chemical Properties

Appearance	Powder	Odor	Faint
Odor threshold	Not applicable	Physical state	Solid
pH	Not applicable	Color	Magenta
Flash point	Not applicable	Boiling point/range	Not applicable
Autoignition temperature	Not applicable		

Flammability Limits in Air Not applicable

Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Vapor pressure	Not applicable
Vapor density	Not applicable
Water solubility	Negligible
Viscosity	Not applicable
Partition coefficient	Not applicable
Evaporation rate	Not applicable
Melting point/range	Not determined
Freezing point	Not applicable
Decomposition temperature	Not determined
Specific gravity	~ 1 (toner component) ~ 5 (carrier component)

10. Stability and Reactivity

Reactivity No dangerous reaction known under conditions of normal use

Stability Stable under normal conditions

Incompatible products None

Conditions to Avoid Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous Decomposition Products None under normal use

Hazardous polymerization Hazardous polymerization does not occur

Hazardous reactions None under normal processing

11. Toxicological Information

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute toxicity

Product information

Irritation No skin irritation, No eye irritation

LD50 Oral > 5 g/kg (rat)

LD50 Dermal > 5 g/kg (rabbit)

LC50 Inhalation > 5 mg/L (rat, 4 hr)

Eyes No known effect

Skin No known effect

Inhalation No known effect

Ingestion No known effect

Chronic toxicity

Product information

Chronic effects No known effects under normal use conditions

Main symptoms **Overexposure may cause:** mild respiratory irritation similar to nuisance dust.

Aggravated medical conditions None under normal use conditions

Carcinogenicity See "Other Information" in this section.

Chemical Name	IARC	NTP
Titanium dioxide	2B	

Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". The classification is based on studies in rats using pure, unbound TiO₂. Based on the review of available study results, when this product is used as intended, Xerox has concluded that the presence of titanium dioxide in this mixture does not present an increased risk of lung cancer or chronic respiratory disease.

Other toxic effects

Product information

Sensitization No sensitization responses were observed

Mutagenic effects Not mutagenic in AMES Test

Target organ effects None known

Other adverse effects None known

Aspiration Hazard Not applicable

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. Disposal Considerations

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Dispose of in accordance with local regulations.

14. Transport Information

Note

This material is not subject to regulation as a hazardous material for shipping

15. Regulatory Information

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

TSCA

TSCA 12(b) does not apply to this product.

U.S. State Regulations

California Proposition 65

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. Other Information

Issuing Date	1999-10-28
Revision Date	2015-10-05
Revision Note	Part number 6R1569 added

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end