

SAFETY DATA SHEET according to Regulation (EC) No. 2020/878 as amended

| SDS # : A-10092 | Toner - black | |
|---|--|-------------------|
| Issuing Date 15-May-2014 | Revision date 05-Sep-2024 | Revision Number 2 |
| SECTION 1. IDENTIFICATION O | F THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UND | DERTAKING |
| 1.1 Product Identifier | | |
| Product Name Part no. | Toner for Phaser 3020, WorkCentre 3025 650N05407, 106R02772, 106R02773, 106R03048, 106R02774 | |
| Colour | black | |
| 1.2 Relevant identified uses of the | substance or mixture and uses advised against | |
| Recommended Use | Xerographic printing | |
| 1.3 Details of the supplier of the sa | ifety data sheet | |
| Supplier | Xerox Ltd. Building 4 Uxbridge Business Park Sanderson Road Uxbridge Middlesex. UB8 1DH UK | |
| For further information, please cont | | |
| Contact person Phone E-mail address | Manager, Environment, Health, Safety & Sustainability ++44 (0)1707 353434 ehs-europe@xerox.com | |
| For the most current document | https://safetysheets.business.xerox.com | |
| 1.4 Emergency telephone number | - | |
| Not applicable | | |

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

2.2 Label elements

None

2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed Page 1/9

Page 2 / 9

Xelox

Revision Number 2

SDS #: A-10092

Toner - black

Issuing Date 15-May-2014

Revision date 05-Sep-2024

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

| Chemical name | Weight-% | CAS No. | EC No (EU Index No) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Hazard Statements | REACH registration number |
|------------------|----------|-------------|------------------------|---|----------------------|---------------------------------|
| Resin | 60-80 | Proprietary | Listed | | | |
| Resin | 5-20 | 116736-81-3 | Not Listed | | | |
| Carbon black | 1-10 | 1333-86-4 | 215-609-9 | | | 01-2119384822-32 -0065 |
| Wax | 1-5 | Proprietary | Listed | | | |
| Titanium dioxide | <1 | 13463-67-7 | 236-675-5 | Carc (Inhal) 2 | H351 | |

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

| General advice | Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice. |
|----------------|---|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes |
| Skin contact | Wash skin with soap and water |
| Inhalation | Move to fresh air |
| Ingestion | Rinse mouth with water and afterwards drink plenty of water or milk |

4.2 Most important symptoms and effects, both acute and delayed

| Acute toxicity | |
|------------------|---|
| Eyes | No known effect |
| Skin | No known effect |
| Inhalation | No known effect |
| Ingestion | No known effect |
| Chronic effects | |
| Chronic toxicity | No known effects under normal use conditions |
| Main symptoms | Overexposure may cause: |
| | mild respiratory irritation similar to nuisance dust. |

4.3 Indication of immediate medical attention and special treatment needed

| Protection of first-aiders | No special protective equipment required |
|----------------------------|--|
| Notes to physician | Treat symptomatically |

xero

Revision Number 2

SDS # : A-10092

Toner - black

Revision date 05-Sep-2024

Issuing Date 15-May-2014

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

| Flammability | Not flammable |
|--------------|----------------|
| Flash point | Not applicable |

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

| Methods for containment | Prevent dust cloud | |
|-------------------------|---|---------------------|
| Methods for cleaning up | Use a vacuum cleaner to remove excess, then wash with COLD water. | Hot water fuses the |
| | toner making it difficult to remove | |

6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information Issuing Date 15-May-2014

Revision date 05-Sep-2024

Revision Number 2

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice

None under normal use conditions **Hygiene measures**

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Xerox Exposure Limit Xerox Exposure Limit | 2.5 mg/m ³ (total dust) 0.4 mg/m ³ (respirable dust) |
|---|--|
| 8.2 Exposure controls | |
| Engineering measures | None under normal use conditions |
| Personal protective equipment | |
| Eye/face protection Hand protection Skin and body protection Respiratory protection Thermal hazards | No special protective equipment required No special protective equipment required No special protective equipment required No special protective equipment required None under normal processing |
| Environmental Exposure Controls Environmental Exposure Controls | Keep out of drains, sewers, ditches and waterways |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Appearance Physical state Colour | Powc Solid black | | - | dour dour threshold I |
|---|------------------------|----------------------------------|---|--|
| Flash point | | Not applicable | | |
| Melting point / freezing po Initial boiling point and bo | | Not applicable Not applicable | | |

Faint

Not applicable

Not applicable

xerox

Page 4/9



Page 5/9

| Toner - black | |
|---|---|
| Revision date 05-Sep-2024 | Revision Number 2 |
| 49 - 60 °C / 120 - 140 °F | |
| Not applicable Not flammable Not applicable | |
| Not applicable Not applicable ~ 1 Negligible Not applicable Not applicable Not determined Not applicable | |
| Fine dust dispersed in air, in sufficient concentrations, and i source is a potential dust explosion hazard Not applicable | in the presence of an ignition |
| | Revision date 05-Sep-2024 49 - 60 °C / 120 - 140 °F Not applicable Not flammable Not applicable Not applicable Not applicable Not applicable Fine dust dispersed in air, in sufficient concentrations, and is source is a potential dust explosion hazard |

9.2 Other information

None

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

| Hazardous reactions | None under normal processing |
|--------------------------|---|
| Hazardous polymerisation | Hazardous polymerisation does not occur |

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

Page 6 / 9

SDS # : A-10092

Toner - black

Issuing Date 15-May-2014

Revision date 05-Sep-2024

Revision Number 2

Xelox

SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects

| The mornation on toxicological c | |
|---|---|
| Acute toxicity Product Information Irritation Oral LD50 Dermal LD50 Inhalation LC50 | No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 (rat, 4 hr) |
| Chronic toxicity Product Information Chronic effects Carcinogenicity Other information | No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively. The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner. |
| Other toxic effects Product Information Sensitisation Mutagenic effects Reproductive toxicity Target organ effects Other adverse effects Aspiration Hazard | No sensitisation responses were observed Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards None known None known Not applicable |
| 11.2 Information on other hazards Endocrine disrupting properties | This product does not contain any known or suspected endocrine disruptors |

SECTION 12. ECOLOGICAL INFORMATION



SDS # : A-10092

Toner - black

Issuing Date 15-May-2014

Revision date 05-Sep-2024

Revision Number 2

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

| Waste Disposal Method | Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming. |
|---|---|
| Waste codes / waste designations according to EWC | 08 03 18 |
| Other information | Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways. |

SECTION 14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name



SDS # : A-10092

Toner - black

Issuing Date 15-May-2014

Revision date 05-Sep-2024

Revision Number 2

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16. OTHER INFORMATION

 Issuing Date
 15-May-2014

 Revision date
 05-Sep-2024

 Revision Note
 Update to format, Address for some geographies updated, (M)SDS sections updated, 3, 16

 Full text of H-Statements referred to under sections 2 and 3

 H351 - Suspected of causing cancer if inhaled

Additional advice EU Country Specific Exposure Limits

| Chemical name | United Kingdom | Ireland | France | Germany DFG | Netherlands |
|------------------|---------------------------|---------------------------|---------------------------|-------------|-------------|
| Carbon black | STEL 7 mg/m ³ | TWA 3 mg/m ³ | TWA 3.5 mg/m ³ | | |
| | TWA 3.5 mg/m ³ | STEL 15 mg/m ³ | | | |
| Wax | STEL 6 mg/m ³ | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | |
| | TWA 2 mg/m ³ | STEL 6 mg/m ³ | - | | |
| Titanium dioxide | STEL 30 mg/m ³ | TWA 10 mg/m ³ | TWA 10 mg/m ³ | | |

Page 9/9

SDS # : A-10092

Toner - black

Issuing Date 15-May-2014

Revision date 05-Sep-2024

Revision Number 2

xerox

| Chemical name | United Kingdom | Ireland | France | Germany DFG | Netherlands |
|---------------|---------------------------|---------------------------|--------|-------------|-------------|
| | STEL 12 mg/m ³ | TWA 4 mg/m ³ | | | |
| | TWA 10 mg/m ³ | STEL 30 mg/m ³ | | | |
| | TWA 4 mg/m ³ | STEL 12 mg/m ³ | | | |

| Chemical name | Belgium | Switzerland | Austria | Hungary | Czech Republic |
|------------------|--------------------------|-----------------------------------|--|---------|---------------------------|
| Carbon black | TWA 3 mg/m ³ | | | | TWA 2.0 mg/m ³ |
| Wax | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | | |
| Titanium dioxide | TWA 10 mg/m ³ | SS-C** TWA 3 mg/m ³ | STEL 10 mg/m ³ TWA 5 mg/m ³ | | |

| Chemical name | Spain | Portugal | Italy MDLPS | Greece | Romania |
|------------------|---------------------------|---------------------------|-------------|---------------------------|---------------------------|
| Carbon black | TWA 3.5 mg/m ³ | TWA 3.5 mg/m ³ | | TWA 3.5 mg/m ³ | |
| | | C(A4) | | STEL 7 mg/m ³ | |
| Wax | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | TWA 2 mg/m ³ | STEL 6 mg/m ³ |
| | | - | | STEL 6 mg/m ³ | TWA 2 mg/m ³ |
| Titanium dioxide | TWA 10 mg/m ³ | TWA 10 mg/m ³ | | TWA 10 mg/m ³ | STEL 15 mg/m ³ |
| | | C(A4) | | TWA 5 mg/m ³ | TWA 10 mg/m ³ |

| Chemical name | Poland | Denmark | Sweden | Finland | Norway |
|------------------|---|---------------------------|-------------------------|---|---|
| Carbon black | TWA 4 mg/m ³ | TWA 3.5 mg/m ³ | TLV 3 mg/m ³ | TWA 3.5 mg/m ³ STEL 7 mg/m ³ | TWA 3.5 mg/m ³ STEL 7 mg/m ³ |
| Wax | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | TWA 1 mg/m ³ | TWA 2 mg/m ³ STEL 4 mg/m ³ |
| Titanium dioxide | TWA 10 mg/m ³ STEL 30 mg/m ³ | TWA 6 mg/m ³ | TLV 5 mg/m ³ | | TWA 5 mg/m ³ STEL 10 mg/m ³ |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet