

# Safety Data Sheet

# Toner - Black/Cyan/Magenta/Yellow

Issuing Date 2015-03-19

SDS #: A-10103

Revision Date 2019-02-04

Version 1

Page 1/7

Active

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## Product Identifier

Product Name		
Toner	for	HP Color LaserJet Pro M176MFP, HP Color LaserJet Pro M177MFP
Part no.	006R03242	, 006R03243, 006R03244, 006R03245
Color Pure substance/mixture	Black, Cyar Mixture	n, Magenta, Yellow
Relevant identified uses of the subs	stance or mi	xture and uses advised against
Recommended Use	Xerographic	c printing
Details of the supplier of the safety	data sheet	
Distributor	Xerox Corp	pration
	Webster, N	Y 14580
For further information, please cont		
Contact person	0,	nvironment, Health, Safety & Sustainability
E-mail address	askxerox@:	
Emergency telephone	,	mation US: (800) 275-9376
	Chemical E	mergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

## 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

 OSHA Hazard Classification
 This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

 While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

 Label elements
 Signal Word

 Hazard Statements
 None required



#### **Precautionary Statements** None required

#### Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Polymer	292629-36-8	80-90		
Paraffin wax	8002-74-2	5-15		
Carbon Black	1333-86-4	5-10		
Cyan pigment	Proprietary	5-10		
Yellow pigment	Proprietary	5-10		
Magenta pigment	Proprietary	5-10		

"--" indicates no classification or hazard statements apply.

### 4. FIRST AID MEASURES

#### **Description of first-aid measures**

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.
<b>F</b>	Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Most important symptoms a	and effects, both acute and delayed_
Acute toxicity	-

Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Main symptoms	<b>Overexposure may cause:</b> mild respiratory irritation similar to nuisance dust.
Aggravated Medical Conditions	None under normal use conditions
Indication of immediate medical a	ttention and special treatment needed
	· · · · · · · · · · · · · · · · · · ·

**Protection of first-aiders** No special protective equipment required Treat symptomatically Notes to physician

#### . FIRE-FIGHTING MEASURES 5

#### Extinguishing media

Use water spray or fog; do not use straight streams, Foam Suitable extinguishing media Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

#### Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard



#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

#### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

#### Other information Flammability Flash point

Not flammable. Will not readily ignite. Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### Environmental precautions

No special environmental precautions required

#### Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up	Prevent dust cloud Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove
	toner making it difficult to remove

#### Reference to other sections

The environmental impact of this product has not been fully investigated However, this preparation is not expected to present significant adverse environmental effects.

## 7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

### Conditions for safe storage, including any incompatibilities

Technical measures and storage Keep container tightly closed in a dry and well-ventilated place, Store at room temperature conditions

Incompatible products None

## Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits ACGIH TLV TWA ACGIH TLV TWA OSHA PEL TWA OSHA PEL TWA Xerox Exposure Limit

10 mg/m<sup>3</sup> (inhalable particles) 3 mg/m<sup>3</sup> (respirable dust) 15 mg/m<sup>3</sup> (total dust) 5 mg/m<sup>3</sup> (respirable dust) 2.5 mg/m<sup>3</sup> (total dust)



## Toner - Black/Cyan/Magenta/Yellow

Page 4/7

**Xerox Exposure Limit** 

0.4 mg/m<sup>3</sup> (respirable dust)

#### **Component Information**

Chemical Name	ACGIH TLV	OSHA PEL
Paraffin wax	TWA: 2 mg/m <sup>3</sup>	
Carbon Black	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
Cyan pigment	TWA: 1 mg/m <sup>3</sup>	

#### Exposure controls

Engineering measures

None under normal use conditions

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection	No special protective equipment required
Hand protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Respiratory protection	No special protective equipment required.
Thermal hazards	None under normal processing

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Powder Solid Black, Cyan, Mag	genta, Yellow	Odor Odor threshold pH	Faint Not applicable Not applicable
	Not applicable		
•	Not applicable 49 - 60 °C /	120 - 140 °F	
	Not applicable Not flammable. Will no Not applicable	t readily ignite.	
y ity lity fficient temperature on temperature	Not applicable Not applicable ~ 1 Negligible Not applicable Not applicable Not determined Not applicable Fine dust dispersed in source is a potential du		entrations, and in the presence of an ignition
	Solid	Solid Black, Cyan, Magenta, Yellow Not applicable int 49 - 60 °C / rate Not applicable Not flammable. Will no Limits in Air Not applicable y Not applicable ity ~ 1 lity Negligible fficient Not applicable temperature Not applicable temperature Not applicable on temperature Not applicable on temperature Not applicable fficient Solid temperature Not applicable on temperature Not applicable on temperature Not applicable fficient Solid Sol	Solid Black, Cyan, Magenta, Yellow Not applicable Not applicable int 49 - 60 °C / 120 - 140 °F rate Not applicable Not flammable. Will not readily ignite. Limits in Air Not applicable y Not applicable y Not applicable rity ~ 1 lity Negligible fficient Not applicable temperature Not applicable on temperature Not applicable fficient Not applicable fficient Not applicable temperature Not applicable on temperature Not determined Not applicable Fine dust dispersed in air, in sufficient concert

### Other Information

None

## 10. STABILITY AND REACTIVITY

## Reactivity

No dangerous reaction known under conditions of normal use



## **SDS # :** A-10103

## Toner - Black/Cyan/Magenta/Yellow

Page 5/7

#### Chemical stability

Stable under normal conditions.

### Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerization	Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Incompatible Materials

None

#### Hazardous decomposition products

None under normal use

#### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

#### Information on toxicological effects

Acute toxicity		
Product Information		
Irritation		

adot initerination	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

#### Component Information

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Paraffin wax		3600 mg/kg (Rabbit)	5000 mg/kg (Rat)
Carbon Black		3 g/kg (Rabbit)	15400 mg/kg (Rat)
Cyan pigment			10000 mg/kg (Rat)
Magenta pigment		3 g/kg (Rabbit)	23 g/kg (Rat)

<u>Chronic toxicity</u> Sensitization Neurological Effects Target organ effects	No ir	ensitization responses were observed Iformation available e known	
CMR Effects			
Mutagenic effects	Not mutagenic in AMES Test		
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards		
Carcinogenicity	See "Other Information" in this section.		
Chemical Name		NTP	IARC

#### Other information

Carbon Black

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

#### Other toxic effects

2B



## **SDS # :** A-10103

## Toner - Black/Cyan/Magenta/Yellow

Page 6/7

Aspiration Hazard	Not applicable
Other adverse effects	None known

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

#### **Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Carbon Black				EC50 > 5600 mg/L 24 h

#### Persistence and degradability

Not readily biodegradable

#### Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

#### **Component Information**

Chemical Name	log Pow
Cyan pigment	6.6

#### Other adverse effects

Presents little or no hazard to the environment.

13. DISPOSAL CONSIDERATIONS	

<u>Waste treatment methods</u> Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
Contaminated packaging	No special precautions are needed in handling this material
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

## 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

## 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.



#### Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

#### International Inventories

TSCA	Complies
DSL/NDSL	Complies

## U.S. Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act** 

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon Black	1333-86-4	Carcinogen

#### U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

16. OTHER INFORMATION		

Issuing Date	2015-03-19
Revision Date	2019-02-04
Revision Note	Update to Format

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end