

# **Safety Data Sheet**

\_\_\_\_\_

SDS #: A-1042 **Toner** 

**Issuing Date** 2007-09-21 **Revision Date** 2018-11-13 **Version** 2

**Active** 

Page 1/7

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

**Product Name** 

Toner for WorkCentre 5020, WorkCentre 5016

Part no. 106R01277

Color Black
Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

Details of the supplier of the safety data sheet

Manufactured by Xerox Corporation Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability

E-mail address askxerox@xerox.com

**Emergency telephone** Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

**OSHA Hazard Classification** This product is an article which contains a mixture / preparation in powder form. Safety

information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based

on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling

and proper use of the product. This SDS should be retained and made available to

employees and other users of this product.

Label elements

Signal Word None

Hazard Statements None required



SDS #: A-1042 Toner -Black Page 2/7

Precautionary Statements None required

#### Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Styrene/acrylate copolymer	25767-47-9	47-9 50-60		
Iron oxide	1317-61-9	30-50		
Polypropylene wax	9003-07-0	-0 <5		
Metal Complex Dye	109125-51-1	<1	Self-react. C Aquatic Acute 1 Aquatic Chr 1	H242 H400 H410

<sup>&</sup>quot;--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

## 4. FIRST AID MEASURES

Description of first-aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

**Skin contact** Wash skin with soap and water

**Inhalation** Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

### Most important symptoms and effects, both acute and delayed

**Acute toxicity** 

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions None under normal use conditions

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

## Special hazards arising from the substance or mixture



SDS #: A-1042 Toner -Black Page 3/7

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### **Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

#### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

#### Other information

**Flammability** Not flammable. Will not readily ignite.

Flash point Not applicable

### ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### **Environmental precautions**

No special environmental precautions required

#### Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Methods for cleaning up

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the

toner making it difficult to remove

#### Reference to other sections

The environmental impact of this product has not been fully investigated

However, this preparation is not expected to present significant adverse environmental effects.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust

accumulation in enclosed space, Prevent dust cloud

**Hygiene measures** None under normal use conditions

## Conditions for safe storage, including any incompatibilities

Technical measures and storage Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

conditions

Incompatible products None

#### Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

ACGIH TLV TWA 10 mg/m³ (inhalable particles)



SDS #: A-1042 Toner -Black Page 4/7

ACGIH TLV TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

Serox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

3 mg/m³ (respirable dust)

5 mg/m³ (respirable dust)

2.5 mg/m³ (total dust)

0.4 mg/m³ (respirable dust)

**Component Information** 

	Chemical Name	ACGIH TLV	OSHA PEL
Г	Metal Complex Dye		Ceiling: 0.1 mg/m <sup>3</sup>

**Exposure controls** 

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protectionNo special protective equipment requiredHand protectionNo special protective equipment requiredSkin and body protectionNo special protective equipment requiredRespiratory protectionNo special protective equipment required.

Thermal hazards None under normal processing

**Environmental Exposure Controls** Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearancePowderOdorFaint

Physical stateSolidOdor thresholdNot applicableColorBlackpHNot applicable

Flash point Not applicable

Boiling point/range Not applicable

**Softening point** 49 - 60 °C / 120 - 140 °F

**Evaporation rate** Not applicable

Flammability Not flammable. Will not readily ignite.

Flammability Limits in Air Not applicable

Vapor pressure
Vapor density
Specific gravity
Not applicable
~ 2

Specific gravity ~ 2
Water solubility Negligible
Partition coefficient Not applicable
Autoignition temperature Not determined
Viscosity Not applicable

**Explosive properties** Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidizing properties Not applicable

#### Other information

None

## 10. STABILITY AND REACTIVITY



SDS #: A-1042 Toner -Black Page 5/7

## Reactivity

No dangerous reaction known under conditions of normal use

#### Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Incompatible Materials

None

### Hazardous decomposition products

None under normal use

#### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

#### Information on toxicological effects

Acute toxicity

**Product Information** 

**Irritation** No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

**Component Information** 

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50		
Iron oxide			10000 mg/kg (Rat)		

Chronic toxicity

**Sensitization** No sensitization responses were observed

Neurological Effects No information available

Target organ effects None known

CMR Effects

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity This product does not contain any known or suspected reproductive hazards

Carcinogenicity Contains no ingredient listed as a carcinogen

Other toxic effects

Aspiration Hazard Not applicable Other adverse effects None known

## 12. ECOLOGICAL INFORMATION

#### Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

#### Persistence and degradability

Not readily biodegradable



SDS #: A-1042 Toner -Black Page 6/7

\_\_\_\_\_

#### Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

#### Other adverse effects

Presents little or no hazard to the environment.

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Can be landfilled or incinerated, when in compliance with local regulations

If incineration is to be carried out, care must be exercised to prevent dust clouds forming.

Contaminated packaging No special precautions are needed in handling this material

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life

and should not be allowed to enter drains, sewers, or waterways.

## 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

#### 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

## Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

#### **International Inventories**

TSCA Complies Complies

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 Clean Water Act

## This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. **CERCLA** 



SDS #: A-1042 Toner -Black Page 7/7

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

## 16. OTHER INFORMATION

 Issuing Date
 2007-09-21

 Revision Date
 2018-11-13

Revision Note (M)SDS sections updated:, 3 Full text of H-Statements referred to under sections 2 and 3

H242 - Heating may cause a fire H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end