

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: F-60001

**Ink Jet - Black, Cyan, Magenta,
Yellow**

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Ink Jet for Xerox Wide Format IJP 2000 System
Part no. 008R13152, 008R13153, 008R13154, 008R13155

Color Black, Cyan, Magenta, Yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

1.3 Details of the supplier of the safety data sheet

Supplier

For further information, please contact

Contact person
Phone
E-mail address ehs-europe@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number

EU emergency number

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B

2.2 Label elements

Symbol(s)



Signal Word

Danger

Hazard Statements

H319 - Causes serious eye irritation

SDS #: F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

Precautionary Statements

H360 - May damage fertility or the unborn child if swallowed
 None required
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P337 + P313 - If eye irritation persists: Get medical advice/attention
 P201 - Obtain special instructions before use
 P202 - Do not handle until all safety precautions have been read and understood
 P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3 Other hazards

Not a PBT according to REACH Annex XIII
 This product does not contain any known or suspected endocrine disruptors

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Water	60-80	7732-18-5	231-791-2	--	--	--
Ethylene glycol	5-15	107-21-1	203-473-3	Acute Tox. 4	H302	--
2-Pyrrolidone	5-10	616-45-5	210-483-1	Eye Irrit 2 Repro Tox 1B	H319 H360	--
Black dye	<10	Proprietary	--	--	--	--
Yellow dye	<10	Proprietary	--	--	--	--
Glycerin	<10	56-81-5	200-289-5	--	--	--
Blue dye	<10	Proprietary	--	--	--	--
Red dye	<10	Proprietary	Listed	--	--	--

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.
 Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist

Skin contact Wash off with warm water and soap, Get medical attention if irritation develops and persists

Inhalation Move to fresh air, Get medical attention immediately if symptoms occur

Ingestion Do not ingest, If swallowed, do not induce vomiting - seek medical advice

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

SDS # : F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

<p>Eyes</p> <p>Skin</p> <p>Inhalation</p> <p>Ingestion</p> <p>Chronic effects</p> <p>Chronic toxicity</p> <p>Main symptoms</p>	<p>Avoid contact with eyes, May cause slight irritation</p> <p>Avoid contact with skin, Prolonged skin contact may defat the skin and produce dermatitis</p> <p>No known effect</p> <p>Do not ingest, May be harmful if swallowed</p> <p>No known effects under normal use conditions</p> <p>Overexposure may cause:</p> <p>Eye irritation</p> <p>Skin irritation</p> <p>May damage fertility or the unborn child</p>
---	--

4.3 Indication of immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically
---------------------------	-----------------------

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Water spray, Foam, Carbon dioxide (CO₂), Use extinguishing agent suitable for type of surrounding fire

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

No information available

Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapors

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	Not flammable
Flash point	Not flammable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

6.2 Environmental precautions

Should not be released into the environment, Avoid runoff to waterways and sewers

6.3 Methods and material for containment and cleaning up

SDS #: F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

Methods for containment Prevent further leakage or spillage if safe to do so, Dike to collect large liquid spills
Methods for cleaning up Soak up with inert absorbent material

6.4 Reference to other sections

For personal protection see section 8
 See Section 13 for additional information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

7.3 Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	ACGIH TLV	European Union
Ethylene glycol	STEL 50 ppm STEL 10 mg/m ³ TWA: 25 ppm	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection If splashes are likely to occur, wear: Goggles
Hand protection Protective gloves.
Skin and body protection None under normal use conditions
Respiratory protection Use only with adequate ventilation.

Environmental Exposure Controls

Environmental Exposure Controls Do not allow material to contaminate ground water system

9. PHYSICAL AND CHEMICAL PROPERTIES

SDS #: F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

9.1 Information on basic physical and chemical properties

<p>Appearance Physical state pH</p>	<p>Opaque Liquid 8 - 10</p>	<p>Odor Color</p>	<p>Slight Black, Cyan, Magenta, Yellow</p>
<p>Flash point</p>	<p>Not flammable</p>		
<p>Melting / Freezing Point Boiling point/range Softening point</p>	<p>Not determined >100 °C / Not applicable</p>	<p>>212 °F</p>	
<p>Evaporation rate Flammability Flammability Limits in Air</p>	<p>No information available Not flammable No information available</p>		
<p>Explosive Limits</p>	<p>No data available</p>		
<p>Vapor pressure Vapor density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity</p>	<p>No information available No information available No information available Soluble in water No information available No information available Not determined No information available</p>		
<p>Explosive properties Oxidizing properties</p>	<p>Not applicable Not applicable</p>		
<p>Particle characteristics</p>	<p>Not applicable</p>		

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

<p>Hazardous reactions Hazardous polymerization</p>	<p>None under normal processing Hazardous polymerization does not occur</p>
---	---

SDS #: F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

10.4 Conditions to avoid

Strong oxidizing agents, Extremes of temperature and direct sunlight

10.5 Incompatible Materials

Alkali metals, Strong oxidizing agents, Peroxides

10.6 Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product Information

Irritation

May cause skin and eye irritation

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Ethylene glycol	4700 mg/kg (Rat)	10600 mg/kg (Rat) 9530 µL/kg (Rabbit)	2.5 mg/L (Rat)
2-Pyrrolidone	6500 mg/kg (Rat)	2000 mg/kg (Rabbit)	80 ppm (Rat) 8 h
Glycerin	12600 mg/kg (Rat)	10 g/kg (Rabbit)	570 mg/m ³ (Rat) 1 h

Chronic toxicity

Carcinogenicity

Not classifiable as a human carcinogen

Other toxic effects

Sensitization

Not expected to be a sensitizer

Mutagenic effects

Not mutagenic

Reproductive toxicity

May damage fertility or the unborn child if swallowed

Target organ effects

None known

Aspiration Hazard

No information available

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No product level data available

Acute Aquatic Toxicity

No product level data available

Chronic Aquatic Toxicity

No product level data available

SDS # : F-60001

**Ink Jet - Black, Cyan, Magenta,
Yellow**

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

12.2 Persistence and degradability

No product level data available

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Soluble

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

No information available

12.7 Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**13.1 Disposal considerations**

Avoid runoff to waterways and sewers.

This material and its container must be disposed of as hazardous waste

EWC Waste Disposal No

08 03 12*

14. TRANSPORT INFORMATION**14.1 UN/ID No**

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

SDS #: F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date 2013-06-28
 Revision Date 2020-11-18
 Revision Note (M)SDS sections updated:, 13

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
 H319 - Causes serious eye irritation
 H360 - May damage fertility or the unborn child if swallowed

Additional advice

EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Ethylene glycol	STEL 40 ppm STEL 104 mg/m ³ STEL 30 mg/m ³ TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ Skin	TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 30 mg/m ³ STEL 104 mg/m ³ Skin	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ P*	AGW 10 ppm AGW 26 mg/m ³ H*	Huid* STEL 104 mg/m ³ TWA 52 mg/m ³ TWA 10 mg/m ³
Glycerin	STEL 30 mg/m ³ TWA 10 mg/m ³		TWA 10 mg/m ³	AGW 200 mg/m ³	

SDS # : F-60001

Ink Jet - Black, Cyan, Magenta, Yellow

Issuing Date 2013-06-28

Revision Date 2020-11-18

Version 3

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Ethylene glycol	D* Maximum Limit Value 40 ppm Maximum Limit Value 104 mg/m ³ Maximum Limit Value 20 ppm Maximum Limit Value 52 mg/m ³	SS-C** H* TWA 10 ppm TWA 26 mg/m ³ STEL 20 ppm STEL 52 mg/m ³	H* STEL 20 ppm STEL 52 mg/m ³ TWA 10 ppm TWA 26 mg/m ³	STEL 104mg/m ³ TWA 52mg/m ³ S*	TWA 50 mg/m ³ Ceiling 100 mg/m ³ S*
Glycerin	TWA 10 mg/m ³	SS-C** TWA 50 mg/m ³ STEL 100 mg/m ³			TWA 10 mg/m ³ Ceiling 15 mg/m ³

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Ethylene glycol	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Ceiling 100 mg/m ³ C(A4) P*	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Pelle*	TWA 50 ppm TWA 125 mg/m ³ STEL 50 ppm STEL 125 mg/m ³	P* STEL 40 ppm STEL 104 mg/m ³ TWA 20 ppm TWA 52 mg/m ³
Glycerin	TWA 10 mg/m ³	TWA 10 mg/m ³		TWA 10 mg/m ³	

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Ethylene glycol	TWA 15 mg/m ³ STEL 50 mg/m ³	TWA 10 ppm TWA 26 mg/m ³ TWA 10 mg/m ³ H*	TLV 10 ppm TLV 25 mg/m ³ Binding STEL 40 ppm Binding STEL 104 mg/m ³ A*	TWA 20 ppm TWA 50 mg/m ³ STEL 40 ppm STEL 100 mg/m ³ iho*	TWA 20 ppm TWA 52 mg/m ³ S* STEL 104 mg/m ³ STEL 40 ppm
Glycerin	TWA 10 mg/m ³			TWA 20 mg/m ³	

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended .

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.