

Page 1/9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: F-60018 Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Aqueous Ink for Impika Compact/Evolution/Reference

Part no. 106R02668

IMPIKA A0004983

Color Cyan

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

1.3 Details of the supplier of the safety data sheet

Supplier

For further information, please contact

Contact person

Phone

E-mail address ehs-europe@xerox.com

For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone number

EU emergency number

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

Serious eye damage/eye irritation Category 2

2.2 Label elements





Signal Word Warning

Hazard Statements H319 - Causes serious eye irritation

Precautionary Statements P280 - Wear protective gloves/protective clothing/eye protection/face protection

Page 2/9



SDS #: F-60018

Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Water	50-60	7732-18-5	231-791-2			
Glycerol	20-30	56-81-5	200-289-5			
Cyan pigment	1-10	Proprietary	Listed			01-2119458771-32-0044
Triethylene glycol, monobutyl ether	3-5	143-22-6	205-592-6	Eye Dam. 1	H318	
2-Pyrrolidone	>3	616-45-5	210-483-1	Eye Irrit 2 Repro Tox 1B	H319 H360	
1,2-Benzisothiazolin-3-one	<0.05	2634-33-5	220-120-9	Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400	

Full text of H- statements: see section 16

Note

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist

Skin contact Wash off with warm water and soap, Get medical attention if irritation develops and persists

Inhalation Move to fresh air, Get medical attention immediately if symptoms occur

Ingestion If swallowed, do not induce vomiting - seek medical advice

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes Irritating to eyes Skin May cause irritation

Inhalation May cause irritation of respiratory tract

Ingestion Do not ingest

Chronic effects

[&]quot;--" indicates no classification or hazard statements apply.



SDS #: F-60018 Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

Chronic toxicity
Main symptoms

Repeated contact may cause allergic reactions in very susceptible persons

Overexposure may cause:
Eye irritation

Skin irritation

4.3 Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Water spray, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

None in particular

Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapors

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information

Flash point > 93 °C / > 199 °F

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

6.2 Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

6.3 Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal

Methods for cleaning up Soak up with inert absorbent material, Prevent product from entering drains

6.4 Reference to other sections

Do not dispose of waste into sewer



SDS#: F-60018

Aqueous Ink - Cyan

Issuing Date 2015-02-20 Revision Date 2020-11-18 Version 8

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place, Keep out of the reach of children, Handle with care

7.3 Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

For country specific exposure limits see Section 16. **Exposure Limits**

Chemical Name	ACGIH TLV	European Union
Cyan pigment	TWA: 1 mg/m ³	

8.2 Exposure controls

Ensure adequate ventilation, especially in confined areas **Engineering measures**

Individual protection measures, such as personal protective equipment (PPE)

If splashes are likely to occur, wear:, Goggles **Eye/Face protection**

Hand protection Protective gloves.

Skin and body protection None under normal use conditions Respiratory protection Use only with adequate ventilation.

Environmental Exposure Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Slight **Appearance** Opaque Odor **Physical state** Liquid Color Cyan 8

pН

Flash point > 93 °C > 199 °F

Melting / Freezing Point Not applicable Boiling point/range Not determined Not applicable Softening point

No information available **Evaporation rate**

Not flammable **Flammability**



SDS #: F-60018 Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

Flammability Limits in Air No information available

Explosive Limits No data available

Vapor pressureNo information availableVapor densityNo information availableSpecific gravityNo information available

Density 1.1 g/cm³ **Water solubility** Soluble in water

Partition coefficient
Autoignition temperature
No information available
No information available
No information available

Decomposition temperature Not determined

Viscosity No information available

Explosive properties Not explosive Oxidizing properties Not applicable

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

10.4 Conditions to avoid

None known based on information supplied

10.5 Incompatible Materials

None known based on information supplied

10.6 Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008



SDS #: F-60018 Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

Acute toxicity

Product Information No acute toxicity information is available for this product.

Irritation Irritating to eyes and skin

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation	
Glycerol	12600 mg/kg (Rat)	10 g/kg (Rabbit)	570 mg/m³ (Rat) 1 h	
Cyan pigment	10000 mg/kg (Rat)			
Triethylene glycol, monobutyl ether	5300 mg/kg (Rat)	2000 mg/kg (Rabbit)		
2-Pyrrolidone	6500 mg/kg (Rat)	2000 mg/kg (Rabbit)	80 ppm (Rat) 8 h	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)			

Chronic toxicity

Carcinogenicity Not classifiable as a human carcinogen

Other toxic effects

Sensitization Contains a chemical that can cause an allergic reaction in susceptible people

No hazard expected under normal conditions of use

Teratogenicity No information available
Target organ effects No information available

Aspiration Hazard No information available

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

No product level data available

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Soluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

No information available

Page 7/9



SDS #: F-60018

Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

12.7 Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Avoid runoff to waterways and sewers.

This material and its container must be disposed of as hazardous waste

EWC Waste Disposal No

08 03 12*

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008



SDS #: F-60018

Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

15.2 Chemical Safety Assessment

Not applicable

16. OTHER INFORMATION

 Issuing Date
 2015-02-20

 Revision Date
 2020-11-18

Revision Note (M)SDS sections updated:, 13 Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

Additional advice

EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Glycerol	STEL 30 mg/m ³ TWA 10 mg/m ³		TWA 10 mg/m ³	AGW 200 mg/m ³	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Glycerol	TWA 10 mg/m ³	SS-C**			TWA 10 mg/m ³
		TWA 50 mg/m ³			Ceiling 15 mg/m ³
		STEL 100 mg/m ³			
Cyan pigment			STEL 4 mg/m ³	STEL 4mg/m ³	
			STEL 0.4 mg/m ³		
			TWA 1 mg/m ³		
			TWA 0.1 mg/m ³		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Glycerol	TWA 10 mg/m ³	TWA 10 mg/m ³		TWA 10 mg/m ³	
Cyan pigment	TWA 0.1 mg/m ³	_		_	

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Glycerol	TWA 10 mg/m ³			TWA 20 mg/m ³	
Cyan pigment				TWA 0.02 mg/m ³	

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended .

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,



Page 9/9

SDS #: F-60018

Aqueous Ink - Cyan

Issuing Date 2015-02-20 **Revision Date** 2020-11-18 **Version** 8

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.