

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS # : F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Aqueous Ink for Impika Compact/Evolution/Reference
Part no. 106R02667
 IMPIKA A0004985

Color Yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

1.3 Details of the supplier of the safety data sheet

Supplier

For further information, please contact

Contact person
Phone
E-mail address ehs-europe@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number

EU emergency number

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

2.2 Label elements

Symbol(s)



Signal Word

Warning

Hazard Statements
Precautionary Statements

H319 - Causes serious eye irritation
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

SDS #: F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Water	53	7732-18-5	231-791-2	--	--	--
Glycerol	20-30	56-81-5	200-289-5	--	--	--
Yellow pigment	1-10	Proprietary	Listed	--	--	--
Triethylene glycol, monobutyl ether	3-5	143-22-6	205-592-6	Eye Dam. 1	H318	--
2-Pyrrolidone	>3	616-45-5	210-483-1	Eye Irrit 2 Repro Tox 1B	H319 H360	--
1,2-Benzisothiazolin-3-one	<0.05	2634-33-5	220-120-9	Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400	--

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist
Skin contact	Wash off with warm water and soap, Get medical attention if irritation develops and persists
Inhalation	Move to fresh air, Get medical attention immediately if symptoms occur
Ingestion	If swallowed, do not induce vomiting - seek medical advice

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	Irritating to eyes
Skin	May cause irritation
Inhalation	May cause irritation of respiratory tract
Ingestion	Do not ingest
Chronic effects	

SDS # : F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

Chronic toxicity
Main symptoms

Repeated contact may cause allergic reactions in very susceptible persons
Overexposure may cause:
 Eye irritation
 Skin irritation

4.3 Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Water spray, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

None in particular

Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapors

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information

Flash point > 93 °C / > 199 °F

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

6.2 Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

6.3 Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal

Methods for cleaning up Soak up with inert absorbent material, Prevent product from entering drains

6.4 Reference to other sections

Do not dispose of waste into sewer

SDS #: F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place, Keep out of the reach of children, Handle with care

7.3 Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Limits For country specific exposure limits see Section 16.

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection	If splashes are likely to occur, wear:, Goggles
Hand protection	Protective gloves.
Skin and body protection	None under normal use conditions
Respiratory protection	Use only with adequate ventilation.

Environmental Exposure Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Opaque	Odor	Slight
Physical state	Liquid	Color	Yellow
pH	8		
Flash point	> 93 °C	/	> 199 °F
Melting / Freezing Point	Not applicable		
Boiling point/range	Not determined		
Softening point	Not applicable		
Evaporation rate	No information available		
Flammability	Not flammable		
Flammability Limits in Air	No information available		

SDS #: F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

Explosive Limits	No data available
Vapor pressure	No information available
Vapor density	No information available
Specific gravity	No information available
Density	1.1 g/cm ³
Water solubility	Soluble in water
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	Not determined
Viscosity	No information available
Explosive properties	Not explosive
Oxidizing properties	Not applicable

9.2 Other information

None

10. STABILITY AND REACTIVITY**10.1 Reactivity**

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerization	Hazardous polymerization does not occur

10.4 Conditions to avoid

None known based on information supplied

10.5 Incompatible Materials

None known based on information supplied

10.6 Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Product Information	No acute toxicity information is available for this product.
---------------------	--

SDS # : F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

Irritation

Irritating to eyes and skin

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Glycerol	12600 mg/kg (Rat)	10 g/kg (Rabbit)	570 mg/m ³ (Rat) 1 h
Triethylene glycol, monobutyl ether	5300 mg/kg (Rat)	2000 mg/kg (Rabbit)	
2-Pyrrolidone	6500 mg/kg (Rat)	2000 mg/kg (Rabbit)	80 ppm (Rat) 8 h
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity

Carcinogenicity

Not classifiable as a human carcinogen

Other toxic effects

Sensitization

Contains a chemical that can cause an allergic reaction in susceptible people
No hazard expected under normal conditions of use

Teratogenicity

No information available

Target organ effects

No information available

Aspiration Hazard

No information available

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

No product level data available

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Soluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

No information available

12.7 Other adverse effects

SDS # : F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

No information available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Avoid runoff to waterways and sewers.

This material and its container must be disposed of as hazardous waste

EWC Waste Disposal No 08 03 12*

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

15.2 Chemical Safety Assessment

SDS # : F-60020

Aqueous Ink - Yellow

Issuing Date 2015-02-20

Revision Date 2020-11-18

Version 8

Not applicable

16. OTHER INFORMATION

Issuing Date 2015-02-20
Revision Date 2020-11-18
Revision Note (M)SDS sections updated:, 13

Full text of H-Statements referred to under sections 2 and 3

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H400 - Very toxic to aquatic life

Additional advice

EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Glycerol	STEL 30 mg/m ³ TWA 10 mg/m ³		TWA 10 mg/m ³	AGW 200 mg/m ³	
Yellow pigment				K1	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Glycerol	TWA 10 mg/m ³	SS-C** TWA 50 mg/m ³ STEL 100 mg/m ³			TWA 10 mg/m ³ Ceiling 15 mg/m ³
Yellow pigment			C		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Glycerol	TWA 10 mg/m ³	TWA 10 mg/m ³		TWA 10 mg/m ³	

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Glycerol	TWA 10 mg/m ³			TWA 20 mg/m ³	

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended .

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.