

Page 1/7

Safety Data Sheet

SDS #: F-60031 High Fusion Ink - Yellow

Active

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name

HF Aqueous Ink for Xerox® Trivor® 2400 HF Inkjet Press

Part no. 008R13246

Color Yellow Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

Details of the supplier of the safety data sheet

Supplier Xerox Corporation Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability

E-mail address askxerox@xerox.com

Emergency telephone Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Not classified

Label elements

Symbol(s) None required

Signal Word None

Hazard Statements None required

Precautionary Statements None required

Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

3. COMPOSITION/INFORMATION ON INGREDIENTS



SDS #: F-60031 High Fusion Ink - Yellow Page 2/7

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Water	7732-18-5	50-75		
Aliphatic alcohol	Proprietary	15-30		
1,2-Hexanediol	6920-22-5	4-10	Eye Irrit. 2	H319
Yellow pigment	Proprietary	<8		
Triethanolamine	102-71-6	<1		
1,2-Benzisothiazolin-3-one	2634-33-5	<0.05	Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400

[&]quot;--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

4. FIRST AID MEASURES

Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist Wash off with warm water and soap, Get medical attention if irritation develops and persists

Skin contact Wash off with warm water and soap, Get medical attention if irritation development in the state of the state

Ingestion If swallowed, do not induce vomiting - seek medical advice

Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes May cause slight irritation
Skin May cause irritation
Inhalation No known effect
Ingestion No known effect

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons

Main symptoms Overexposure may cause:

Eye irritation Skin irritation

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically

FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Water spray, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

None in particular

Hazardous combustion products



SDS #: F-60031 High Fusion Ink - Yellow Page 3/7

Thermal decomposition can lead to release of irritating gases and vapors

Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit

Other information

Flash point $> 100 \, ^{\circ}\text{C}$ $/ > 212 \, ^{\circ}\text{F}$

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so, Dike to collect large liquid spills, Prevent

entry into waterways, sewers, basements or confined areas

Methods for cleaning up Soak up with inert absorbent material, Prevent product from entering drains

Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid contact with

skin and eyes, Ensure adequate ventilation, Handle and open container with care

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

Incompatible products Alkali metals, Strong oxidizing agents, Peroxides

Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Exposure Emines		
Chemical Name	ACGIH TLV	OSHA PEL
Triethanolamine	TWA: 5 mg/m ³	

Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Hand protection Protective gloves

Skin and body protection
Respiratory protection
None under normal use conditions
Use only with adequate ventilation.



SDS #: F-60031 Page 4/7 **High Fusion Ink - Yellow**

Environmental Exposure Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Opaque Odor Slight Physical state Liquid Odor threshold No information available

Color 7-9.5 Yellow pН

> 100 °C > 212 °F Flash point

Melting / Freezing Point Not applicable Boiling point/range Not determined Softening point Not applicable

No information available **Evaporation rate** Flammability Limits in Air No information available

Vapor pressure No information available Vapor density No information available Specific gravity No information available

Water solubility Dispersable

No information available **Partition coefficient Autoignition temperature** No information available **Decomposition temperature** Not determined

Viscosity 5-7 mPa.s @ 25 ° C Not explosive

Explosive properties Oxidizing properties Not applicable

Other information

None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing **Hazardous reactions**

Hazardous polymerization does not occur Hazardous polymerization

Conditions to avoid

Strong oxidizing agents, Extremes of temperature and direct sunlight

Incompatible Materials

Alkali metals, Strong oxidizing agents, Peroxides

Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION



SDS #: F-60031 High Fusion Ink - Yellow Page 5/7

Information on toxicological effects

Acute toxicity

Product Information

No acute toxicity information is available for this product **Irritation** Irritating to eyes and skin

Component Information

	Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
	Aliphatic alcohol	20 g/kg (Rat)	20800 mg/kg (Rabbit)	
	Triethanolamine	4190 mg/kg (Rat)	20 mL/kg(Rabbit) 16 mL/kg(Rat)	
1	1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity

Sensitization Contains a chemical that can cause an allergic reaction in susceptible people

Neurological EffectsNo information availableTarget organ effectsNo information available

CMR Effects

Mutagenic effectsNo information availableReproductive toxicityNo information available

Carcinogenicity Contains no ingredient listed as a carcinogen

Other toxic effects

Aspiration Hazard No information available

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

Toxicity

Acute Aquatic ToxicityOn available data, substance is not harmful to aquatic life
Chronic Aquatic Toxicity
On available data, substance is not harmful to aquatic life

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Aliphatic alcohol	19000 mg/L EC50 96 h	LC50= 51600 mg/L		EC50 > 1000 mg/L 48 h
	(Pseudokirchneriella subcapitata)	Oncorhynchus mykiss 96 h LC50 41 - 47 mL/L		EC50 > 10000 mg/L 24 h
	, ,	Oncorhynchus mykiss 96 h		
		LC50= 51400 mg/L		
		Pimephales promelas 96 h		
		LC50= 710 mg/L		
		Pimephales promelas 96 h		
Triethanolamine	216 mg/L EC50 72 h	LC50 10600 - 13000 mg/L		EC50 = 1386 mg/L 24 h
	(Desmodesmus	Pimephales promelas 96 h		_
	subspicatus) 169 mg/L EC50	LC50> 1000 mg/L		
	96 h (Desmodesmus	Pimephales promelas 96 h		
	subspicatus)	LC50 450 - 1000 mg/L		
	· ·	Lepomis macrochirus 96 h		

Persistence and degradability

No product level data available

Bioaccumulative potential

No product level data available



SDS #: F-60031 High Fusion Ink - Yellow Page 6/7

Mobility in soil

Soluble in water

Component Information

Chemical Name	log Pow	
Triethanolamine	-2.53	
1,2-Benzisothiazolin-3-one	1.3	

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

Endocrine disrupting properties

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Do not dispose of waste into sewer Dispose of in accordance with all applicable local and

national environmental laws and regulations

disposal

14. TRANSPORT INFORMATION

This material is not regulated as a Hazardous Material (Dangerous Good) under 49 CFR, IATA/ICAO, IMO/IMDG, or TDG

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA Complies DSL/NDSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air



SDS #: F-60031 High Fusion Ink - Yellow Page 7/7

Act:

Chemical Name	CAS No.	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Aliphatic alcohol		15-30		Group I		
Triethanolamine	102-71-6	<1		Group I		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water			X		
Aliphatic alcohol		X	X		
Triethanolamine	X	X	Х		

16. OTHER INFORMATION

 Issuing Date
 2017-03-13

 Revision Date
 2020-04-27

Revision Note (M)SDS sections updated:, 13 Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end