



# **Safety Data Sheet**

SDS #: K-12002 Magenta UV Ink

**Issuing Date** 2016-08-30 **Revision Date** 2019-02-26 **Version** 2

**Active** 

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Product Identifier**

**Product Name** 

Ink, UV Curable for Xerox Direct-to-Object InkJet Printer

Part no. 008R08072

Color Magenta
Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

Details of the supplier of the safety data sheet

Distributor Xerox Corporation Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability

E-mail address askxerox@xerox.com

**Emergency telephone** Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

### 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin Sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1
Acute Aquatic Toxicity	Category 2
Chronic Aquatic Toxicity	Category 2

#### Label elements

### Symbol(s)









# Signal Word Danger

Hazard Statements H315 - Causes skin irritation

H319 - Causes serious eye irritation H317 - May cause an allergic skin reaction H335 - May cause respiratory irritation

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H401 - Toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

**Precautionary Statements** P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection P272 - Contaminated work clothing should not be allowed out of the workplace

P264 - Wash hands thoroughly after handling

P308 + P313 - IF exposed or concerned: Get medical advice/attention P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P273 - Avoid release to the environment

P501 - Dispose of contents/container to an appropriate disposal facility in accordance with

all local, regional, national, and international regulations

### Other hazards

None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Acrylate monomer	84100-23-2	20-40	Skin Irrit 2 Eye Irrit 2 Skin Sens 1 STOT SE3	H315 H319 H317 H335
Acrylate monomer	5888-33-5	10-20	Aquatic Chronic 2  Skin Irrit 2  Eye Irrit 2  Skin Sens 1  Aquatic Acute 1  Aquatic Chronic 1	H411 H315 H319 H317 H400 H410
Acrylate monomer	48145-04-6	1-10	Skin Sens 1A Aquatic Chronic 2	H317 H411
Acrylate monomer	63225-53-6	1-10	Skin Irrit 2 Eye Irrit 2 STOT SE3	H315 H319 H335
Acrylate monomer	2235-00-9	1-10	Acute Oral Tox 4 Acute Dermal Tox 4 Eye Irrit 2 Skin Sens 1 STOT RE 1(inhalation, liver)	H302 H312 H319 H317 H372
Photoinitiator	75980-60-8	1-10	Skin Sens 1B Repr 2	H317 H361



			Aquatic Acute 2	H401
			Aquatic Chronic 2	H411
Acrylate monomer	66492-51-1	<5	Skin Irrit. 2	H315
			Eye Irrit. 2	H319
			Skin Sens. 1B	H317
			Aquatic Acute 3	H402
Acrylate monomer	13048-33-4	<5	Skin Irrit. 2	H315
			Eye Irrit 2	H319
			Skin Sens 1	H317
Mequinol	150-76-5	0.1-<3.0	Acute Oral Tox 4	H302
			Eye Irrit 2	H319
			Skin Sens 1	H317
			Repr. 2	H361
			Aquatic Acute 3	H402
Inhibitor	52408-84-1	<5	Eye Irrit 2	H319
			Skin Sens 1	H317

Full text of H- statements: see section 16

### 4. FIRST AID MEASURES

Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist Wash off with warm water and soap, Get medical attention if irritation develops and

persists, Remove and wash contaminated clothing before re-use

Inhalation Move to fresh air, Get medical attention immediately if symptoms occur

Ingestion Clean mouth with water and afterwards drink plenty of water

### Most important symptoms and effects, both acute and delayed

**Acute toxicity** 

Skin contact

Eyes Irritating to eyes
Skin Irritating to skin

**Inhalation** May cause irritation of respiratory tract

**Ingestion** No known effect

Chronic toxicity Repeated or prolonged skin contact with the unexposed coating may cause skin irritation

and/or dermatitis and sensitization of susceptible persons, Repeated or prolonged exposure

may cause adverse liver effects, May impair fertility

Main symptoms Overexposure may cause:

Prolonged contact may produce skin, eye and respiratory tract irritation.

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically, May cause sensitization by skin contact

# 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Water spray, Foam, Carbon dioxide (CO<sub>2</sub>), Dry powder

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

# Special hazards arising from the substance or mixture

None in particular



\_

#### **Hazardous combustion products**

Heating or fire conditions liberates toxic gas, Thermal decomposition can lead to release of irritating gases and vapors

#### Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit

Other information

Flash point 94 °C (closed cup)

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

#### **Environmental precautions**

Should not be released into the environment, Do not allow material to contaminate ground water system

### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so, Prevent entry into waterways, sewers,

basements or confined areas

**Methods for cleaning up**Soak up with inert absorbent material, Pick up and transfer to properly labeled containers,

Clean contaminated surface thoroughly

#### Reference to other sections

Do not dispose of waste into sewer See Section 13 for additional information

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid contact with

skin and eyes, Ensure adequate ventilation, Handle and open container with care

Further information Wear PPE as described in Section 8

### Conditions for safe storage, including any incompatibilities

Technical measures and storage Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of

conditions

children, Handle with care, Keep cool and protect from sunlight

Incompatible products

Alkali metals, Strong oxidizing agents, Peroxides, Inert Gases, Reducing agents, Free

radical initiators

#### Specific end uses

Ink jet printing

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Limits**

Chemical Name	ACGIH TLV	OSHA PEL
Mequinol	TWA: 5 mg/m <sup>3</sup>	

### Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

### Individual protection measures, such as personal protective equipment (PPE)



\_

**Eye/Face protection** Avoid contact with eyes, If splashes are likely to occur, wear:, Goggles

Hand protection Protective gloves

Skin and body protection Avoid any skin contact, Wear appropriate clothing to prevent repeated or prolonged skin

contact

**Respiratory protection** Use only with adequate ventilation.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceOpaqueOdorSlight acrylic

Physical stateLiquidOdor thresholdNo information availableColorMagentapHNo information available

Flash point 94 °C (closed cup)

Boiling point/range No information available

Softening point Not applicable

Evaporation rate No information available Flammability Limits in Air No information available

Vapor pressureNo information availableVapor densityNo information availableSpecific gravityNo information availableWater solubilityNegligible (acrylate mixture)Partition coefficientNo information availableAutoignition temperatureNo information available

**Decomposition temperature** Not determined

Viscosity No information available

Explosive properties Not explosive Oxidizing properties Not applicable

#### Other information

None

### 10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

#### Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactions
Hazardous polymerization
None under normal processing
Polymerization can occur

# Conditions to avoid

Strong oxidizing agents, Extremes of temperature and direct sunlight

### Incompatible Materials

Alkali metals, Strong oxidizing agents, Peroxides, Inert Gases, Reducing agents, Free radical initiators

# Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen, Acrylates



### 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

**Acute toxicity** 

#### **Product Information**

No acute toxicity information is available for this product

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Acrylate monomer	4890 mg/kg (Rat)	5 g/kg (Rabbit)	
Acrylate monomer	4660 μL/kg (Rat)	2540 μL/kg (Rabbit)	
Acrylate monomer	5 g/kg (Rat)	3600 μL/kg (Rabbit)	
Mequinol	1600 mg/kg (Rat)	2000 mg/kg (Rabbit)	

Chronic toxicity

Sensitization May cause sensitization of susceptible persons

Neurological Effects No information available

Target organ effects Liver

CMR Effects

Mutagenic effects No information available

Reproductive toxicity Contains a known or suspected reproductive toxin

Possible risk of impaired fertility

Carcinogenicity Contains no ingredient listed as a carcinogen

Other toxic effects

Aspiration Hazard No information available
Other adverse effects Respiratory tract irritation

# 12. ECOLOGICAL INFORMATION

Toxicity

Acute Aquatic Toxicity Toxic to aquatic life

Chronic Aquatic Toxicity Toxic to aquatic life with long lasting effects

**Component Information** 

oomponent information				
Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to	Toxicity to daphnia and
			microorganisms	other aquatic invertebrates
Mequinol		LC50= 84.3 mg/L		
		Pimephales promelas 96 h		
		LC50= 28.5 mg/L		
		Oncorhynchus mykiss 96 h		

### Persistence and degradability

No product level data available

# Bioaccumulative potential

No product level data available

### Mobility in soil

No product level data available

**Component Information** 

John John Hill Children					
Chemical Name	log Pow				
Mequinol	1.3				

607E13460



### Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to state and federal

regulations (40 CFR 261)

Do not dispose of waste into sewer

Should not be released into the environment

Dispose of in accordance with all applicable local and national environmental laws and

regulations

Waste from Residues/Unused

**Products** 

Use recommendations found in Section 7 when handling unused or uncured material

Wear PPE as described in Section 8

Contaminated packaging Do not re-use empty containers, Empty containers should be taken to an approved waste

handling site for recycling or disposal

#### California Waste Status

This product does not contain any substances listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

Subject to regulation as noted below Exceptions may apply

Regulation	UN/ID No	Proper shipping name	Hazard class	Subsidiary hazard class	Packing Group	Exceptions
DOT	UN3082	Environmentally hazardous substance, liquid, n.o.s (isobornyl acrylate)	9	-	III	49CFR173.155(b)(2)
TDG	UN3082	Environmentally hazardous substance, liquid, n.o.s (isobornyl acrylate)	9	-	III	1.17 Limited Quantities
ICAO/IATA	UN 3082	Environmentally hazardous substance, liquid, n.o.s	9	-	III	Section 2.6 Dangerous Goods in Excepted Quantities
IMDG/IMO	UN 3082	Environmentally hazardous substance, liquid, n.o.s (isobornyl acrylate)	9	-	≡	Chapter 3.4 - Dangerous Goods Packed in Limited Quantities Chapter 3.5 - Dangerous Goods in Excepted Quantities

Special Provisions Marine Pollutant

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

### **International Inventories**

TSCA Complies

### U.S. Federal Regulations



#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS No.	SARA 313 - Threshold Values %	
Acrylate monomer	48145-04-6	1.0	

# Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act

Chemical Name	CAS No.	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acrylate monomer	48145-04-6	1-10	Present			

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals:

### U.S. State Right-to-Know Regulations

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acrylate monomer		Х	X	X	
Mequinol	X	X	X		

# 16. OTHER INFORMATION

 Issuing Date
 2016-08-30

 Revision Date
 2019-02-26

Revision Note (M)SDS sections updated:, 3 Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

H400 - Very toxic to aquatic life

H401 - Toxic to aquatic life

H402 - Harmful to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end