# **Safety Data Sheet**

**SDS # :** P-70002

Issuing Date 2013-02-20

# **Toner - Black**

Revision Date 2019-05-15

Version 2

Page 1/7

Active

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Toner	for	WorkCentre 5845, WorkCentre 5855, WorkCentre 5865, WorkCentre 5875, WorkCentre 5890, WorkCentre 5855i, WorkCentre 5865i, WorkCentre 5875i, WorkCentre 5890i		
Part no.	006R01551	006R01552, 006R01729, 006R01730, 093K04602, 093K04612		
Color Pure substance/mixture	Black Mixture			
Relevant identified uses of the subs	stance or mix	ture and uses advised against		
Recommended Use	Xerographic printing			
Details of the supplier of the safety	data sheet			
Manufactured by	Xerox Corpo			
For further information, please cont Contact person E-mail address Emergency telephone	Webster, NY 14580 tact Manager, Environment, Health, Safety & Sustainability askxerox@xerox.com Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300			
For the most current document	https://safety	/sheets.business.xerox.com		

# 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

None

**OSHA Hazard Classification** This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Label elements

Signal Word

BR547





Hazard Statements	None required

# Precautionary Statements None required

#### Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### <u>Mixtures</u>

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Polyester Resin	Proprietary	>80		
Iron oxide	1317-61-9	5-15		
Polypropylene wax	9003-07-0	<3		
Carbon black	1333-86-4	<5		
Titanium dioxide	13463-67-7	<1		

"--" indicates no classification or hazard statements apply.

# 4. FIRST AID MEASURES

#### Description of first-aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

#### Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Main symptoms	<b>Overexposure may cause:</b> mild respiratory irritation similar to nuisance dust.
Aggravated Medical Conditions	None under normal use conditions

# Protection of first-aidersNo special protective equipment requiredNotes to physicianTreat symptomatically

#### 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

**Suitable extinguishing media** Use water spray or fog; do not use straight streams, Foam **Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

#### Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion



xero

#### hazard

#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

## Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

Other information	
Flammability	
Flash point	

Not flammable. Will not readily ignite. Not applicable

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### Environmental precautions

No special environmental precautions required

#### Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent dust cloud Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

#### Reference to other sections

The environmental impact of this product has not been fully investigated However, this preparation is not expected to present significant adverse environmental effects.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

#### Conditions for safe storage, including any incompatibilities

Technical measures and storage Keep container tightly closed in a dry and well-ventilated place, Store at room temperature conditions

Incompatible products None

# Specific end uses

Xerographic printing

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits ACGIH TLV TWA ACGIH TLV TWA OSHA PEL TWA

10 mg/m<sup>3</sup> (inhalable particles) 3 mg/m<sup>3</sup> (respirable dust) 15 mg/m<sup>3</sup> (total dust)



Page 4/7

OSHA PEL TWA	5 mg/m <sup>3</sup> (respirable dus	t)		
Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)			
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)			
Component Information				
Chemical Name		CGIH TLV	OSHA PEL	
Carbon black		A: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	
Titanium dioxide	TW	A: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	
Exposure controls Engineering measures	None under normal use			
ndividual protection measures, suc	ch as personal protectiv	<u>e equipment (PPE)</u>	_	
Eye/Face protection	No special protective ed			
Hand protection Skin and body protection	No special protective ed No special protective ed			
Respiratory protection	No special protective ed			
Thermal hazards	None under normal pro			
mermar nazarus	None under normal pro-	Jessing		
nvironmental Exposure Controls	Keep out of drains, sew	ers, ditches and wate	erways	
9. PHYSICAL AND CHEMICA	L PROPERTIES			
nformation on basic physical and on Appearance Powder Physical state Solid Color Black	chemical properties	Odor Odor threshold pH	Faint Not applicable Not applicable	
Flash point	Not applicable			
Boiling point/range	Not applicable			
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable. Will not readily ignite.			
Flammability Limits in Air	Not applicable			
Vapor pressure Vapor density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties	Not applicable Not applicable 1-2 Negligible Not applicable Not applicable Not determined Not determined Not applicable Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard Not applicable			
<u>Dther information</u> None				
IO. STABILITY AND REACT	VITY			
Reactivity No dangerous reaction known und	ler conditions of normal u	se		

# Chemical stability



# SDS #: P-70002

# **Toner - Black**

Page 5/7

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerization	Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Incompatible Materials

None

#### Hazardous decomposition products

None under normal use

#### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

# Information on toxicological effects

Acute toxicity Product Informatio

Product Information	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

#### **Component Information**

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Iron oxide			10000 mg/kg (Rat)
Carbon black		3 g/kg (Rabbit)	15400 mg/kg (Rat)
Titanium dioxide			10000 mg/kg (Rat)

Chronic toxicity	
Sensitization	No sensitization responses were observed
Neurological Effects	No information available
Target organ effects	None known

## CMR Effects

Mutagenic effects	Not mutagenic in AMES Test		
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards		
Carcinogenicity	See "Other Information" in this section.		
Chemical Name		NTP	IARC
Carbon black			2B
Titanium dioxide			2B

#### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO<sub>2</sub> particles of respirable size.



Page 6/7

The Titanium Dioxide Industry REACH Consortium has concluded that these effects were species-specific, attributable to lung overload and not specific to TiO<sub>2</sub>, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

# Other toxic effects

Aspiration Hazard	Not applicable
Other adverse effects	None known

# 12. ECOLOGICAL INFORMATION

#### **Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

#### **Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Carbon black				EC50 > 5600 mg/L 24 h

#### Persistence and degradability

Not readily biodegradable

#### Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

#### Other adverse effects

Presents little or no hazard to the environment.

13. DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u> Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	No special precautions are needed in handling this material
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

# 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

# 15. REGULATORY INFORMATION

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### OSHA Regulatory Status

# xero

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

# Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR). and the SDS contains all the information required by the HPR.

#### International Inventories

TSCA	Complies
DSL/NDSL	Complies

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act** 

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

# **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

ſ	Chemical Name	CAS No.	California Prop. 65
[	Carbon black	1333-86-4	Carcinogen
[	Titanium dioxide	13463-67-7	Carcinogen

## **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

16. OTHER INFORMATION		
Issuing Date	2013-02-20	
Revision Date	2019-05-15	
Revision Note	Part number 006R01729, 006R01730 added	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end