SAFETY DATA SHEET

Reference No.:HG0018

Revised: February 4, 2015

Prepared: June 1, 2012

1. Identification

Product name: HI-LUBE GSM-1131

HARVES Co., Ltd. Product name: HI-LUBE GSM-1131

Supplier's details:

Company name : HARVES Co., Ltd.

Address : PARK SIDE GAKUYA bldg. 6F, 9-21-14, Tokiwa, Urawa-ku,

Saitama-shi, Saitama, 330-0061 Japan

Section : Quality Assurance Dept.

TEL : +81-48-824-2821 FAX : +81-48-824-2826

2. Hazards identification

Title of classification: Classification standard not applicable.

GHS classification: Not applicable.

Signal word: None.

Hazard statement: No useful information available. Environmental impact: No useful information available.

3. Composition/information on ingredients

Chemical identity: Mixture

Components:		Contents (mass%)	CAS No.
Base oil	SYNTHETIC HYDROCARBON	80~90	Nondisclosure
Thickener	LITHIUM SOAP	5~10	Nondisclosure
Additives	OILINESS AGENT,	5~10	Nondisclosure
	ANTI-OXIDANT, etc.		Nondisclosure
	Total	100	

Chemical structural formula: Cannot be described. Industrial safety and health law: Not applicable.

PRTR (Pollutant Release and Transfer Register): Not applicable.

4. First aids measures

Eye: Rinse the eyes with a quantity of clean water and receive treatment from a doctor.

Skin: Wash the affected area with soap and water.

Breath: When symptoms appear, move the patient to a place of fresh air.

If the symptoms last, receive treatment from a doctor.

Ingestion: Do not induce vomiting and consult a doctor.

Wash mouth thoroughly with plenty of water if necessary.

5. Fire-fighting measures

Fire extinguishing method: 1.Cut off the combustion factors to the origin of fire.

2.Extinguish a fire by using fire extinguishing agent.

Fire extinguishing agent: Use foam, powder or carbon dioxide gas. Water may be effective for cooling but may not effect extinguishment.

6. Accidental release measures

Remove fire from the environment.

Absorb spill with rag, etc. and place in a chemical waste container.

Avoid leaking to the river, sewage line, etc.

7. Handling and storage

Handling: ·May cause eye irritancy. Wear protective eyeglasses or chemical safety goggles.

- · May cause skin irritancy. Wear adequate gloves.
- · Do not eat.
- · May cut fingers when open the container. Wear gloves.
- Prevent this product from contacting high temperature body such as fire, spark. Implement countermeasure against static electricity.
- · Handle the product at room temperature. Avoid contamination by water, dust, etc.

Storage: · Seal the container tightly to avoid being contaminated by dust, water etc.

- · Keep away from direct sunlight and keep it in cool place.
- Avoid the contact of halogen compounds, strong acids, alkalis and oxidizing substances. Do not store the product at the same location as the substances mentioned above are stored.

8. Exposure controls/ personal protection

Control concentrations: Not established.

Allowable concentrations: Not established.

Equipment measures: When mist generated, seal up the source of release or set up ventilation equipment.

HARVES Co., Ltd. Product name: HI-LUBE GSM-1131 Reference No.:HG0018

Protective devices and individual protection:

Respiratory system: Wear a gas protection mask (for organic gas) if necessary.

Eye: Wear protective eyeglasses or chemical safety goggles if oil mist generated.

Hand: Wear oil-resistant gloves when prolonged or frequently repeated contact could occur. Body: Wear oil-resistant clothing when prolonged or frequently repeated contact could occur.

9. Physical and chemical properties

Appearance, etc. : Semi-transparent, paste.

Dropping point : Approx.190°C

Evaporation : None
Water solubility : Insoluble

Density : Approx. $0.9g/cm^3$ (15°C)

10. Stability and reactivity

Flash point: : Higher than 220° C

Fire point : No data.

Combustibility : Flammable.

Stability : Stable.

Reactivity : Avoid contacts by strong oxidizing agents.

11. Toxicology information

Eye: Considered little stimulation to eyes.

Skin: Considered little stimulation to skin due to the prolonged or repetitive exposure.

Acute toxicity: Oral toxicity

LD₅₀: More than 5g/kg in rat (estimate value).

Carcinogenicity: No data available.

12. Ecological information

Degradability: No data available. Accumulation: No data available. Fish toxicity: No data available.

13. Disposal considerations

Method of discard: Adequately dispose in the respective company according to the control of the rules and regulations concerned, or entrust to an industrial waste contractor.

Handling of empty containers: May burst if pressure applied. May burst and residue of the product may be ignited by welding, heating up, making holes or cutting the empty container.

14. Transport information

Follow the general cautions noted in "Cautions for Handling and Storage". Make sure that containers of the product do not develop a leak and not get damaged. Load goods carefully to avoid risk of collapse of cargo.

In addition, take measures according as the law.

UN No.: Not applicable.

UN Classification (IMO): Not applicable.

UN Classification (ICAO): Not applicable.

Cautions: According to the general cautions noted in "Cautions for handling and storage".

15. Regulatory information

Fire Service Law: Not applicable.

Industrial safety and health law: Not applicable for Dangerous material and Organic solvent regulation.

Water Pollution Control Law: Emission regulation of oil content (5mg/L acceptable concentration) as N-Hexane extract.

Ship Safety Law: Not applicable.

Law on the Prevention of Marine Pollution: Emission regulation of oil content (prohibited in principle).

Sewerage Law: Mineral oil emission regulation (5mg/L).

Waste Management and Public Cleaning Law: Industrial waste regulation

(prohibition of spreading and leaking).

PRTR: Not applicable.

16. Other information

Reference : JIS Z 7252 : 2014

JIS Z 7253: 2012

Japan Society for Occupational Health (2010)

ACGIH(2013) CLP Regulation

Remarks : Assessment of danger and harmfulness is not always satisfactory, and so utmost

care should be exercised for handling.

This Data Sheet is prepared based on JIS Z 7253:2012 and intended to provide the optimum information and updated data for adequately using and handling the product under proper conditions. It is no guarantee of the noted data and assessment.