

Page 1/10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

Locuing Date 2010 1			
Issuing Date 2018-1	0-02	Revision Date 2023-10-11	Version 5
SECTION 1. IDENT	IFICATION (OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDE	RTAKING
1.1 Product Identifier	<u>r_</u>		
Product Name Part no.		HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press 008R13256	
UFI		W220-Q0YG-H00F-JMAX	
Colour		Black	
1.2 Relevant identif	ied uses of th	e substance or mixture and uses advised against	
Recommended Use		Ink jet printing	
1.3 Details of the su	pplier of the s	afety data sheet	
Supplier	Xerox Ltd. Building 4 Uxbridge Bus Sanderson R Uxbridge Middlesex. U UK	Road	
<u>For further informati</u> Contact person Phone E-mail address	on, please co	<u>ntact</u> Manager, Environment, Health, Safety & Sustainability ++44 (0)1707 353434 ehs-europe@xerox.com	
For the most current	document	https://safetysheets.business.xerox.com	
1.4 Emergency telep	hone number	<u>r</u>	
+44 1865 407333			

The product is classified and labelled in accordance with re-	
Serious eye damage/eye irritation	Category 2

2.2 Label elements

GHS Label elements, including precautionary statements Symbol(s)

Page 2/10

SDS # : F-60038

.

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

Signal Word	Warning
Hazard Statements Precautionary Statements	H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 - IF IN EYES: P351 - Rinse cautiously with water for several minutes P338 - Remove contact lenses, if present and easy to do. Continue rinsing P313 - Get medical advice/attention
UFI EC Label EUH208 - Contains (1,2-benzi	W220-Q0YG-H00F-JMAX sothiazol-3(2H)-one CAS 2634-33-5). May produce an allergic reaction

2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg.		REACH Registration
				1272/2008)	Statements	Number
Water	50-60	7732-18-5	231-791-2			
Propylene glycol	15-35	57-55-6	200-338-0			
1,2-Hexanediol	5-15	6920-22-5	230-029-6	Eye Irrit. 2	H319	
Carbon black	1-10	1333-86-4	215-609-9			01-2119384822-32-0065
Triethanolamine	<1	102-71-6	203-049-8			
1,2-Benzisothiazolin-3-one	<0.036	2634-33-5	220-120-9	Acute Tox. 4 (oral)	H302	
				Skin Irrit. 2	H315	
				Eye Dam. 1	H318	
				Skin Sens. 1	H317	
				Aquatic Acute 1	H400	

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply. Where no REACH registration number is listed, it is considered confidential to the Only Representative.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

xerox

Page 3/10

SDS # : F-60038	HF Aqueous Ink - Black
Issuing Date 2018-10-02	Revision Date 2023-10-11 Version
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist
Skin contact	Wash off with warm water and soap, Get medical attention if irritation develops and pers
Inhalation	Move to fresh air, Get medical attention immediately if symptoms occur
Ingestion	Clean mouth with water and afterwards drink plenty of water, Consult a doctor if necessa Do NOT induce vomiting
4.2 Most important symptoms and	effects, both acute and delayed
Acute toxicity	
Eyes	May cause irritation
Skin	May cause irritation
Inhalation	No known effect, May cause irritation of respiratory tract Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea
Ingestion Chronic effects	ngestion may cause gastronitestinal initiation, nausea, vontiting and diarnoea
Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons
Main symptoms	Overexposure may cause:
	Eye irritation
	Skin irritation
4.3 Indication of immediate medica	al attention and special treatment needed
Protection of first-aiders	Avoid contact with skin, eyes and clothing
Notes to physician	Treat symptomatically
SECTION 5. FIREFIGHTING ME	ASURES
5.1 Extinguishing media	
Suitable extinguishing media	Water spray, Foam, Carbon dioxide (CO2)
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire
5.2 Special hazards arising from the	ne substance or mixture
None in particular	
Hazardous combustion product Thermal decomposition can lead t	s o release of irritating gases and vapours
5.3 Advice for fire-fighters	
Wear self-contained breathing ap	paratus and protective suit.
Other information	
Flammability Flash point	Not flammable > 100 °C / > 212 °F
SECTION 6. ACCIDENTAL RELE	EASE MEASURES

Page 4 / 10

xerc

SDS # : F-60038

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

6.2 Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

6.3 Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so, Dyke to collect large liquid spills,
Prevent entry into waterways, sewers, basements or confined areasMethods for cleaning upSoak up with inert absorbent material, Prevent product from entering drains

6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Ensure adequate ventilation, Prevent the formation of vapours, mist and aerosols, Avoid contact with skin and eyes, Do not ingest

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children

7.3 Specific end uses

Ink jet printing

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Limits	For country specific exposure limits see Section 16		
Chemical Name	ACGIH TLV	European Union	
Carbon black	TWA: 3 mg/m ³		
Triethanolamine	TWA: 5 mg/m ³		

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	If splashes are likely to occur, wear, Goggles
Hand protection	Protective gloves.
Skin and body protection	None under normal use conditions

xerox

Page 5/10

SDS # : F-60038	HF Aqueou	s Ink - Black		
Issuing Date 2018-10-02	Revision I	Date 2023-10-11		Version
Respiratory protection Thermal hazards				
Environmental Exposure Control Environmental Exposure Controls		vers, ditches and waterwa	ys	
SECTION 9. PHYSICAL AND C	HEMICAL PROPERTIE	S		
9.1 Information on basic physica	al and chemical properties	S		
Physical state Liq	aque uid 9.5	Odour Colour	Slight Black	
Flash point	> 100 °C /	> 212 °F		
Melting / Freezing Point Boiling point/boiling range Softening point	Not applicable Not determined Not applicable			
Evaporation rate Flammability Flammability Limits in Air	No information availabl Not flammable No information availabl			
Explosive Limits	No data available			
Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity	No information availabl No information availabl No information availabl Dispersible No information availabl No information availabl Not determined 5-7 mPa.s @ 25 ° C	e e		
Explosive properties Oxidising properties	Not explosive Not applicable			
9.2 Other information				

None

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

Page 6/10

xerox

SDS #: F-60038

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

10.4 Conditions to avoid

Strong oxidising agents, Extremes of temperature and direct sunlight

10.5 Incompatible Materials

Alkali metals, Strong oxidising agents, Peroxides

10.6 Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product Information Irritation Oral LD50 **Dermal LD50**

May cause skin and eye irritation Not determined Not determined

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg (Rat)	20800 mg/kg (Rabbit)	
Carbon black	15400 mg/kg (Rat)	3 g/kg (Rabbit)	
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit)	
		16 mL/kg (Rat)	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity

Carcinogenicity	See "Other Information" in this section.		
	Chemical Name	IARC	
	Carbon black	2B	
Other information	"possibly carcinogenic to humans "free" carbon black. In the proce	for Research on Cancer) has listed carbon black as s". The classification is based on studies evaluating pure, ess of making this product, the small amount of carbon is not expressed as "free" carbon black. Therefore, this his product.	
Other toxic effects Sensitisation Reproductive toxicity Target organ effects	Contains a chemical that can cau No known effects under normal u No information available	use an allergic reaction in susceptible people use conditions	

Page 7/10

SDS # : F-60038

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

Aspiration Hazard No information available

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

No product level data available

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Soluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

No information available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Avoid runoff to waterways and sewers Dispose of in accordance with local regulations

Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No.	08 03 13

SECTION 14. TRANSPORT INFORMATION

14.1 UN/ID No

607E26160

Page 8 / 10

xero

SDS # : F-60038

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16. OTHER INFORMATION

Issuing Date2018-10-02Revision Date2023-10-11Revision Note(M)SDS sections updated, 5, 8Full text of H-Statements referred to under sections 2 and 3H302 - Harmful if swallowedH315 - Causes skin irritationH317 - May cause an allergic skin reactionH318 - Causes serious eye damageH319 - Causes serious eye irritationH400 - Very toxic to aquatic life

Additional advice EU Country Specific Exposure Limits

Page 9/10

xerox

SDS #: F-60038

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Propylene glycol	STEL 450 ppm STEL 1422 mg/m ³ STEL 30 mg/m ³ TWA 150 ppm TWA 474 mg/m ³ TWA 10 mg/m ³	TWA 10 mg/m ³ TWA 150 ppm TWA 470 mg/m ³ STEL 1410 mg/m ³ STEL 30 mg/m ³ STEL 450 ppm			
Carbon black	STEL 7 mg/m ³ TWA 3.5 mg/m ³	TWA 3 mg/m ³ STEL 15 mg/m ³	TWA 3.5 mg/m ³		
Triethanolamine		TWA 5 mg/m ³ STEL 15 mg/m ³		AGW 1 mg/m ³	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Carbon black	TWA 3 mg/m ³				TWA 2.0 mg/m ³
Triethanolamine	TWA 5 mg/m ³	SS-C** TWA 5 mg/m ³ STEL 5 mg/m ³	S** STEL 1.6 ppm STEL 10 mg/m ³ TWA 0.8 ppm TWA 5 mg/m ³		TWA 5 mg/m ³ Ceiling 10 mg/m ³ S*

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Carbon black	TWA 3.5 mg/m ³	TWA 3.5 mg/m ³		TWA 3.5 mg/m ³	
		C(A4)		STEL 7 mg/m ³	
Triethanolamine	TWA 5 mg/m ³	TWA 5 mg/m ³			

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Propylene glycol	TWA 100 mg/m ³				TWA 25 ppm
					TWA 79 mg/m ³
					STEL 37.5 ppm
					STEL 118.5 mg/m 3
Carbon black	TWA 4 mg/m ³	TWA 3.5 mg/m ³	TLV 3 mg/m 3	TWA 3.5 mg/m ³	TWA 3.5 mg/m ³
				STEL 7 mg/m ³	STEL 7 mg/m ³
Triethanolamine		TWA 0.5 ppm	TLV 5 mg/m 3	TWA 5 mg/m ³	TWA 5 mg/m ³
		TWA 3.1 mg/m ³	TLV 0.8 ppm		STEL 10 mg/m ³
		-	Indicative STEL 10		_
			mg/m ³		
			Indicative STEL		
			1.6 ppm		
			A*		

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The



Page 10/10

SDS # : F-60038

HF Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2023-10-11

Version 5

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.