

Safety Data Sheet

SDS # : F-60038

Aqueous Ink - Black

Issuing Date 2018-10-02

Revision Date 2019-05-08

Version 1

Active

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name
 HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press

Part no. 008R13256

Color Black
Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

Details of the supplier of the safety data sheet

Supplier Xerox Corporation
 Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability
E-mail address askxerox@xerox.com
Emergency telephone Safety Information US: (800) 275-9376
 Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document <https://safetysheets.business.xerox.com>

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

Label elements

Symbol(s)



Signal Word Warning

Hazard Statements H319 - Causes serious eye irritation

Precautionary Statements P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention

Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Water	7732-18-5	50-60	--	--
Propylene glycol	57-55-6	15-35	--	--
1,2-Hexanediol	6920-22-5	<15	Eye Irrit. 2	H319
Carbon black	1333-86-4	<8	--	--
Triethanolamine	102-71-6	<1	--	--
1,2-Benzisothiazolin-3-one	2634-33-5	<0.05	Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

4. FIRST AID MEASURES

Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist

Skin contact Wash off with warm water and soap, Get medical attention if irritation develops and persists

Inhalation Move to fresh air, Get medical attention immediately if symptoms occur

Ingestion If swallowed, do not induce vomiting - seek medical advice

Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes Irritating to eyes

Skin No known effect

Inhalation No known effect

Ingestion No known effect

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons

Main symptoms **Overexposure may cause:**
Eye irritation
Skin irritation

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Water spray, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapors

Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit

Other information

Flash point > 100 °C / > 212 °F

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so, Dike to collect large liquid spills, Prevent entry into waterways, sewers, basements or confined areas

Methods for cleaning up Soak up with inert absorbent material, Prevent product from entering drains

Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

Incompatible products Alkali metals, Strong oxidizing agents, Peroxides

Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL
Carbon black	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³
Triethanolamine	TWA: 5 mg/m ³	

Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection If splashes are likely to occur, wear: Goggles
Hand protection Protective gloves
Skin and body protection None under normal use conditions
Respiratory protection Use only with adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Opaque	Odor	Slight
Physical state	Liquid	Odor threshold	No information available
Color	Black	pH	7-9.5

Flash point > 100 °C / > 212 °F

Boiling point/range Not determined
Softening point Not applicable

Evaporation rate No information available
Flammability Limits in Air No information available

Vapor pressure No information available
Vapor density No information available
Specific gravity No information available
Water solubility Dispersable
Partition coefficient No information available
Autoignition temperature No information available
Decomposition temperature Not determined
Viscosity 5-7 mPa.s @ 25 ° C
Explosive properties Not explosive
Oxidizing properties Not applicable

Other information
 None

10. STABILITY AND REACTIVITY

Reactivity
 No dangerous reaction known under conditions of normal use

Chemical stability
 Stable under normal conditions.

Possibility of hazardous reactions
Hazardous reactions None under normal processing
Hazardous polymerization Hazardous polymerization does not occur

Conditions to avoid
 Strong oxidizing agents, Extremes of temperature and direct sunlight

Incompatible Materials
 Alkali metals, Strong oxidizing agents, Peroxides

Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product Information

Irritation Irritating to eyes

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg (Rat)	20800 mg/kg (Rabbit)	
Carbon black	15400 mg/kg (Rat)	3 g/kg (Rabbit)	
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit) 16 mL/kg (Rat)	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity

Sensitization Contains a chemical that can cause an allergic reaction in susceptible people
Neurological Effects No information available
Target organ effects No information available

CMR Effects

Mutagenic effects No information available
Reproductive toxicity No information available
Carcinogenicity See "Other Information" in this section.

Chemical Name	IARC	NTP
Carbon black	2B	

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In the process of making this product, the small amount of carbon black is dispersed in a liquid and is not expressed as "free" carbon black. Therefore, this classification does not apply to this product.

Other toxic effects

Aspiration Hazard No information available

12. ECOLOGICAL INFORMATION

Toxicity

Acute Aquatic Toxicity On available data, substance is not harmful to aquatic life.
Chronic Aquatic Toxicity On available data, substance is not harmful to aquatic life.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Propylene glycol	19000 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50= 51600 mg/L Oncorhynchus mykiss 96 h LC50= 51400 mg/L Pimephales promelas 96 h LC50 41 - 47 mL/L Oncorhynchus mykiss 96 h LC50= 710 mg/L Pimephales promelas 96 h		EC50 > 1000 mg/L 48 h EC50 > 10000 mg/L 24 h
Carbon black				EC50 > 5600 mg/L 24 h
Triethanolamine	216 mg/L EC50 72 h	LC50 10600 - 13000 mg/L		EC50 = 1386 mg/L 24 h

	(Desmodesmus subspicatus) 169 mg/L EC50 96 h (Desmodesmus subspicatus)	Pimephales promelas 96 h LC50> 1000 mg/L Pimephales promelas 96 h LC50 450 - 1000 mg/L Lepomis macrochirus 96 h	
--	--	---	--

Persistence and degradability
No product level data available

Bioaccumulative potential
No product level data available

Mobility in soil
Soluble in water

Component Information

Chemical Name	log Pow
Triethanolamine	-2.53
1,2-Benzisothiazolin-3-one	1.3

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Do not dispose of waste into sewer
Dispose of in accordance with all applicable local and national environmental laws and regulations

Contaminated packaging No special precautions are needed in handling this material

California Waste Status

This product does not contain any substances listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA Complies
DSL/NDSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS No.	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Propylene glycol	57-55-6	15-35		Group I		
Triethanolamine	102-71-6	<1		Group I		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". This product does not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water			X		
Propylene glycol		X	X		
Carbon black	X	X	X	X	
Triethanolamine	X	X	X		

16. OTHER INFORMATION

Issuing Date 2018-10-02
Revision Date 2019-05-08
Revision Note Initial Release
Full text of H-Statements referred to under sections 2 and 3
 H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H319 - Causes serious eye irritation
 H400 - Very toxic to aquatic life

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end