

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS # : F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press
Part no. 008R13257
Colour Cyan

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Europe Limited
 Xerox Technology Park
 Dublin Road
 Dundalk
 Co. Louth
 Ireland

For further information, please contact

Contact person Andy Cosgrove
Phone +353 429387410
E-mail address askxerox@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

Symbol(s) None required
Signal Word None
Hazard Statements None required
Precautionary Statements None required

2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

SDS #: F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Water	50-60	7732-18-5	231-791-2	--	--	--
Propylene glycol	15-35	57-55-6	200-338-0	--	--	--
1,2-Hexanediol	<8	6920-22-5	230-029-6	Eye Irrit. 2	H319	--
Cyan pigment	<5	Proprietary	Listed	--	--	01-2119458771-32-0044
Triethanolamine	<1	102-71-6	203-049-8	--	--	--
1,2-Benzisothiazolin-3-one	<0.05	2634-33-5	220-120-9	Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400	--

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist
Skin contact	Wash off with warm water and soap, Get medical attention if irritation develops and persists
Inhalation	Move to fresh air, Get medical attention immediately if symptoms occur
Ingestion	If swallowed, do not induce vomiting - seek medical advice

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	May cause slight irritation
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons
Main symptoms	Overexposure may cause: Eye irritation Skin irritation

4.3 Indication of immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically
---------------------------	-----------------------

SDS # : F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****Suitable extinguishing media** Water spray, Foam, Carbon dioxide (CO₂)**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire**5.2 Special hazards arising from the substance or mixture**

None in particular

Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapours**5.3 Advice for fire-fighters**

Wear self-contained breathing apparatus and protective suit.

Other information**Flash point** > 100 °C / > 212 °F**6. ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with the skin and the eyes, Use personal protective equipment

6.2 Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

6.3 Methods and material for containment and cleaning up**Methods for containment** Prevent further leakage or spillage if safe to do so, Dyke to collect large liquid spills, Prevent entry into waterways, sewers, basements or confined areas**Methods for cleaning up** Soak up with inert absorbent material, Prevent product from entering drains**6.4 Reference to other sections**

See section 12 for additional ecological information

See Section 13 for additional information

7. HANDLING AND STORAGE**7.1 Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

7.2 Conditions for safe storage, including any incompatibilities

SDS # : F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

7.3 Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	European Union
Cyan pigment	TWA: 1 mg/m ³	
Triethanolamine	TWA: 5 mg/m ³	

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection If splashes are likely to occur, wear:, Goggles
Hand protection Protective gloves.
Skin and body protection None under normal use conditions
Respiratory protection Use only with adequate ventilation.

Environmental Exposure Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Opaque	Odour	Slight
Physical state	Liquid	Colour	Cyan 7-9.5
Flash point	> 100 °C /	> 212 °F	
Melting / Freezing Point	Not applicable		
Boiling point/boiling range	Not determined		
Softening point	Not applicable		
Evaporation rate	No information available		
Flammability	Not flammable		
Flammability Limits in Air	No information available		
Explosive Limits	No data available		
Vapour pressure	No information available		
Vapour density	No information available		
Specific gravity	No information available		
Water solubility	Dispersible		

SDS # : F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

Partition coefficient No information available
Autoignition temperature No information available
Decomposition temperature Not determined
Viscosity 5-7 mPa.s @ 25 ° C

Explosive properties Not explosive
Oxidising properties Not applicable

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions None under normal processing
Hazardous polymerisation Hazardous polymerisation does not occur

10.4 Conditions to avoid

Strong oxidising agents, Extremes of temperature and direct sunlight

10.5 Incompatible Materials

Alkali metals, Strong oxidising agents, Peroxides

10.6 Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product Information No acute toxicity information is available for this product.
Irritation May cause eye irritation

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg (Rat)	20800 mg/kg (Rabbit)	
Cyan pigment	10000 mg/kg (Rat)		
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit)	

SDS # : F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)	16 mL/kg (Rat)	
----------------------------	--------------------	------------------	--

Chronic toxicity

Carcinogenicity Not classifiable as a human carcinogen

Other toxic effects

Sensitisation Contains a chemical that can cause an allergic reaction in susceptible people
No hazard expected under normal conditions of use

Target organ effects No information available

Aspiration Hazard No information available

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

No product level data available

12.3 Bioaccumulative potential

No product level data available

12.4 Mobility in soil

Soluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

No information available

12.7 Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

SDS # : F-60039**HF Aqueous Ink - Cyan****Issuing Date** 2018-10-02**Revision Date** 2020-02-27**Version** 1.01

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No. 08 03 13

14. TRANSPORT INFORMATION**14.1 UN/ID No**

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION**Issuing Date** 2018-10-02**Revision Date** 2020-02-27

SDS #: F-60039

HF Aqueous Ink - Cyan

Issuing Date 2018-10-02

Revision Date 2020-02-27

Version 1.01

Revision Note Initial Release
Full text of H-Statements referred to under sections 2 and 3

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H400 - Very toxic to aquatic life

Additional advice
EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Propylene glycol	STEL 450 ppm STEL 1422 mg/m ³ STEL 30 mg/m ³ TWA 150 ppm TWA 474 mg/m ³ TWA 10 mg/m ³	TWA 10 mg/m ³ TWA 150 ppm TWA 470 mg/m ³ STEL 1410 mg/m ³ STEL 30 mg/m ³ STEL 450 ppm			
Triethanolamine		TWA 5 mg/m ³ STEL 15 mg/m ³		AGW 1 mg/m ³	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Cyan pigment			STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA 1 mg/m ³ TWA 0.1 mg/m ³	STEL 4mg/m ³	
Triethanolamine	TWA 5 mg/m ³	SS-C** TWA 5 mg/m ³ STEL 5 mg/m ³	S** STEL 1.6 ppm STEL 10 mg/m ³ TWA 0.8 ppm TWA 5 mg/m ³		TWA 5 mg/m ³ Ceiling 10 mg/m ³ S*

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Cyan pigment	TWA 0.1 mg/m ³				
Triethanolamine	TWA 5 mg/m ³	TWA 5 mg/m ³			

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Propylene glycol	TWA 100 mg/m ³				TWA 25 ppm TWA 79 mg/m ³ STEL 37.5 ppm STEL 118.5 mg/m ³
Cyan pigment				TWA 0.02 mg/m ³	
Triethanolamine		TWA 0.5 ppm TWA 3.1 mg/m ³	TLV 5 mg/m ³ TLV 0.8 ppm Indicative STEL 10 mg/m ³ Indicative STEL 1.6 ppm	TWA 5 mg/m ³	TWA 5 mg/m ³ STEL 10 mg/m ³

SDS # : F-60039**HF Aqueous Ink - Cyan****Issuing Date** 2018-10-02**Revision Date** 2020-02-27**Version** 1.01

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
			A*		

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.