Safety Data Sheet

SDS # : F-60039

Issuing Date 2018-10-02

Aqueous Ink -Cyan

Revision Date 2022-06-21

Version 3

Page 1/7

Active

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press Part no. 008R13257 Cyan Color Pure substance/mixture Mixture Relevant identified uses of the substance or mixture and uses advised against **Recommended Use** Ink jet printing Details of the supplier of the safety data sheet Supplier Xerox Corporation Webster, NY 14580 For further information, please contact **Contact person** Manager, Environment, Health, Safety & Sustainability E-mail address askxerox@xerox.com Safety Information US: (800) 275-9376 **Emergency telephone** Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

Label elements

GHS Label elements, including precautionary statements
None requiredSymbol(s)None requiredSignal WordNone requiredHazard StatementsNone required

Precautionary Statements None required

Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

3. COMPOSITION/INFORMATION ON INGREDIENTS



Page 2/7

<u>Mixtures</u>

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Water	7732-18-5	50-60		
Propylene glycol	57-55-6	15-35		
1,2-Hexanediol	6920-22-5	<10	Eye Irrit. 2	H319
Cyan Pigment	147-14-8	1-5		
Triethanolamine	102-71-6	<1		
1,2-Benzisothiazolin-3-one	2634-33-5	< 0.036	Acute Tox. 4 (oral)	H302
			Skin Irrit. 2	H315
			Eye Dam. 1	H318
			Skin Sens. 1	H317
			Aquatic Acute 1	H400

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

4. FIRST AID MEASURES

Description of first-aid measures

Description of mist and measures	
General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR
	EMERGENCY MEDICAL CARE.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and
	continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist
Skin contact	Wash off with warm water and soap, Get medical attention if irritation develops and persists
Inhalation	Move to fresh air, Get medical attention immediately if symptoms occur
Ingestion	If swallowed, do not induce vomiting - seek medical advice
Most important symptoms and effe	ects, both acute and delayed
Acute toxicity	
Eyes	May cause slight irritation
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons
Main symptoms	Overexposure may cause:
	Eye irritation
	Skin irritation
Indication of immediate medical at	tention and special treatment needed
Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing mediaWater spray, Foam, Carbon dioxide (CO2)Unsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

None in particular



Hazardous combustion products Thermal decomposition can lead to release of irritating gases and vapors														
Advice for fire-fighters Wear self-contained breathing app	aratus	and prote	ective su	ıit										
Other information														
Flash point	> 1	00 °C	/		> 2	212 °F	=							
6. ACCIDENTAL RELEASE M	EAS	JRES												
Personal precautions, protective eq Avoid contact with the skin and the							nt							
Environmental precautions_														
Should not be released into the en-	/ironm	ient, Do n	ot allow	mate	erial to	o conta	aminat	te g	ground wa	ter sys	stem			
Methods and material for containme	nt and	d cleanin	g up											
Methods for containment	Preve	ent further	leakage	e or s	pillag	e if sa	fe to d	do s	o, Dike to	collec	ct larg	e liquid	spills, Prev	ent
Methods for cleaning up									fined area roduct fro		ering	drains		
Reference to other sections See section 12 for additional ecolo See Section 13 for additional inform 7. HANDLING AND STORAGE	nation		ו 											
Precautions for safe handling Advice on safe handling									ne and sa Idle and o				contact wi care	:h
Conditions for safe storage, includir Technical measures and storage Keep container tightly closed in a c	cond	litions			Keep	o out o	f the re	eac	ch of childi	ren, H	andle	with ca	re	
Incompatible products Alkali metals, Strong oxidizing agents, Peroxides														
Specific end uses Ink jet printing														
8. EXPOSURE CONTROLS/PE	RSC	NAL PI	ROTE	сті	DN									
Control parameters Exposure Limits														
Chemical Name				CGIH							OSH	A PEL		
Cyan Pigment				/A: 1										
Triethanolamine	Triethanolamine TWA: 5 mg/m ³													

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)Eye/Face protectionIf splashes are likely to occur, wear:, Goggles

Protective gloves Hand protection

1	0	-	0			ты
X	е		0	7	٢	
		- C		-	_	

SDS # : F-60039	Aqueous	s Ink -Cyan		Page 4/7		
Skin and body protection Respiratory protection		lone under normal use conditions Jse only with adequate ventilation.				
Environmental Exposure Controls Environmental Exposure Controls		Keep out of drains, sewers, ditches and waterways				
9. PHYSICAL AND CHEMIC	AL PROPERTIES					
Information on basic physical and Appearance Opaque Physical state Liquid Color Cyan	chemical properties	Odor Odor threshold pH	Slight No information available 7-9.5			
Flash point	> 100 °C /	> 212 °F				
Melting / Freezing Point Boiling point/range Softening point	Not applicable Not determined Not applicable					
Evaporation rate Flammability Limits in Air	No information available No information available					
Vapor pressure Vapor density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity	No information available No information available No information available Dispersable No information available No information available Not determined 5-7 mPa.s @ 25 ° C					
Explosive properties Oxidizing properties	Not explosive Not applicable					
Other information						

None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous reactions None under normal processing Hazardous polymerization Hazardous polymerization does not occur

<u>Conditions to avoid</u> Strong oxidizing agents. Extremes of temperature and direct sunlight.

Incompatible Materials

Alkali metals, Strong oxidizing agents, Peroxides

Hazardous decomposition products



Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity Product Information Irritation Irritating

Irritating to eyes and skin

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg (Rat)	20800 mg/kg (Rabbit)	
Cyan Pigment	10000 mg/kg (Rat)		
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit) 16 mL/kg (Rat)	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity	
Sensitization	Contains a chemical that can cause an allergic reaction in susceptible people No hazard expected under normal conditions of use
Neurological Effects	No information available
Target organ effects	No information available
<u>CMR Effects</u> Mutagenic effects Reproductive toxicity Carcinogenicity	No information available No information available Contains no ingredient listed as a carcinogen
Other toxic effects Aspiration Hazard Information on other hazards	No information available

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

Toxicity

Acute Aquatic Toxicity Chronic Aquatic Toxicity On available data, substance is not harmful to aquatic life On available data, substance is not harmful to aquatic life

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to	Toxicity to daphnia and
			microorganisms	other aquatic invertebrates
Propylene glycol	19000 mg/L EC50 96 h	LC50= 51600 mg/L		EC50 > 1000 mg/L 48 h
	(Pseudokirchneriella	Oncorhynchus mykiss 96 h		EC50 > 10000 mg/L 24 h
	subcapitata)	LC50 41 - 47 mL/L		
		Oncorhynchus mykiss 96 h		
		LC50= 51400 mg/L		
		Pimephales promelas 96 h		
		LC50= 710 mg/L		
		Pimephales promelas 96 h		
Triethanolamine	216 mg/L EC50 72 h	LC50 10600 - 13000 mg/L		EC50 = 1386 mg/L 24 h
	(Desmodesmus	Pimephales promelas 96 h		-
	subspicatus) 169 mg/L EC50	LC50> 1000 mg/L		
	96 h (Desmodesmus	Pimephales promelas 96 h		
	subspicatus)	LC50 450 - 1000 mg/L		
		Lepomis macrochirus 96 h		

Page 6/7

Persistence and degradability

No product level data available

Bioaccumulative potential

No product level data available

Mobility in soil

Soluble in water

Component Information

Chemical Name	log Pow
Cyan Pigment	6.6
Triethanolamine	-2.53
1,2-Benzisothiazolin-3-one	1.3

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

Endocrine disrupting properties

No information available

Other adverse effects

No information available

Waste treatment methods

Waste Disposal Methods	Do not dispose of waste into sewer Dispose of in accordance with all applicable local and national environmental laws and regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

This material is not regulated as a Hazardous Material (Dangerous Good) under 49 CFR, IATA/ICAO, IMO/IMDG, or TDG

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

Page 7/7

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS No.	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Propylene glycol	57-55-6	15-35		Group I		
Triethanolamine	102-71-6	<1		Group I		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water			Х		
Propylene glycol		Х	Х		
Cyan Pigment		Х	Х		
Triethanolamine	Х	Х	Х		

16. OTHER INFORMATION

Issuing Date	2018-10-02		
Revision Date	2022-06-21		
Revision Note	(M)SDS sections updated:, 2, 3		
Full text of H-Statements referred to under sections 2 and 3			
H302 - Harmful if swallowed			

H315 - Causes skin irritation

- H317 May cause an allergic skin reaction
- H318 Causes serious eve damage

H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end