

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product Identifier

Product Name HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press  
Part no. 008R13258

Colour Magenta

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

#### 1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.  
Building 4  
Uxbridge Business Park  
Sanderson Road  
Uxbridge  
Middlesex. UB8 1DH  
UK

#### For further information, please contact

Contact person Manager, Environment, Health, Safety  
& Sustainability  
Phone ++44 (0)1707 353434  
E-mail address askxerox@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

#### 1.4 Emergency telephone number

Not applicable

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

#### 2.2 Label elements

#### GHS Label elements, including precautionary statements

Symbol(s) None required  
Signal Word None

Hazard Statements None required  
Precautionary Statements None required

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

### 2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Water	50-60	7732-18-5	231-791-2	--	--	--
Propylene glycol	15-35	57-55-6	200-338-0	--	--	--
1,2-Hexanediol	<10	6920-22-5	230-029-6	Eye Irrit. 2	H319	--
Magenta pigment	1-10	Proprietary	Listed	--	--	01-2119456804-33-0008
Triethanolamine	<1	102-71-6	203-049-8	--	--	--
1,2-Benzisothiazolin-3-one	<0.036	2634-33-5	220-120-9	Acute Tox. 4 (oral) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400	--

Full text of H- statements: see section 16

#### Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

#### Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist

#### Skin contact

Wash off with warm water and soap, Get medical attention if irritation develops and persists

#### Inhalation

Move to fresh air, Get medical attention immediately if symptoms occur

#### Ingestion

If swallowed, do not induce vomiting - seek medical advice

### 4.2 Most important symptoms and effects, both acute and delayed

#### Acute toxicity

##### Eyes

May cause slight irritation

##### Skin

No known effect

##### Inhalation

No known effect

##### Ingestion

No known effect

#### Chronic effects

##### Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons

#### Main symptoms

Overexposure may cause:

Eye irritation

Skin irritation

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

### 4.3 Indication of immediate medical attention and special treatment needed

Notes to physician      Treat symptomatically

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media**      Water spray, Foam, Carbon dioxide (CO<sub>2</sub>)

**Unsuitable extinguishing media**      Do not use a solid water stream as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

None in particular

**Hazardous combustion products**

Thermal decomposition can lead to release of irritating gases and vapours

### 5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit.

### Other information

**Flash point**      > 100 °C      /      > 212 °F

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

### 6.2 Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

### 6.3 Methods and material for containment and cleaning up

**Methods for containment**      Prevent further leakage or spillage if safe to do so, Dyke to collect large liquid spills, Prevent entry into waterways, sewers, basements or confined areas

**Methods for cleaning up**      Soak up with inert absorbent material, Prevent product from entering drains

### 6.4 Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

### 7.3 Specific end uses

Ink jet printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Exposure Limits

For country specific exposure limits see Section 16

Chemical Name	ACGIH TLV	European Union
Triethanolamine	TWA: 5 mg/m <sup>3</sup>	

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas

### Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

If splashes are likely to occur, wear: Goggles

#### Hand protection

Protective gloves.

#### Skin and body protection

None under normal use conditions

#### Respiratory protection

Use only with adequate ventilation.

### Environmental Exposure Controls

#### Environmental Exposure Controls

Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Opaque	Odour	Slight
Physical state	Liquid	Colour	Magenta
pH	7-9.5		
Flash point	> 100 °C / > 212 °F		
Melting / Freezing Point	Not applicable		
Boiling point/boiling range	Not determined		
Softening point	Not applicable		
Evaporation rate	No information available		
Flammability	Not flammable		
Flammability Limits in Air	No information available		

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

<b>Explosive Limits</b>	No data available
<b>Vapour pressure</b>	No information available
<b>Vapour density</b>	No information available
<b>Specific gravity</b>	No information available
<b>Water solubility</b>	Dispersible
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	Not determined
<b>Viscosity</b>	5-7 mPa.s @ 25 ° C
<b>Explosive properties</b>	Not explosive
<b>Oxidising properties</b>	Not applicable

### 9.2 Other information

None

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

<b>Hazardous reactions</b>	None under normal processing
<b>Hazardous polymerisation</b>	Hazardous polymerisation does not occur

### 10.4 Conditions to avoid

Strong oxidising agents, Extremes of temperature and direct sunlight

### 10.5 Incompatible Materials

Alkali metals, Strong oxidising agents, Peroxides

### 10.6 Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product Information

#### Irritation

No acute toxicity information is available for this product.  
Irritating to eyes and skin

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

### Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg ( Rat )	20800 mg/kg ( Rabbit )	
Magenta pigment	23 g/kg ( Rat )	3 g/kg ( Rabbit )	
Triethanolamine	4190 mg/kg ( Rat )	20 mL/kg ( Rabbit ) 16 mL/kg ( Rat )	
1,2-Benzisothiazolin-3-one	1020 mg/kg ( Rat )		

### Chronic toxicity

#### Carcinogenicity

Not classifiable as a human carcinogen

### Other toxic effects

#### Sensitisation

Contains a chemical that can cause an allergic reaction in susceptible people

#### Target organ effects

No information available

#### Aspiration Hazard

No information available

### Information on other hazards

Endocrine disrupting properties No information available

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

### 12.2 Persistence and degradability

No product level data available

### 12.3 Bioaccumulative potential

No product level data available

### 12.4 Mobility in soil

Soluble in water

### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

### 12.6 Endocrine disrupting properties

No information available

### 12.7 Other adverse effects

No information available

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Disposal considerations

Avoid runoff to waterways and sewers  
Dispose of in accordance with local regulations

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No.** 08 03 13

### 14. TRANSPORT INFORMATION

#### 14.1 UN/ID No

Not regulated

#### 14.2 Proper shipping name

Not regulated

#### 14.3 Transport hazard class(es)

Not classified

#### 14.4 Packing Group

Not applicable

#### 14.5 Environmental hazards

Presents little or no hazard to the environment

#### 14.6 Special precautions for users

No special precautions are needed in handling this material

#### 14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

#### 15.2 Chemical Safety Assessment

SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

### 16. OTHER INFORMATION

**Issuing Date** 2018-10-02  
**Revision Date** 2022-06-21  
**Revision Note** (M)SDS sections updated, 3

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed  
 H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H319 - Causes serious eye irritation  
 H400 - Very toxic to aquatic life

#### Additional advice

#### EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Propylene glycol	STEL 450 ppm STEL 1422 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup> TWA 150 ppm TWA 474 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup> TWA 150 ppm TWA 470 mg/m <sup>3</sup> STEL 1410 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup> STEL 450 ppm			
Triethanolamine		TWA 5 mg/m <sup>3</sup> STEL 15 mg/m <sup>3</sup>		AGW 1 mg/m <sup>3</sup>	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Triethanolamine	TWA 5 mg/m <sup>3</sup>	SS-C** TWA 5 mg/m <sup>3</sup> STEL 5 mg/m <sup>3</sup>	S** STEL 1.6 ppm STEL 10 mg/m <sup>3</sup> TWA 0.8 ppm TWA 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup> Ceiling 10 mg/m <sup>3</sup> S*

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Triethanolamine	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>			

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Propylene glycol	TWA 100 mg/m <sup>3</sup>				TWA 25 ppm TWA 79 mg/m <sup>3</sup> STEL 37.5 ppm STEL 118.5 mg/m <sup>3</sup>
Triethanolamine		TWA 0.5 ppm TWA 3.1 mg/m <sup>3</sup>	TLV 5 mg/m <sup>3</sup> TLV 0.8 ppm Indicative STEL 10 mg/m <sup>3</sup> Indicative STEL 1.6 ppm	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>



SDS # : F-60040

## HF Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
			A*		

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.