

Safety Data Sheet

SDS # : F-60040

Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2022-06-21

Version 2

Active

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name

HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press

Part no. 008R13258

Color Magenta
Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

Details of the supplier of the safety data sheet

Supplier Xerox Corporation
Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability
E-mail address askxerox@xerox.com
Emergency telephone Safety Information US: (800) 275-9376
Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document <https://safetysheets.business.xerox.com>

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

Label elements

GHS Label elements, including precautionary statements

Symbol(s) None required

Signal Word None

Hazard Statements None required

Precautionary Statements None required

Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Water	7732-18-5	50-60	--	--
Propylene glycol	57-55-6	15-35	--	--
1,2-Hexanediol	6920-22-5	<10	Eye Irrit. 2	H319
Magenta pigment	Proprietary	1-10	--	--
Triethanolamine	102-71-6	<1	--	--
1,2-Benzisothiazolin-3-one	2634-33-5	<0.036	Acute Tox. 4 (oral) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

4. FIRST AID MEASURES

Description of first-aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist

Skin contact

Wash off with warm water and soap. Get medical attention if irritation develops and persists

Inhalation

Move to fresh air. Get medical attention immediately if symptoms occur

Ingestion

If swallowed, do not induce vomiting - seek medical advice

Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes

May cause slight irritation

Skin

No known effect

Inhalation

No known effect

Ingestion

No known effect

Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons

Main symptoms

Overexposure may cause:

Eye irritation

Skin irritation

Indication of immediate medical attention and special treatment needed

Protection of first-aiders

No special protective equipment required

Notes to physician

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Water spray, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

None in particular

SDS # : F-60040

Aqueous Ink - Magenta

Page 3 / 7

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapors

Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit

Other information

Flash point > 100 °C / > 212 °F

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes, Use personal protective equipment

Environmental precautions

Should not be released into the environment, Do not allow material to contaminate ground water system

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so, Dike to collect large liquid spills, Prevent entry into waterways, sewers, basements or confined areas

Methods for cleaning up Soak up with inert absorbent material, Prevent product from entering drains

Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

Incompatible products Alkali metals, Strong oxidizing agents, Peroxides

Specific end uses

Ink jet printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL
Triethanolamine	TWA: 5 mg/m ³	

Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection If splashes are likely to occur, wear:, Goggles

Hand protection Protective gloves

Skin and body protection None under normal use conditions

SDS # : F-60040

Aqueous Ink - Magenta

Page 4 / 7

Respiratory protection Use only with adequate ventilation.

Environmental Exposure Controls

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Opaque	Odor	Slight
Physical state	Liquid	Odor threshold	No information available
Color	Magenta	pH	7-9.5
Flash point	> 100 °C / > 212 °F		
Melting / Freezing Point	Not applicable		
Boiling point/range	Not determined		
Softening point	Not applicable		
Evaporation rate	No information available		
Flammability Limits in Air	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	No information available		
Water solubility	Dispersable		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	Not determined		
Viscosity	5-7 mPa.s @ 25 °C		
Explosive properties	Not explosive		
Oxidizing properties	Not applicable		

Other information

None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous reactions None under normal processing
Hazardous polymerization Hazardous polymerization does not occur

Conditions to avoid

Strong oxidizing agents. Extremes of temperature and direct sunlight.

Incompatible Materials

Alkali metals, Strong oxidizing agents, Peroxides

Hazardous decomposition products

Undefined, but may include toxic oxides of carbon and nitrogen

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product Information

Irritation

Irritating to eyes and skin

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg (Rat)	20800 mg/kg (Rabbit)	
Magenta pigment	23 g/kg (Rat)	3 g/kg (Rabbit)	
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit) 16 mL/kg (Rat)	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity

Sensitization

Contains a chemical that can cause an allergic reaction in susceptible people

Neurological Effects

No information available

Target organ effects

No information available

CMR Effects

Mutagenic effects

No information available

Reproductive toxicity

No information available

Carcinogenicity

Contains no ingredient listed as a carcinogen

Other toxic effects

Aspiration Hazard

No information available

Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

Toxicity

Acute Aquatic Toxicity

On available data, substance is not harmful to aquatic life

Chronic Aquatic Toxicity

On available data, substance is not harmful to aquatic life

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Propylene glycol	19000 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50= 51600 mg/L Oncorhynchus mykiss 96 h LC50 41 - 47 mL/L Oncorhynchus mykiss 96 h LC50= 51400 mg/L Pimephales promelas 96 h LC50= 710 mg/L Pimephales promelas 96 h		EC50 > 1000 mg/L 48 h EC50 > 10000 mg/L 24 h
Triethanolamine	216 mg/L EC50 72 h (Desmodesmus subspicatus) 169 mg/L EC50 96 h (Desmodesmus subspicatus)	LC50 10600 - 13000 mg/L Pimephales promelas 96 h LC50> 1000 mg/L Pimephales promelas 96 h LC50 450 - 1000 mg/L Lepomis macrochirus 96 h		EC50 = 1386 mg/L 24 h

Persistence and degradability

No product level data available

SDS # : F-60040

Aqueous Ink - Magenta

Page 6 / 7

Bioaccumulative potential

No product level data available

Mobility in soil

Soluble in water

Component Information

Chemical Name	log Pow
Triethanolamine	-2.53
1,2-Benzisothiazolin-3-one	1.3

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

Endocrine disrupting properties

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

Do not dispose of waste into sewer Dispose of in accordance with all applicable local and national environmental laws and regulations

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

This material is not regulated as a Hazardous Material (Dangerous Good) under 49 CFR, IATA/ICAO, IMO/IMDG, or TDG

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA

Complies

DSL/NDSL

Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS No.	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Propylene glycol	57-55-6	15-35		Group I		
Triethanolamine	102-71-6	<1		Group I		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water			X		
Propylene glycol		X	X		
Triethanolamine	X	X	X		

16. OTHER INFORMATION

Issuing Date 2018-10-02
Revision Date 2022-06-21
Revision Note (M)SDS sections updated:, 3

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end