

# Safety Data Sheet

SDS #: F-60040

## Aqueous Ink - Magenta

Issuing Date 2018-10-02

Revision Date 2024-08-05

Version 3

**Active**

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product Identifier

##### Product Name

HF Aqueous Ink for Xerox® Baltoro™ HF InkJet Press

Part no. 008R13258

Color Magenta  
Pure substance/mixture Mixture

#### Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet printing

#### Details of the supplier of the safety data sheet

Supplier Xerox Corporation  
Webster, NY 14580

#### For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability  
E-mail address askxerox@xerox.com  
Emergency telephone Safety Information US: (800) 275-9376  
Chemical Emergency only (Chemtrec) (800) 424-9300For the most current document <https://safetysheets.business.xerox.com>

### SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

#### Label elements

##### GHS Label elements, including precautionary statements

Symbol(s) None required

Signal Word None

Hazard Statements None required

Precautionary Statements None required

#### Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Water	7732-18-5	50-60	--	--
Propylene glycol	57-55-6	15-35	--	--
1,2-Hexanediol	6920-22-5	<10	Eye Irrit. 2	H319
Magenta pigment	Proprietary	1-10	--	--
Triethanolamine	102-71-6	<1	--	--
1,2-Benzisothiazolin-3-one	2634-33-5	<0.036	Acute Tox. 2/inhal. (ATE = 0.21 mg/L, dusts or mists) Acute Tox. 4/oral (ATE = 450 mg/kg bw) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1A (C ≥ 0.036 %) Aquatic Acute 1 (M = 1) Aquatic Chronic 1 (M = 1)	H330 H302 H315 H318 H317 H400 H410

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

SECTION 4. FIRST AID MEASURES

Description of first-aid measures

**General advice**

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes, If eye irritation persists, consult a specialist

**Skin contact**

Wash off with warm water and soap, Get medical attention if irritation develops and persists

**Inhalation**

Move to fresh air, Get medical attention immediately if symptoms occur

**Ingestion**

If swallowed, do not induce vomiting - seek medical advice

Most important symptoms and effects, both acute and delayed

**Acute toxicity**

**Eyes**

May cause slight irritation

**Skin**

No known effect

**Inhalation**

No known effect

**Ingestion**

No known effect

**Chronic toxicity**

Repeated contact may cause allergic reactions in very susceptible persons

**Main symptoms**

**Overexposure may cause:**

Eye irritation

Skin irritation

Indication of immediate medical attention and special treatment needed

**Protection of first-aiders**

No special protective equipment required

**Notes to physician**

Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

**Suitable extinguishing media**

Water spray, Foam, Carbon dioxide (CO<sub>2</sub>)

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

**Special hazards arising from the substance or mixture**

None in particular

**Hazardous combustion products**

Thermal decomposition can lead to release of irritating gases and vapors

**Advice for fire-fighters**

Wear self-contained breathing apparatus and protective suit

**Other information**

**Flammability** Not flammable. Will not readily ignite.  
**Flash point** > 100 °C / > 212 °F

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Avoid contact with the skin and the eyes, Use personal protective equipment

**Environmental precautions**

Should not be released into the environment, Do not allow material to contaminate ground water system

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so, Dike to collect large liquid spills, Prevent entry into waterways, sewers, basements or confined areas  
**Methods for cleaning up** Soak up with inert absorbent material, Prevent product from entering drains

**Reference to other sections**

See section 12 for additional ecological information  
 See Section 13 for additional information

**SECTION 7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin and eyes, Ensure adequate ventilation, Handle and open container with care

**Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions**  
 Keep container tightly closed in a dry and well-ventilated place, Keep out of the reach of children, Handle with care

**Incompatible products** Alkali metals, Strong oxidizing agents, Peroxides

**Specific end uses**

Ink jet printing

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Limits**

Chemical Name	ACGIH TLV	OSHA PEL
Triethanolamine	TWA: 5 mg/m <sup>3</sup>	

**Exposure controls**

**Engineering measures**                      Ensure adequate ventilation, especially in confined areas

**Individual protection measures, such as personal protective equipment (PPE)**

**Eye/Face protection**                      If splashes are likely to occur, wear, Goggles  
**Hand protection**                              Protective gloves  
**Skin and body protection**                      None under normal use conditions  
**Respiratory protection**                      Use only with adequate ventilation.  
**Thermal hazards**                                None under normal processing

**Environmental Exposure Controls**

**Environmental Exposure Controls**                      Keep out of drains, sewers, ditches and waterways

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Appearance</b>	Opaque	<b>Odor</b>	Slight
<b>Physical state</b>	Liquid	<b>Odor threshold</b>	No information available
<b>Color</b>	Magenta	<b>pH</b>	7-9.5

**Flash point**    > 100 °C      /      > 212 °F

**Melting / Freezing Point**                      Not applicable  
**Boiling point/range**                                Not determined  
**Softening point**                                      Not applicable

**Evaporation rate**                                      No information available  
**Flammability**    Not flammable. Will not readily ignite.  
**Flammability Limits in Air**                      No information available

**Vapor pressure**                                      No information available  
**Vapor density**                                      No information available  
**Specific gravity**                                      No information available  
**Water solubility**                                      Dispersable  
**Partition coefficient**                                No information available  
**Autoignition temperature**                      No information available  
**Decomposition temperature**                      Not determined  
**Viscosity**    5-7 mPa.s @ 25 °C  
**Explosive properties**                                Not explosive  
**Oxidizing properties**                                Not applicable

**Other information**

None

**SECTION 10. STABILITY AND REACTIVITY**

**Reactivity**

No dangerous reaction known under conditions of normal use

**Chemical stability**

Stable under normal conditions.

**Possibility of hazardous reactions**

**Hazardous reactions**                                None under normal processing  
**Hazardous polymerization**                      Hazardous polymerization does not occur

**Conditions to avoid**

Strong oxidizing agents. Extremes of temperature and direct sunlight.

**Incompatible Materials**

Alkali metals, Strong oxidizing agents, Peroxides

**Hazardous decomposition products**

Undefined, but may include toxic oxides of carbon and nitrogen

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Information on toxicological effects**

**Acute toxicity**

**Product Information**

**Irritation** Irritating to eyes and skin

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Propylene glycol	20 g/kg ( Rat )	20800 mg/kg ( Rabbit )	
Magenta pigment	23 g/kg ( Rat )	3 g/kg ( Rabbit )	
Triethanolamine	4190 mg/kg ( Rat )	20 mL/kg ( Rabbit ) 16 mL/kg ( Rat )	
1,2-Benzisothiazolin-3-one	1020 mg/kg ( Rat )		

**Chronic toxicity**

**Sensitization** Contains a chemical that can cause an allergic reaction in susceptible people  
**Neurological Effects** No information available  
**Target organ effects** No information available

**CMR Effects**

**Mutagenic effects** No information available  
**Reproductive toxicity** No information available  
**Carcinogenicity** Contains no ingredient listed as a carcinogen

**Other toxic effects**

**Aspiration Hazard** No information available

**Information on other hazards**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

**SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity**

**Acute Aquatic Toxicity** On available data, substance is not harmful to aquatic life  
**Chronic Aquatic Toxicity** On available data, substance is not harmful to aquatic life

**Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Propylene glycol	19000 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50= 51600 mg/L Oncorhynchus mykiss 96 h LC50 41 - 47 mL/L Oncorhynchus mykiss 96 h LC50= 51400 mg/L Pimephales promelas 96 h LC50= 710 mg/L Pimephales promelas 96 h		EC50 > 1000 mg/L 48 h EC50 > 10000 mg/L 24 h
Triethanolamine	216 mg/L EC50 72 h	LC50 10600 - 13000 mg/L		EC50 = 1386 mg/L 24 h

	(Desmodosmus subspicatus) 169 mg/L EC50 96 h (Desmodosmus subspicatus)	Pimephales promelas 96 h LC50> 1000 mg/L Pimephales promelas 96 h LC50 450 - 1000 mg/L Lepomis macrochirus 96 h	
--	--	---	--

**Persistence and degradability**  
No product level data available

**Bioaccumulative potential**  
No product level data available

**Mobility in soil**  
Soluble in water

**Component Information**

Chemical Name	log Pow
Triethanolamine	-2.53
1,2-Benzisothiazolin-3-one	1.3

**Results of PBT and vPvB assessment**  
This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

**Endocrine disrupting properties**  
This product does not contain any known or suspected endocrine disruptors

**Other adverse effects**  
No information available

SECTION 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**  
**Waste Disposal Methods** Do not dispose of waste into sewer Dispose of in accordance with all applicable local and national environmental laws and regulations  
**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal

SECTION 14. TRANSPORT INFORMATION

This material is not regulated as a Hazardous Material (Dangerous Good) under 49 CFR, IATA/ICAO, IMO/IMDG, or TDG

SECTION 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**OSHA Regulatory Status**  
While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

**Canada**  
This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

**International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies

**Legend**

**TSCA** United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPS) (see 40 CFR 61)**

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS No.	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Propylene glycol	57-55-6	15-35		Group I		
Triethanolamine	102-71-6	<1		Group I		

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

This product is subject to U.S. State Right-to-know regulations as noted below.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water			X		
Propylene glycol		X	X		
Triethanolamine	X	X	X		

SECTION 16. OTHER INFORMATION

**Issuing Date** 2018-10-02  
**Revision Date** 2024-08-05  
**Revision Note** (M)SDS sections updated:, 3, 16

**Full text of H-Statements referred to under sections 2 and 3**

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H330 - Fatal if inhaled
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end