

Page 1/9

# **Safety Data Sheet**

according to the Globally Harmonised System

**SDS #:** D-40033

# Recovery Fluid Cleaning Solution

**Issuing Date** 2019-06-10 **Revision Date** 2022-06-16 **Version** 3

**Active** 

#### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Recovery Fluid, Cleaning Solution for Xerox® Trivor® 2400 HF Inkjet Press,

Xerox® Baltoro™ HF InkJet Press

Part no. 042N00179, 502S11711

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Cleaning agent

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.

Building 4

Uxbridge Business Park Sanderson Road

Uxbridge

Middlesex, UB8 1DH

UK

For further information, please contact

Contact person Manager, Environment, Health, Safety

& Sustainability

**Phone** ++44 (0)1707 353434

Fax

E-mail address ehs-europe@xerox.com

For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone

Not applicable

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

#### 2.2 Label elements

#### GHS Label elements, including precautionary statements

Symbol(s) None required Signal Word None required



Page 2/9

**SDS #:** D-40033

# Recovery Fluid Cleaning Solution

Hazard Statements None required Precautionary Statements None required

#### 2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements
Water	60-80	7732-18-5	231-791-2		
Glycerin	10-30	56-81-5	200-289-5		
Diethylene glycol monobutyl ether	<10	112-34-5	203-961-6	Eye Irrit. 2	H319
Alcohols, C11-14-iso-, C13-rich, ethoxylated	<1	78330-21-9	-	Eye Damage 1 Acute Tox. 4 (oral) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 3	H318 H302 H315 H400 H412
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	<1	120313-48-6	-	Skin irrit. 2 Eye Damage 1 Aquatic Acute 1 (M=1) Aquatic Chronic 2	H315 H318 H400 H411
Triethanolamine	<1	102-71-6	203-049-8		
1,2-Benzisothiazolin-3-one	<0.036	2634-33-5	220-120-9	Acute Tox. 4 (oral) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400

# Full text of H- statements: see section 16

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids, Get medical attention

immediately if symptoms occur

Skin contact Wash off immediately with soap and plenty of water, Get medical attention if irritation

develops and persists

**Inhalation** Move to fresh air in case of accidental inhalation of vapours

Ingestion Not an expected route of exposure, Rinse mouth with water and afterwards drink plenty of

water or milk

#### 4.2 Most important symptoms and effects, both acute and delayed

<sup>&</sup>quot;--" indicates no classification or hazard statements apply.



Page 3/9

SDS #: D-40033 Recovery Fluid Cleaning Solution

**Acute toxicity** 

Eyes May cause slight irritation

Skin Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

InhalationNo known effectIngestionNo known effect

**Chronic effects** 

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons

#### 4.3 Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically, Contains a chemical that can cause an allergic reaction in

susceptible people

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

#### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic and corrosive gases/vapours

#### 5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit.

#### Other information

Flammability Not flammable Flash point Not Available

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, Avoid contact with skin, eyes and inhalation of vapours, For personal protection see section 8

#### 6.2 Environmental precautions

Keep out of waterways

#### 6.3 Methods and material for containment and cleaning up

Methods for containment Prevent entry into waterways, sewers, basements or confined areas

Methods for cleaning up Soak up with inert absorbent material, Clean contaminated surface thoroughly

#### 6.4 Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information



Page 4/9

**SDS #:** D-40033

# Recovery Fluid Cleaning Solution

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Do not use in areas without adequate ventilation, Avoid breathing vapours, mist or gas, Avoid contact with skin, eyes and clothing, Wash hands thoroughly after handling, For personal protection see section 8

Hygiene measures Do not eat, drink or smoke when using this product Handle in accordance with good

industrial hygiene and safety practice

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place, Keep away from direct sunlight, Storage between 0 and 35 °C

#### 7.3 Specific end uses

Cleaning agent

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Exposure Limits** For country specific exposure limits see Section 16

Chemical Name	ACGIH TLV	European Union
Diethylene glycol monobutyl	TWA: 10 ppm	TWA 10 ppm
ether		TWA 67.5 mg/m <sup>3</sup>
		STEL 15 ppm
		STEL 101.2 mg/m <sup>3</sup>
Triethanolamine	TWA: 5 mg/m <sup>3</sup>	

## 8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Avoid contact with eyes, If splashes are likely to occur, wear:, Safety glasses with

side-shields

Hand protection Rubber/latex/neoprene or other suitable chemical resistant gloves.

Skin and body protection

Respiratory protection

No special protective equipment required

No special protective equipment required.

**Environmental Exposure Controls** 

**Environmental Exposure** Keep out of drains, sewers, ditches and waterways

Controls

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance Liquid Odour Slight

Physical stateLiquidOdour thresholdNo data availableColourColourlesspH7-11 (25C°)

607E26460



Page 5/9

SDS #: D-40033

# **Recovery Fluid Cleaning Solution**

Flash point Not Available

**Melting / Freezing Point** 

Boiling point/boiling range

Softening point

Not applicable

No information available

Not applicable

No information available **Evaporation rate** 

Not flammable **Flammability** 

Flammability Limits in Air No information available

No data available **Explosive Limits** 

No information available Vapour pressure No information available Vapour density Specific gravity No information available Density No information available

Water solubility Soluble in water

**Partition coefficient** No information available **Autoignition temperature** No information available

**Decomposition temperature** Not determined **Viscosity** 1-6 mPa.s

Not applicable **Oxidising properties** 

#### 9.2 Other information

None

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

#### 10.2 Chemical stability

Stable under normal conditions

#### 10.3 Possibility of hazardous reactions

**Hazardous reactions** None under normal processing

Hazardous polymerisation Hazardous polymerisation does not occur

#### 10.4 Conditions to avoid

Extremes of temperature and direct sunlight

#### 10.5 Incompatible Materials

Strong acids, alkaline, Oxidizing agents

#### 10.6 Hazardous decomposition products

Nitrogen oxides (NOx)



Page 6/9

**SDS #:** D-40033

# Recovery Fluid Cleaning Solution

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

Product Information

**Irritation** May cause eye irritation

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Glycerin	12600 mg/kg (Rat)	10 g/kg (Rabbit)	570 mg/m³ (Rat) 1 h
Diethylene glycol monobutyl ether	5660 mg/kg (Rat)	2700 mg/kg (Rabbit)	
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit)	
		16 mL/kg (Rat)	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

#### **Chronic toxicity**

Carcinogenicity Not classifiable as a human carcinogen

Other toxic effects

Sensitisation Contains a chemical that can cause an allergic reaction in susceptible people

Target organ effects No known effect

Aspiration Hazard Not applicable

#### Information on other hazards

Endocrine disrupting properties No information available

#### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

EC50/72h/algae = >1000 mg/L

#### 12.2 Persistence and degradability

No product level data available

#### 12.3 Bioaccumulative potential

No product level data available

#### 12.4 Mobility in soil

No product level data available

#### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

## 12.6 Endocrine disrupting properties

The environmental impact of this product has not been fully investigated However, this preparation is not expected to present



Page 7/9

**SDS #:** D-40033

# Recovery Fluid Cleaning Solution

significant adverse environmental effects.

#### 12.7 Other adverse effects

No information available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Dispose of in accordance with local regulations

EWC Waste Disposal No. 16 10 02

#### 14. TRANSPORT INFORMATION

#### 14.1 UN/ID No

Not regulated

#### 14.2 Proper shipping name

Not regulated

## 14.3 Transport hazard class(es)

Not classified

#### 14.4 Packing Group

Not applicable

#### 14.5 Environmental hazards

Presents little or no hazard to the environment

#### 14.6 Special precautions for users

No special precautions are needed in handling this material

#### 14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

#### 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

### 15.2 Chemical Safety Assessment



Page 8/9

# **Recovery Fluid Cleaning Solution**

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

#### **16. OTHER INFORMATION**

**SDS #:** D-40033

**Issuing Date** 2019-06-10 **Revision Date** 2022-06-16

**Revision Note** (M)SDS sections updated, 3 Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

#### **Additional advice**

## **EU Country Specific Exposure Limits**

Chemical Name	The United	Ireland	France	Germany	The Netherlands
	Kingdom				
Glycerin	STEL 30 mg/m <sup>3</sup>		TWA 10 mg/m <sup>3</sup>	AGW 200 mg/m <sup>3</sup>	
·	TWA 10 mg/m <sup>3</sup>				
Diethylene glycol	STEL 15 ppm	TWA 10 ppm	TWA 10 ppm	AGW 10 ppm	Huid*
monobutyl ether	STEL 101.2 mg/m <sup>3</sup>	TWA 67.5 mg/m <sup>3</sup>	TWA 68 mg/m <sup>3</sup>	AGW 67 mg/m <sup>3</sup>	STEL 100 mg/m <sup>3</sup>
-	TWA 10 ppm	STEL 15 ppm	STEL 15 ppm	_	TWA 50 mg/m <sup>3</sup>
	TWA 67.5 mg/m <sup>3</sup>	STEL 101.2 mg/m 3	STEL 101.2 mg/m <sup>3</sup>		
Triethanolamine		TWA 5 mg/m <sup>3</sup>		AGW 1 mg/m <sup>3</sup>	
		STEL 15 mg/m <sup>3</sup>			

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Glycerin	TWA 10 mg/m <sup>3</sup>	SS-C**			TWA 10 mg/m <sup>3</sup>
-		TWA 50 mg/m <sup>3</sup>			Ceiling 15 mg/m <sup>3</sup>
		STEL 100 mg/m <sup>3</sup>			
Diethylene glycol	TWA 10 ppm	SS-C**	STEL 15 ppm	STEL 101.2mg/m <sup>3</sup>	TWA 100 mg/m <sup>3</sup>
monobutyl ether	TWA 67.5 mg/m <sup>3</sup>	TWA 10 ppm	STEL 101.2 mg/m 3	TWA 67.5mg/m <sup>3</sup>	Ceiling 100 mg/m <sup>3</sup>
	STEL 15 ppm	TWA 67 mg/m <sup>3</sup>	TWA 10 ppm		
	STEL 101.2 mg/m <sup>3</sup>	STEL 15 ppm	TWA 67.5 mg/m <sup>3</sup>		
	_	STEL 101 mg/m <sup>3</sup>	_		
Triethanolamine	TWA 5 mg/m <sup>3</sup>	SS-C**	S**		TWA 5 mg/m <sup>3</sup>
		TWA 5 mg/m <sup>3</sup>	STEL 1.6 ppm		Ceiling 10 mg/m <sup>3</sup>
		STEL 5 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup>		S*
			TWA 0.8 ppm		
			TWA 5 mg/m <sup>3</sup>		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Glycerin	TWA 10 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup>		TWA 10 mg/m <sup>3</sup>	
Diethylene glycol	TWA 10 ppm	TWA 10 ppm	TWA 10 ppm	TWA 10 ppm	STEL 15 ppm
monobutyl ether	TWA 67.5 mg/m <sup>3</sup>	STEL 101.2 mg/m <sup>3</sup>			
	STEL 15 ppm	STEL 15 ppm	STEL 15 ppm	STEL 15 ppm	TWA 67.5 mg/m <sup>3</sup>



Page 9/9

**SDS #:** D-40033

# Recovery Fluid Cleaning Solution

Chemical Name	Spain	Portugal	Italy	Greece	Romania
	STEL 101.2 mg/m <sup>3</sup>	TWA 10 ppm			
Triethanolamine	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>			

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Glycerin	TWA 10 mg/m <sup>3</sup>			TWA 20 mg/m <sup>3</sup>	
Diethylene glycol monobutyl ether	TWA 67 mg/m <sup>3</sup> STEL 100 mg/m <sup>3</sup>	TWA 10 ppm TWA 68 mg/m <sup>3</sup>	TLV 10 ppm TLV 68 mg/m <sup>3</sup> Binding STEL 15 ppm Binding STEL 101 mg/m <sup>3</sup>	TWA 10 ppm TWA 68 mg/m <sup>3</sup>	TWA 10 ppm TWA 68 mg/m <sup>3</sup> STEL 15 ppm STEL 102 mg/m <sup>3</sup>
Triethanolamine		TWA 0.5 ppm TWA 3.1 mg/m <sup>3</sup>	TLV 5 mg/m 3 TLV 0.8 ppm Indicative STEL 10 mg/m3 Indicative STEL 1.6 ppm A*	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.