

Safety Data Sheet

according to the Globally Harmonised System

SDS #: D-40033

Recovery Fluid Cleaning Solution

Issuing Date 2019-06-10

Revision Date 2024-08-01

Version 4
Active

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Recovery Fluid, Cleaning Solution for Xerox® Trivor® 2400 HF Inkjet Press, Xerox® Baltoro™ HF InkJet Press
Part no. 042N00179, 502S11711

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Cleaning agent

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.
 Building 4
 Uxbridge Business Park
 Sanderson Road
 Uxbridge
 Middlesex. UB8 1DH
 UK

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability
Phone ++44 (0)1707 353434
Fax -
E-mail address ehs-europe@xerox.com

For the most current document <https://safetydatasheets.business.xerox.com>

1.4 Emergency telephone

Not applicable

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

2.2 Label elements

GHS Label elements, including precautionary statements

Symbol(s) None required
Signal Word None required

SDS # : D-40033

Recovery Fluid Cleaning Solution

Hazard Statements None required
Precautionary Statements None required

2.3 Other hazards

Contains a chemical that can cause an allergic reaction in susceptible people

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements
Water	60-80	7732-18-5	231-791-2	--	--
Glycerin	10-30	56-81-5	200-289-5	--	--
Diethylene glycol monobutyl ether	<10	112-34-5	203-961-6	Eye Irrit. 2	H319
Alcohols, C11-14-iso-, C13-rich, ethoxylated	<1	78330-21-9	-	Eye Damage 1 Acute Tox. 4 (oral) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 3	H318 H302 H315 H400 H412
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	<1	120313-48-6	-	Skin irrit. 2 Eye Damage 1 Aquatic Acute 1 (M=1) Aquatic Chronic 2	H315 H318 H400 H411
Triethanolamine	<1	102-71-6	203-049-8	--	--
1,2-Benzisothiazolin-3-one	<0.036	2634-33-5	220-120-9	Acute Tox. 2/inhal. (ATE = 0.21 mg/L, dusts or mists) Acute Tox. 4/oral (ATE = 450 mg/kg bw) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1A (C ≥ 0.036 %) Aquatic Acute 1 (M = 1) Aquatic Chronic 1 (M = 1)	H330 H302 H315 H318 H317 H400 H410

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids, Get medical attention immediately if symptoms occur

SDS # : D-40033

Recovery Fluid Cleaning Solution

Skin contact	Wash off immediately with soap and plenty of water, Get medical attention if irritation develops and persists
Inhalation	Move to fresh air in case of accidental inhalation of vapours
Ingestion	Not an expected route of exposure, Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes	May cause slight irritation
Skin	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
Inhalation	No known effect
Ingestion	No known effect

Chronic effects

Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons
-------------------------	---

4.3 Indication of immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically, Contains a chemical that can cause an allergic reaction in susceptible people
---------------------------	--

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	Use CO2, dry chemical, or foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic and corrosive gases/vapours

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	Not flammable
Flash point	Not Available

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, Avoid contact with skin, eyes and inhalation of vapours, For personal protection see section 8

6.2 Environmental precautions

Keep out of waterways

6.3 Methods and material for containment and cleaning up

SDS # : D-40033

Recovery Fluid Cleaning Solution

Methods for containment
Methods for cleaning up

Prevent entry into waterways, sewers, basements or confined areas
Soak up with inert absorbent material, Clean contaminated surface thoroughly

6.4 Reference to other sections

See section 12 for additional ecological information
See Section 13 for additional information

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not use in areas without adequate ventilation, Avoid breathing vapours, mist or gas, Avoid contact with skin, eyes and clothing, Wash hands thoroughly after handling, For personal protection see section 8

Hygiene measures Do not eat, drink or smoke when using this product Handle in accordance with good industrial hygiene and safety practice

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place, Keep away from direct sunlight, Storage between 0 and 35 °C

7.3 Specific end uses

Cleaning agent

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Limits For country specific exposure limits see Section 16

Chemical Name	ACGIH TLV	European Union
Diethylene glycol monobutyl ether	TWA: 10 ppm	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³
Triethanolamine	TWA: 5 mg/m ³	

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Avoid contact with eyes, If splashes are likely to occur, wear, Safety glasses with side-shields
Hand protection Rubber/latex/neoprene or other suitable chemical resistant gloves.
Skin and body protection No special protective equipment required
Respiratory protection No special protective equipment required.

Environmental Exposure Controls

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

SDS # : D-40033

Recovery Fluid Cleaning Solution

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

<p>Appearance Physical state Colour</p>	<p>Liquid Liquid Colourless</p>	<p>Odour Odour threshold pH</p>	<p>Slight No data available 7-11 (25C°)</p>
<p>Flash point</p>	<p>Not Available</p>		
<p>Melting / Freezing Point Boiling point/boiling range Softening point</p>	<p>Not applicable No information available Not applicable</p>		
<p>Evaporation rate Flammability Flammability Limits in Air</p>	<p>No information available Not flammable No information available</p>		
<p>Vapour pressure Vapour density Specific gravity Density Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity</p>	<p>No information available No information available No information available No information available Soluble in water No information available No information available Not determined 1-6 mPa.s</p>		
<p>Oxidising properties</p>	<p>Not applicable</p>		

9.2 Other information

None

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

<p>Hazardous reactions Hazardous polymerisation</p>	<p>None under normal processing Hazardous polymerisation does not occur</p>
---	---

10.4 Conditions to avoid

Extremes of temperature and direct sunlight

10.5 Incompatible Materials

SDS # : D-40033

Recovery Fluid Cleaning Solution

Strong acids, alkaline, Oxidizing agents

10.6 Hazardous decomposition products

Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 2020/878

Acute toxicity

Product Information

Irritation

May cause eye irritation

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Glycerin	12600 mg/kg (Rat)	10 g/kg (Rabbit)	570 mg/m ³ (Rat) 1 h
Diethylene glycol monobutyl ether	5660 mg/kg (Rat)	2700 mg/kg (Rabbit)	
Triethanolamine	4190 mg/kg (Rat)	20 mL/kg (Rabbit) 16 mL/kg (Rat)	
1,2-Benzisothiazolin-3-one	1020 mg/kg (Rat)		

Chronic toxicity

Carcinogenicity

Not classifiable as a human carcinogen

Other toxic effects

Sensitisation

Contains a chemical that can cause an allergic reaction in susceptible people

Mutagenic effects

Not expected to be mutagenic

Reproductive toxicity

No known effects under normal use conditions

Target organ effects

No known effect

Aspiration Hazard

Not applicable

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

EC50/72h/algae = >1000 mg/L

12.2 Persistence and degradability

No product level data available

12.3 Bioaccumulative potential

No product level data available

SDS # : D-40033

Recovery Fluid Cleaning Solution

12.4 Mobility in soil

No product level data available

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

No information available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal Method	Avoid runoff to waterways and sewers Dispose of in accordance with local regulations
------------------------------	---

EWC Waste Disposal No.	16 10 02
-------------------------------	----------

SECTION 14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

SDS #: D-40033

Recovery Fluid Cleaning Solution

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16. OTHER INFORMATION

Issuing Date 2019-06-10
Revision Date 2024-08-01
Revision Note (M)SDS sections updated, 3, 16

Full text of H-Statements referred to under sections 2 and 3

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H330 - Fatal if inhaled
- H400 - Very toxic to aquatic life
- H411 - Toxic to aquatic life with long lasting effects
- H410 - Very toxic to aquatic life with long lasting effects
- H412 - Harmful to aquatic life with long lasting effects

Additional advice

EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Glycerin	STEL 30 mg/m ³ TWA 10 mg/m ³		TWA 10 mg/m ³	AGW 200 mg/m ³	
Diethylene glycol monobutyl ether	STEL 15 ppm STEL 101.2 mg/m ³ TWA 10 ppm TWA 67.5 mg/m ³	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	TWA 10 ppm TWA 68 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	AGW 10 ppm AGW 67 mg/m ³	Huid* STEL 100 mg/m ³ TWA 50 mg/m ³
Triethanolamine		TWA 5 mg/m ³ STEL 15 mg/m ³		AGW 1 mg/m ³	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Glycerin	TWA 10 mg/m ³	SS-C** TWA 50 mg/m ³ STEL 100 mg/m ³			TWA 10 mg/m ³ Ceiling 15 mg/m ³
Diethylene glycol monobutyl ether	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	SS-C** TWA 10 ppm TWA 67 mg/m ³ STEL 15 ppm STEL 101 mg/m ³	STEL 15 ppm STEL 101.2 mg/m ³ TWA 10 ppm TWA 67.5 mg/m ³	STEL 101.2mg/m ³ TWA 67.5mg/m ³	TWA 100 mg/m ³ Ceiling 100 mg/m ³

SDS # : D-40033

Recovery Fluid Cleaning Solution

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Triethanolamine	TWA 5 mg/m ³	SS-C** TWA 5 mg/m ³ STEL 5 mg/m ³	S** STEL 1.6 ppm STEL 10 mg/m ³ TWA 0.8 ppm TWA 5 mg/m ³		TWA 5 mg/m ³ Ceiling 10 mg/m ³ S*

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Glycerin	TWA 10 mg/m ³	TWA 10 mg/m ³		TWA 10 mg/m ³	
Diethylene glycol monobutyl ether	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	TWA 10 ppm TWA 67.5 mg/m ³ STEL 15 ppm STEL 101.2 mg/m ³	STEL 15 ppm STEL 101.2 mg/m ³ TWA 67.5 mg/m ³ TWA 10 ppm
Triethanolamine	TWA 5 mg/m ³	TWA 5 mg/m ³			

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Glycerin	TWA 10 mg/m ³			TWA 20 mg/m ³	
Diethylene glycol monobutyl ether	TWA 67 mg/m ³ STEL 100 mg/m ³	TWA 10 ppm TWA 68 mg/m ³	TLV 10 ppm TLV 68 mg/m ³ Binding STEL 15 ppm Binding STEL 101 mg/m ³	TWA 10 ppm TWA 68 mg/m ³	TWA 10 ppm TWA 68 mg/m ³ STEL 15 ppm STEL 102 mg/m ³
Triethanolamine		TWA 0.5 ppm TWA 3.1 mg/m ³	TLV 5 mg/m ³ TLV 0.8 ppm Indicative STEL 10 mg/m ³ Indicative STEL 1.6 ppm A*	TWA 5 mg/m ³	TWA 5 mg/m ³ STEL 10 mg/m ³

This safety data sheet complies with the requirements of Regulation (EC) No. 2020/878 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.