

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 as amended

SDS # : P-70019

**Replenisher - Yellow**

Issuing Date 2019-09-04

Revision Date 2021-07-15

Version 1

**This SDS pertains to products that do not contain "L" in the date code stamped on the packaging.  
Refer to instruction document linked from part number search results at <https://safetysheets.business.xerox.com>.**

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product Identifier**

**Product Name** Replenisher for iGen3 Digital Production Press  
**Part no.** 006R01056, 006R01060, 006R01139, 006R01207, 006R01303, 006R01308, 006R90328

**Colour** Yellow

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Recommended Use** Xerographic printing

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Xerox Europe Limited  
 Xerox Technology Park  
 Dublin Road  
 Dundalk  
 Co. Louth  
 Ireland

**For further information, please contact**

**Contact person** Andy Cosgrove  
**Phone** +353 429387410  
**E-mail address** ehs-europe@xerox.com

**For the most current document** <https://safetysheets.business.xerox.com>

**1.4 Emergency telephone number**

Not applicable

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

|                 |            |
|-----------------|------------|
| Carcinogenicity | Category 2 |
|-----------------|------------|

**2.2 Label elements**

**Symbol(s)**

SDS # : P-70019

## Replenisher - Yellow

Issuing Date 2019-09-04

Revision Date 2021-07-15

Version 1



**Signal Word**

Warning

**Hazard Statements**

**Precautionary Statements**

H351 - Suspected of causing cancer if inhaled

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P501 -Dispose of contents/container in accordance with local/regional/national/international regulation

### 2.3 Other hazards

May form explosible dust-air mixture if dispersed

Not a PBT according to REACH Annex XIII

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

| Chemical Name            | Weight % | CAS No.    | EC-No      | Classification (Reg. 1272/2008)  | Hazard Statements | REACH Registration Number |
|--------------------------|----------|------------|------------|----------------------------------|-------------------|---------------------------|
| Polyester resin          | >60      | 39382-25-7 | Not listed | --                               | --                | --                        |
| Iron powder              | 20-35    | 7439-89-6  | 231-096-4  | --                               | --                | --                        |
| Yellow pigment           | 1-10     | 4531-49-1  | 224-867-1  | --                               | --                | 01-2119475485-28-0006     |
| Amorphous silica         | 1-5      | 7631-86-9  | 231-545-4  | --                               | --                | --                        |
| Titanium dioxide         | <2       | 13463-67-7 | 236-675-5  | Carc 2                           | H351              | --                        |
| Silica (Surface Treated) | <1       | 68909-20-6 | 272-697-1  | Acute tox (inhal) 2<br>STOT RE 2 | H330<br>H373      | --                        |

Full text of H- statements: see section 16

#### Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**General advice**

For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

**Skin contact**

Wash skin with soap and water

**Inhalation**

Move to fresh air



SDS # : P-70019

## Replenisher - Yellow

Issuing Date 2019-09-04

Revision Date 2021-07-15

Version 1

drains, sewers, or waterways

### 6.3 Methods and material for containment and cleaning up

**Methods for containment**

Prevent dust cloud

**Methods for cleaning up**

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

### 6.4 Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust formation in confined areas, Prevent dust cloud

**Hygiene measures**

None under normal use conditions

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

### 7.3 Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

**Xerox Exposure Limit**

2.5 mg/m<sup>3</sup> (total dust)

**Xerox Exposure Limit**

0.4 mg/m<sup>3</sup> (respirable dust)

**Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

| Chemical Name    | ACGIH TLV                 | European Union            |
|------------------|---------------------------|---------------------------|
| Amorphous silica |                           | TWA 0.1 mg/m <sup>3</sup> |
| Titanium dioxide | TWA: 10 mg/m <sup>3</sup> |                           |

### 8.2 Exposure controls

**Engineering measures**

Ensure adequate ventilation, especially in confined areas

### Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection**

None under normal use conditions

**Hand protection**

None under normal use conditions.

**Skin and body protection**

None under normal use conditions

**Respiratory protection**

No protective equipment is needed under normal use conditions.

SDS # : P-70019

## Replenisher - Yellow

Issuing Date 2019-09-04

Revision Date 2021-07-15

Version 1

**Thermal hazards** None under normal processing

### Environmental Exposure Controls

**Environmental Exposure Controls** Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|                                    |  |                        |                |
|------------------------------------|--|------------------------|----------------|
| <b>Appearance</b>                  | Powder   | <b>Odour</b>           | Faint          |
| <b>Physical state</b>              | Solid  | <b>Odour threshold</b> | Not applicable |
| <b>Colour</b>                      | Yellow   | <b>pH</b>              | Not applicable |
| <b>Flash point</b>                 | Not applicable   |                        |                |
| <b>Melting / Freezing Point</b>    | Not applicable   |                        |                |
| <b>Boiling point/boiling range</b> | Not applicable   |                        |                |
| <b>Softening point</b>             | 49-60 °C / 120-140 °F  |                        |                |
| <b>Evaporation rate</b>            | Not applicable   |                        |                |
| <b>Flammability</b>                | Not flammable  |                        |                |
| <b>Flammability Limits in Air</b>  | Not applicable   |                        |                |
| <b>Explosive Limits</b>            | No data available  |                        |                |
| <b>Vapour pressure</b>             | Not applicable   |                        |                |
| <b>Vapour density</b>              | Not applicable   |                        |                |
| <b>Specific gravity</b>            | 1-2  |                        |                |
| <b>Water solubility</b>            | Negligible   |                        |                |
| <b>Partition coefficient</b>       | Not applicable   |                        |                |
| <b>Autoignition temperature</b>    | Not applicable   |                        |                |
| <b>Decomposition temperature</b>   | Not determined   |                        |                |
| <b>Viscosity</b>                   | Not applicable   |                        |                |
| <b>Explosive properties</b>        | Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard |                        |                |
| <b>Oxidising properties</b>        | Not applicable   |                        |                |

### 9.2 Other information

None

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under normal conditions

SDS # : P-70019

## Replenisher - Yellow

Issuing Date 2019-09-04

Revision Date 2021-07-15

Version 1

### 10.3 Possibility of hazardous reactions

**Hazardous reactions** None under normal processing  
**Hazardous polymerisation** Hazardous polymerisation does not occur

### 10.4 Conditions to avoid

Prevent dust cloud, Take precautionary measures against static discharges

### 10.5 Incompatible Materials

None

### 10.6 Hazardous decomposition products

None under normal use conditions

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product Information

**Irritation** No skin irritation, No eye irritation  
**Oral LD50** > 5 g/kg (rat)  
**Dermal LD50** > 5 g/kg (rabbit)  
**LC50 Inhalation** > 5 mg/L (rat, 4 hr)

Component Information

| Chemical Name    | Oral LD50           | Dermal LD50            | LC50 Inhalation       |
|------------------|---------------------|------------------------|-----------------------|
| Iron powder      | 30 g/kg ( Rat )     |                        |                       |
| Amorphous silica | >5000 mg/kg ( Rat ) | >2000 mg/kg ( Rabbit ) | >2.2 mg/L ( Rat ) 1 h |
| Titanium dioxide | 10000 mg/kg ( Rat ) |                        |                       |

#### Chronic toxicity

**Chronic effects** No known effects under normal use conditions  
**Carcinogenicity** See "Other Information" in this section.

| Chemical Name    | IARC |
|------------------|------|
| Titanium dioxide | 2B   |

#### Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO<sub>2</sub> particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

#### Other toxic effects

**Sensitisation** Not expected to be a sensitizer

**SDS # :** P-70019

## Replenisher - Yellow

**Issuing Date** 2019-09-04

**Revision Date** 2021-07-15

**Version** 1

|                              |                |
|------------------------------|----------------|
| <b>Target organ effects</b>  | None known     |
| <b>Other adverse effects</b> | None known     |
| <b>Aspiration Hazard</b>     | Not applicable |

**Information on other hazards**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

**12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

**12.2 Persistence and degradability**

Not readily biodegradable

**12.3 Bioaccumulative potential**

Bioaccumulation is unlikely

**12.4 Mobility in soil**

Insoluble in water

**12.5 Results of PBT and vPvB assessment**

Not a PBT according to REACH Annex XIII

**12.6 Endocrine disrupting properties**

This product does not contain any known or suspected endocrine disruptors

**12.7 Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**13.1 Disposal considerations**

Dispose of as hazardous waste in compliance with local and national regulations

|  |   |
|--|---|
| <b>Waste from Residues/Unused Products</b> | Dispose of in accordance with local regulations |
|--|---|

|                               |  |
|-------------------------------|--|
| <b>Contaminated packaging</b> | Dispose of in accordance with local regulations. |
|-------------------------------|--|

|                               |           |
|-------------------------------|-----------|
| <b>EWC Waste Disposal No.</b> | 08 03 17* |
|-------------------------------|-----------|

**SDS # :** P-70019

## Replenisher - Yellow

**Issuing Date** 2019-09-04

**Revision Date** 2021-07-15

**Version** 1

**Other information**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

### 14. TRANSPORT INFORMATION

**14.1 UN/ID No**

Not regulated

**14.2 Proper shipping name**

Not regulated

**14.3 Transport hazard class(es)**

Not classified

**14.4 Packing Group**

Not applicable

**14.5 Environmental hazards**

Presents little or no hazard to the environment

**14.6 Special precautions for users**

No special precautions are needed in handling this material

**14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code**

Not applicable

### 15. REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

**15.2 Chemical Safety Assessment**

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

### 16. OTHER INFORMATION

**Issuing Date** 2019-09-04  
**Revision Date** 2021-07-15  
**Revision Note** Initial Release  
**Full text of H-Statements referred to under sections 2 and 3**  
H330 - Fatal if inhaled



SDS # : P-70019

## Replenisher - Yellow

Issuing Date 2019-09-04

Revision Date 2021-07-15

Version 1

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

### Additional advice

#### EU Country Specific Exposure Limits

| Chemical Name    | The United Kingdom   | Ireland   | France                   | Germany                 | The Netherlands             |
|------------------|--|---|--------------------------|-------------------------|-----------------------------|
| Yellow pigment   |  |   |                          | K1                      |                             |
| Amorphous silica | STEL 18 mg/m <sup>3</sup><br>STEL 7.2 mg/m <sup>3</sup><br>STEL 0.3 mg/m <sup>3</sup><br>TWA 6 mg/m <sup>3</sup><br>TWA 2.4 mg/m <sup>3</sup><br>TWA 0.1 mg/m <sup>3</sup> | TWA 6 mg/m <sup>3</sup><br>TWA 2.4 mg/m <sup>3</sup><br>STEL 18 mg/m <sup>3</sup><br>STEL 7.2 mg/m <sup>3</sup> |                          | AGW 4 mg/m <sup>3</sup> | TWA 0.075 mg/m <sup>3</sup> |
| Titanium dioxide | STEL 30 mg/m <sup>3</sup><br>STEL 12 mg/m <sup>3</sup><br>TWA 10 mg/m <sup>3</sup><br>TWA 4 mg/m <sup>3</sup>  | TWA 10 mg/m <sup>3</sup><br>TWA 4 mg/m <sup>3</sup><br>STEL 30 mg/m <sup>3</sup><br>STEL 12 mg/m <sup>3</sup>   | TWA 10 mg/m <sup>3</sup> |                         |                             |

| Chemical Name          | Belgium                  | Switzerland                       | Austria  | Hungary | Czech Republic   |
|------------------------|--------------------------|-----------------------------------|--|---------|--|
| C.I. Pigment Yellow 17 |                          |                                   | C  |         |  |
| Silicon dioxide        |                          | SS-C**                            | TWA 4 mg/m <sup>3</sup>                              |         | TWA 0.1 mg/m <sup>3</sup><br>TWA 4.0 mg/m <sup>3</sup> |
| Titanium dioxide       | TWA 10 mg/m <sup>3</sup> | SS-C**<br>TWA 3 mg/m <sup>3</sup> | STEL 10 mg/m <sup>3</sup><br>TWA 5 mg/m <sup>3</sup> |         |  |

| Chemical Name    | Spain                    | Portugal                          | Italy | Greece  | Romania   |
|------------------|--------------------------|-----------------------------------|-------|---|---|
| Titanium dioxide | TWA 10 mg/m <sup>3</sup> | TWA 10 mg/m <sup>3</sup><br>C(A4) |       | TWA 10 mg/m <sup>3</sup><br>TWA 5 mg/m <sup>3</sup> | STEL 15 mg/m <sup>3</sup><br>TWA 10 mg/m <sup>3</sup> |

| Chemical Name    | Poland  | Denmark                 | Sweden                  | Finland   | Norway  |
|------------------|---|-------------------------|-------------------------|---|---|
| Silicon dioxide  |   |                         |                         | TWA 5 mg/m <sup>3</sup><br>TWA 0.05 mg/m <sup>3</sup> | TWA 1.5 mg/m <sup>3</sup><br>STEL 3 mg/m <sup>3</sup> |
| Titanium dioxide | TWA 10 mg/m <sup>3</sup><br>STEL 30 mg/m <sup>3</sup> | TWA 6 mg/m <sup>3</sup> | TLV 5 mg/m <sup>3</sup> |   | TWA 5 mg/m <sup>3</sup><br>STEL 10 mg/m <sup>3</sup>  |

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.