# BR547

# Safety Data Sheet

# **SDS # :** A-10438

Issuing Date 2020-06-03

# Black - Toner

Revision Date 2020-06-16

Version 1

Page 1/7

Active

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name		
Toner	for	HP LaserJet 1160, HP LaserJet 1320, HP LaserJet 3390, HP LaserJet 3392, HP LaserJet P2014, HP LaserJet P2015, HP LaserJet MFP M2727
Part no.	006R03665	, 006R03666
Color Pure substance/mixture	Black Mixture	
Relevant identified uses of the subs	stance or mix	cture and uses advised against
Recommended Use	Xerographic printing	
Details of the supplier of the safety	data sheet	
Manufactured by	Xerox Corporation Webster, NY 14580	
For further information, please cont	tact	
Contact person	Manager, Environment, Health, Safety & Sustainability	
E-mail address Emergency telephone	askxerox@xerox.com Safety Information US: (800) 275-9376	
		mergency only (Chemtrec) (800) 424-9300
For the most current document	https://safet	ysheets.business.xerox.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

## Customer use / Cartridges and sealed bottles

 OSHA Hazard Classification
 This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

 While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

 Label elements

Signal Word

None





Hazard Statements	None required
Precautionary Statements	None required

#### Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

## <u>Mixtures</u>

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Resin	Proprietary	50-60		
Iron oxide	1317-61-9	37-43		
Polyolefin	9010-79-1	2-3		
Amorphous silica	67762-90-7	0.2-2.0		
Charge Control Agent	104815-18-1	0.5-2		

"--" indicates no classification or hazard statements apply.

## 4. FIRST AID MEASURES

#### Description of first-aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.	
	Show this material safety data sheet to the doctor in attendance.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and	
	continue flushing for at least 15 minutes	
Skin contact	Wash skin with soap and water	
Inhalation	Move to fresh air	
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk	

#### Most important symptoms and effects, both acute and delayed

Acute toxicity	-	
Eyes	No known effect	
Skin	No known effect	
Inhalation	No known effect	
Ingestion	No known effect	
Chronic toxicity	No known effects under normal use conditions	
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.	
Aggravated Medical Conditions	None under normal use conditions	
Indication of immediate medical attention and special treatment needed		

# Protection of first-aiders No special protective equipment required

**Notes to physician** Treat symptomatically

			MEASL	
lb.		1 1 1/17 - 1		
Ο.	- 1011	писл	IVILAJU	

## Extinguishing media

**Suitable extinguishing media** Use water spray or fog; do not use straight streams, Foam **Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

#### Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

#### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

## Other information

Flammability	Not flammable. Will not readily ignite.
Flash point	Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

## Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

#### Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent dust cloud Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

## Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures

None under normal use conditions

#### Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

#### Specific end uses

Xerographic printing

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters



Page 4/7

Exposure Limits	
ACGIH TLV TWA	10 mg/m <sup>3</sup> (inhalable particles)
ACGIH TLV TWA	3 mg/m <sup>3</sup> (respirable dust)
OSHA PEL TWA	15 mg/m <sup>3</sup> (total dust)
OSHA PEL TWA	5 mg/m <sup>3</sup> (respirable dust)
Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)

#### **Component Information**

Chemical Name	ACGIH TLV	OSHA PEL
Charge Control Agent	TWA: 1 mg/m <sup>3</sup>	

#### Exposure controls

Engineering measures None under normal use conditions

# Individual protection measures, such as personal protective equipment (PPE)Eye/Face protectionNo special protective equipment required

Eye/Face protection	No special protective equipment required
Hand protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Respiratory protection	No special protective equipment required.
Thermal hazards	None under normal processing

## Environmental Exposure Controls

Environmental Exposure

Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

AppearancePowderPhysical stateSolidColorBlack		Odor Odor threshold pH	Faint Not applicable Not applicable
Flash point	Not applicable		
Melting / Freezing Point Boiling point/range Softening point	Not applicable Not applicable 49 - 60 °C /	120 - 140 °F	
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable. Will not Not applicable	readily ignite.	
Vapor pressure Vapor density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity Explosive properties	source is a potential du		ntrations, and in the presence of an ignition
Oxidizing properties	Not applicable		

Other information



## **SDS # :** A-10438

**Black - Toner** 

#### None

## 10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

#### Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerization	Hazardous polymerization does not occur

### Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Incompatible Materials

None

#### Hazardous decomposition products

None under normal use

## 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

#### Information on toxicological effects

Acute toxicity	
Product Information	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

#### **Component Information**

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Iron oxide			10000 mg/kg (Rat)

<u>Chronic toxicity</u> Sensitization Neurological Effects Target organ effects	No sensitization responses were observed No information available None known
<u>CMR Effects</u> Mutagenic effects Reproductive toxicity Carcinogenicity	Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards Contains no ingredient listed as a carcinogen
Other toxic effects Aspiration Hazard Other adverse effects	Not applicable None known

#### 11.2 Information on other hazards

Endocrine disrupting properties No information available



## **SDS #**: A-10438

## **Black - Toner**

Page 6/7

## 12. ECOLOGICAL INFORMATION

#### Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

#### Persistence and degradability

Not readily biodegradable

#### Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

#### Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

#### Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS				
<u>Waste treatment methods</u> Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.			
Contaminated packaging	No special precautions are needed in handling this material			
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.			

## 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

## 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

#### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

## International Inventories

TSCA

Complies

**Black - Toner** 

xerc

DSL/NDSL

Complies

#### U.S. Federal Regulations SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations** 

This product does not contain any substances regulated by state right-to-know regulations.

## 16. OTHER INFORMATION

Issuing Date	2020-06-03
Revision Date	2020-06-16
Revision Note	Initial Release

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end