Safety Data Sheet

# Xerox® Everyday™ Toner - Black, Cyan, Magenta & Yellow

**Issuing Date** 2020-09-17

SDS #: A-10557

Revision Date 2023-07-27

Active

Version 3

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# Product Identifier

Product Name

BR547

Product Name	
Xerox® Everyday™ Tone	for imageRUNNER LBP5280, Canon imageCLASS LBP7200c, Canon imageCLASS LBP7660, Canon imageCLASS MF628Cw, Canon imageCLASS MF726, Canon imageCLASS MF729, Canon imageCLASS MF8050, Canon imageCLASS MF8080 MFP, Canon imageCLASS MF8280Cw, Canon imageCLASS MF8380, Canon imageCLASS MF8580, HP Color LaserJet Pro CM1312, HP Color LaserJet Pro CM1415, HP Color LaserJet CM2320, HP LaserJet Pro CP1525, HP Color LaserJet Pro CP1215, HP Color LaserJet Pro CP1217, HP Color LaserJet Pro CP1515, HP Color LaserJet Pro CP1518, HP Color LaserJet CP2025, HP Color LaserJet Pro 200 M251, HP Color LaserJet Pro MFP M276, HP Color LaserJet Pro 300 M351, HP Color LaserJet Pro MFP M375, HP Color LaserJet Pro 400 M451, HP Color LaserJet Pro MFP M475, HP Color LaserJet Pro MFP M476
Part no.	006R03802, 006R03803, 006R03804, 006R03805, 006R03806, 006R03807, 006R03808, 006R03809, 006R03810, 006R03811, 006R03816, 006R03817, 006R03818, 006R03819, 006R03820, 006R03821, 006R03822, 006R03823, 006R03824
Color Pure substance/mixture	Black, Cyan, Magenta, Yellow Mixture
	tance or mixture and uses advised against
Recommended Use	Xerographic printing
Details of the supplier of the safety	data sheet
Manufactured by	Xerox Corporation Webster, NY 14580
For further information, please cont	
Contact person	Manager, Environment, Health, Safety & Sustainability
E-mail address	askxerox@xerox.com
Emergency telephone	Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300





Page 2/8

For the most current document https://safetysheets.business.xerox.com

### 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

### Customer use / Cartridges and sealed bottles

**OSHA Hazard Classification** While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Labei	elements	

Signal Word	None
Hazard Statements	None required
Precautionary Statements	None required

### Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### <u>Mixtures</u>

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Styrene acrylate copolymer	Proprietary	75-85		
Amorphous silica	7631-86-9	1-10		
Magenta pigment	Proprietary	0-10		
Cyan pigment	Proprietary	0-10		
Carbon black	1333-86-4	0-10		
Wax	Proprietary	1-10		
Yellow pigment	Proprietary	0-10		

"--" indicates no classification or hazard statements apply.

### 4. FIRST AID MEASURES

### Description of first-aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.	
	Show this material safety data sheet to the doctor in attendance.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and	
	continue flushing for at least 15 minutes	
Skin contact	Wash skin with soap and water	
Inhalation	Move to fresh air	
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk	

### Most important symptoms and effects, both acute and delayed



SDS #: A-10557

# Xerox® Everyday™ Toner - Black, Cyan, Magenta & Yellow

Page 3/8

Acute toxicity				
Eyes	No known effect			
Skin	No known effect			
Inhalation	No known effect			
Ingestion	No known effect			
ingeolion				
Chronic toxicity	No known effects under normal use conditions			
Main symptoms	Overexposure may cause:			
	mild respiratory irritation similar to nuisance dust.			
Aggravated Medical Conditions	None under normal use conditions			
	ention and special treatment needed			
Protection of first-aiders	No special protective equipment required			
Notes to physician	Treat symptomatically			
5. FIRE-FIGHTING MEASURI	ES			
Extinguishing media				
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam			
	Do not use a solid water stream as it may scatter and spread fire			
Special hazards arising from the substance or mixture				
	ient concentrations, and in the presence of an ignition source is a potential dust explosion			
hazard				
Hazardous combustion product	S			
Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)				
Advice for fire fighters				

### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

Other information	
Flammability	Not flammable. Will not readily ignite.
Flash point	Not applicable

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

# Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

### Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent dust cloud Use an electrically protected vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner, making it difficult to remove

### Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information



Page 4/8

# Xerox® Everyday™ Toner - Black, Cyan, Magenta & Yellow

7. HANDLING AND STORAGE Precautions for safe handling Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud **Hygiene measures** None under normal use conditions Conditions for safe storage, including any incompatibilities Technical measures and storage conditions Keep container tightly closed in a dry and well-ventilated place, Store at room temperature Incompatible products None Specific end uses Xerographic printing 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters **Exposure Limits** ACGIH TLV TWA 10 mg/m<sup>3</sup> (inhalable particles) 3 mg/m<sup>3</sup> (respirable dust) ACGIH TLV TWA 15 mg/m<sup>3</sup> (total dust) **OSHA PEL TWA OSHA PEL TWA** 5 mg/m<sup>3</sup> (respirable dust) 2.5 mg/m<sup>3</sup> (total dust) **Xerox Exposure Limit** 0.4 mg/m<sup>3</sup> (respirable dust) **Xerox Exposure Limit Component Information Chemical Name** ACGIH TLV **OSHA PEL** Cyan pigment TWA: 1 mg/m<sup>3</sup> Carbon black TWA: 3 mg/m<sup>3</sup> TWA: 3.5 mg/m<sup>3</sup> Exposure controls None under normal use conditions **Engineering measures** Individual protection measures, such as personal protective equipment (PPE) Eye/Face protection No special protective equipment required Hand protection No special protective equipment required Skin and body protection No special protective equipment required **Respiratory protection** No special protective equipment required. Thermal hazards None under normal processing Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways **Environmental Exposure** Controls 9. PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties Appearance Powder Odor Faint **Physical state** Solid **Odor threshold** Not applicable Color Black, Cyan, Magenta, Yellow Not applicable pН



Page 5/8

Flash point	Not applicable
Melting / Freezing Point	Not applicable
Boiling point/range	Not applicable
Softening point	49 - 60 °C / 120 - 140 °F
Evaporation rate	Not applicable
Flammability	Not flammable. Will not readily ignite.
Flammability Limits in Air	Not applicable
Vapor pressure Vapor density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties	Not applicable Not applicable ~ 1 Negligible Not applicable Not applicable Not determined Not determined Not applicable Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard Not applicable

# Other information

None

### 10. STABILITY AND REACTIVITY

### Reactivity

No dangerous reaction known under conditions of normal use

### Chemical stability

Stable under normal conditions.

### Possibility of hazardous reactions

Hazardous reactionsNone under normal processingHazardous polymerizationHazardous polymerization does not occur

### Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

### Incompatible Materials

None

### Hazardous decomposition products

None under normal use

### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

# Information on toxicological effects Acute toxicity

Product Information Irritation

No skin irritation, No eye irritation



Page 6/8

# Xerox® Everyday™ Toner - Black, Cyan, Magenta & Yellow

Oral LD50 Dermal LD50 LC50 Inhalation	<ul> <li>g/kg (rat)</li> <li>g/kg (rabbit)</li> <li>mg/L (rat, 4 hr)</li> </ul>	
Component Information		

#### LC50 Inhalation **Chemical Name** Dermal LD50 Oral LD50 Amorphous silica >2.2 mg/L (Rat) 1 h >2000 mg/kg (Rabbit) >5000 mg/kg (Rat) Magenta pigment 3 g/kg (Rabbit) 23 g/kg (Rat) Cyan pigment 10000 mg/kg (Rat) 3 g/kg (Rabbit) Carbon black 15400 mg/kg (Rat)

Chronic toxicity	
Sensitization	No sensitization responses were observed
Neurological Effects	No information available
Target organ effects	None known

CMR Effects

Mutagenic effects	Not n	nutagenic in AMES Test	
Reproductive toxicity	This	product does not contain any known or susp	pected reproductive hazards
Carcinogenicity	See '	"Other Information" in this section.	
Chemical Name		NTP	IARC
Carbon black			2B

Other toxic effects	
Aspiration Hazard	Not applicable
Other adverse effects	None known

### Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

### 12. ECOLOGICAL INFORMATION

### Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

### **Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Amorphous silica	440 mg/L EC50 72 h (Pseudokirchneriella subcapitata)	LC50= 5000 mg/L Brachydanio rerio 96 h		EC50 = 7600 mg/L 48 h
Carbon black				EC50 > 5600 mg/L 24 h

### Persistence and degradability

Not readily biodegradable

### **Bioaccumulative potential**

Bioaccumulation is unlikely

### Mobility in soil

Insoluble in water

### **Component Information**

Chemical Name	log Pow
Cyan pigment	6.6

### Results of PBT and vPvB assessment



This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

### Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

### Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS	
<u>Waste treatment methods</u> Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
Contaminated packaging	No special precautions are needed in handling this material
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

# 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

### 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **OSHA Regulatory Status**

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

### International Inventories

TSCA	Complies
DSL/NDSL	Complies

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and



Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

### **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen

# **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

16. OTHER INFORMATION	

Issuing Date	2020-09-17
Revision Date	2023-07-27
Revision Note	(M)SDS sections updated:, 3
Disclaimor	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end