

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 as amended

SDS #: A-0199

**Dry Ink - Black**

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product Identifier**

**Product Name** Dry Ink for 4635 MX, DocuPrint 96 MX, DocuPrint 100 MX, DocuPrint 115 MX, DocuPrint 135 MX, DocuPrint 155 MX, DocuPrint 180 MX  
**Part no.** 006R00819  
**Colour** Black

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Recommended Use** Xerographic printing

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Xerox Europe Limited  
Xerox Technology Park  
Dublin Road  
Dundalk  
Co. Louth  
Ireland

**For further information, please contact**

**Contact person** Andy Cosgrove  
**Phone** +353 429387410  
**E-mail address** ehs-europe@xerox.com

**For the most current document** <https://safetydatasheets.business.xerox.com>

**1.4 Emergency telephone number**

Not applicable

**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

**2.2 Label elements****GHS Label elements, including precautionary statements**

**Symbol(s)** None required  
**Signal Word** None required

**Hazard Statements** None required  
**Precautionary Statements** None required

**2.3 Other hazards**

SDS # : A-0199

## Dry Ink - Black

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

Not a PBT according to REACH Annex XIII  
 May form explosible dust-air mixture if dispersed

**Special Note** Contains a chemical that can cause an allergic reaction in susceptible people  
 Product is not a sensitizer by Local Lymph Node Assay (LLNA)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Styrene-butadiene copolymer	55-65	9003-55-8	Not listed	--	--	--
Magnetite	25-35	1317-61-9	215-277-5	--	--	01-2119457646-28-0021
Polyethylene	1-10	9002-88-4	Listed	--	--	--
Carbon black	1-10	1333-86-4	215-609-9	--	--	01-2119384822-32-0065
Metal oxide	1-3	12060-59-2	235-044-1	--	--	--
Magenta pigment	<2	75627-12-2	278-270-6	Skin Sens 1 Aquatic Chronic 4	H317 H413	01-2120775793-39-0003

Full text of H- statements: see section 16

#### Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

<b>General advice</b>	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
<b>Skin contact</b>	Wash skin with soap and water
<b>Inhalation</b>	Move to fresh air
<b>Ingestion</b>	Rinse mouth with water and afterwards drink plenty of water or milk

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Acute toxicity

<b>Eyes</b>	No known effect
<b>Skin</b>	No known effect
<b>Inhalation</b>	No known effect
<b>Ingestion</b>	No known effect

##### Chronic effects

**Chronic toxicity** No known effects under normal use conditions

##### Main symptoms

Overexposure may cause:  
 mild respiratory irritation similar to nuisance dust.

SDS #: A-0199

**Dry Ink - Black**

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

**4.3 Indication of immediate medical attention and special treatment needed****Protection of first-aiders  
Notes to physician**No special protective equipment required  
Treat symptomatically**5. FIREFIGHTING MEASURES****5.1 Extinguishing media****Suitable extinguishing media** Use water spray or fog; do not use straight streams, Foam**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire**5.2 Special hazards arising from the substance or mixture**

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

**Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

**5.3 Advice for fire-fighters**In the event of fire and/or explosion do not breathe fumes. Wear fire/flamm resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.  
Wear self-contained breathing apparatus and protective suit.**Other information****Flammability**

Not flammable

**Flash point**

Not applicable

**6. ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid breathing dust

**6.2 Environmental precautions**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

**6.3 Methods and material for containment and cleaning up****Methods for containment**

Prevent dust cloud

**Methods for cleaning up**

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

**6.4 Reference to other sections**

SDS #: A-0199

## Dry Ink - Black

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

See section 12 for additional ecological information  
See Section 13 for additional information

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

**Hygiene measures** None under normal use conditions

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

#### 7.3 Specific end uses

Xerographic printing

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Xerox Exposure Limit** 2.5 mg/m<sup>3</sup> (total dust)  
**Xerox Exposure Limit** 0.4 mg/m<sup>3</sup> (respirable dust)  
**Exposure Limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	ACGIH TLV	European Union
Carbon black	TWA: 3 mg/m <sup>3</sup>	

#### 8.2 Exposure controls

**Engineering measures** None under normal use conditions

#### Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection** No special protective equipment required  
**Hand protection** No special protective equipment required.  
**Skin and body protection** No special protective equipment required  
**Respiratory protection** No special protective equipment required.  
**Thermal hazards** None under normal processing

#### Environmental Exposure Controls

**Environmental Exposure Controls** Keep out of drains, sewers, ditches and waterways

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

**Appearance** Powder **Odour** Faint

SDS #: A-0199

## Dry Ink - Black

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

<b>Physical state</b>	Solid	<b>Odour threshold</b>	Not applicable
<b>Colour</b>	Black	<b>pH</b>	Not applicable
<b>Flash point</b>	Not applicable		
<b>Melting / Freezing Point</b>	Not applicable		
<b>Boiling point/boiling range</b>	Not applicable		
<b>Softening point</b>	49 - 60 °C / 120 - 140 °F		
<b>Evaporation rate</b>	Not applicable		
<b>Flammability</b>	Not flammable		
<b>Flammability Limits in Air</b>	Not applicable		
<b>Explosive Limits</b>	No data available		
<b>Vapour pressure</b>	Not applicable		
<b>Vapour density</b>	Not applicable		
<b>Specific gravity</b>	1-2		
<b>Water solubility</b>	Negligible		
<b>Partition coefficient</b>	Not applicable		
<b>Autoignition temperature</b>	Not applicable		
<b>Decomposition temperature</b>	Not determined		
<b>Viscosity</b>	Not applicable		
<b>Explosive properties</b>	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard		
<b>Oxidising properties</b>	Not applicable		

### 9.2 Other information

None

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

<b>Hazardous reactions</b>	None under normal processing
<b>Hazardous polymerisation</b>	Hazardous polymerisation does not occur

### 10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

SDS # : A-0199

## Dry Ink - Black

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

### 10.5 Incompatible Materials

None

### 10.6 Hazardous decomposition products

None under normal use

## 11. TOXICOLOGICAL INFORMATION

*The toxicity data noted below is based on the test results of similar reprographic materials.*

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product Information

<b>Irritation</b>	No skin irritation, No eye irritation
<b>Oral LD50</b>	> 5 g/kg (rat)
<b>Dermal LD50</b>	> 5 g/kg (rabbit)
<b>LC50 Inhalation</b>	> 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Magnetite	10000 mg/kg ( Rat )		
Polyethylene	2000 mg/kg ( Rat ) 8 g/kg ( Rat )		
Carbon black	15400 mg/kg ( Rat )	3 g/kg ( Rabbit )	

#### Chronic toxicity

<b>Chronic effects</b>	No known effects under normal use conditions
<b>Carcinogenicity</b>	See "Other Information" in this section.

Chemical Name	IARC
Carbon black	2B

#### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

#### Other toxic effects

<b>Sensitisation</b>	Contains a chemical that can cause an allergic reaction in susceptible people Product is not a sensitizer by Local Lymph Node Assay (LLNA)
<b>Mutagenic effects</b>	Not mutagenic in AMES Test
<b>Reproductive toxicity</b>	This product does not contain any known or suspected reproductive hazards
<b>Target organ effects</b>	None known
<b>Other adverse effects</b>	None known

SDS #: A-0199

**Dry Ink - Black**

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

**Aspiration Hazard** Not applicable**Information on other hazards****Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

**12.2 Persistence and degradability**

Not readily biodegradable

**12.3 Bioaccumulative potential**

Bioaccumulation is unlikely

**12.4 Mobility in soil**

Insoluble in water

**12.5 Results of PBT and vPvB assessment**

Not a PBT according to REACH Annex XIII

**12.6 Endocrine disrupting properties**

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

**12.7 Other adverse effects**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

**13. DISPOSAL CONSIDERATIONS****13.1 Disposal considerations**Can be landfilled or incinerated, when in compliance with local regulations  
If incineration is to be carried out, care must be exercised to prevent dust clouds forming.**EWC Waste Disposal No.** 08 03 13**Other information** Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.**14. TRANSPORT INFORMATION**

---

**SDS # :** A-0199**Dry Ink - Black****Issuing Date** 2019-09-19**Revision Date** 2022-04-18**Version** 3

---

**14.1 UN/ID No**

Not regulated

**14.2 Proper shipping name**

Not regulated

**14.3 Transport hazard class(es)**

Not classified

**14.4 Packing Group**

Not applicable

**14.5 Environmental hazards**

Presents little or no hazard to the environment

**14.6 Special precautions for users**

No special precautions are needed in handling this material

**14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code**

Not applicable

**15. REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

**15.2 Chemical Safety Assessment**

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

**16. OTHER INFORMATION**

**Issuing Date** 2019-09-19  
**Revision Date** 2022-04-18  
**Revision Note** Part Number 006R90229 removed

**Full text of H-Statements referred to under sections 2 and 3**

H317 - May cause an allergic skin reaction

H413 - May cause long lasting harmful effects to aquatic life

**Additional advice****EU Country Specific Exposure Limits**



SDS #: A-0199

**Dry Ink - Black**

Issuing Date 2019-09-19

Revision Date 2022-04-18

Version 3

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Carbon black	STEL 7 mg/m <sup>3</sup> TWA 3.5 mg/m <sup>3</sup>	TWA 3 mg/m <sup>3</sup> STEL 15 mg/m <sup>3</sup>	TWA 3.5 mg/m <sup>3</sup>		
Magenta pigment		TWA 0.5 mg/m <sup>3</sup> STEL 1.5 mg/m <sup>3</sup>			

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Polyethylene					TWA 5 mg/m <sup>3</sup>
Carbon black	TWA 3 mg/m <sup>3</sup>				TWA 2.0 mg/m <sup>3</sup>
Xanthylum, 3,6-bis(ethylamino)-9-(2-( methoxycarbonyl)phenyl)- 2,7-					TWA 5 mg/m <sup>3</sup> Ceiling 25 mg/m <sup>3</sup>

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Carbon black	TWA 3.5 mg/m <sup>3</sup>	TWA 3.5 mg/m <sup>3</sup> C(A4)		TWA 3.5 mg/m <sup>3</sup> STEL 7 mg/m <sup>3</sup>	

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Carbon black	TWA 4 mg/m <sup>3</sup>	TWA 3.5 mg/m <sup>3</sup>	TLV 3 mg/m <sup>3</sup>	TWA 3.5 mg/m <sup>3</sup> STEL 7 mg/m <sup>3</sup>	TWA 3.5 mg/m <sup>3</sup> STEL 7 mg/m <sup>3</sup>
Strontium titanium oxide (SrTiO <sub>3</sub> )	TWA 10 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup>				
Xanthylum, 3,6-bis(ethylamino)-9-(2-( methoxycarbonyl)phenyl)- 2,7-	TWA 4 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>				

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.