

Page 1/10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 Revision Date 2021-07-09 Version 2

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Dry Ink for Xerox iGen5 Press

Part no. 006R03158, 006R03161

UFI 1610-P02H-F00H-X6H9

Colour Green

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.

Building 4

Uxbridge Business Park Sanderson Road

Uxbridge

Middlesex. UB8 1DH

UK

For further information, please contact

Contact person Manager, Environment, Health, Safety

& Sustainability

Phone ++44 (0)1707 353434 E-mail address ++44 (0)1707 353434 ehs-europe@xerox.com

For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone number

+44 1865 407333

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

Carcinogenicity Category 2

2.2 Label elements

Symbol(s)



Page 2/10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2



Signal Word Warning

Hazard StatementsPrecautionary Statements
H351 - Suspected of causing cancer if inhaled
P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P501 -Dispose of contents/container in accordance with local/regional/national/international

regulation

UFI 1610-P02H-F00H-X6H9

EC Label

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

May form explosible dust-air mixture if dispersed Not a PBT according to REACH Annex XIII

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polyester resin	80-90	39382-25-7	Not listed		-	-
Green pigment	10-20	Proprietary	Listed			
Amorphous silica	<10	7631-86-9	231-545-4			
Titanium dioxide	<2	13463-67-7	236-675-5	Carc 2	H351	-

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Page 3/10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic effects

Chronic toxicity No known effects under normal use conditions

4.3 Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability Not flammable Flash point Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment, Avoid breathing dust

6.2 Environmental precautions



Page 4 / 10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent dust cloud

Methods for cleaning up

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses

the toner making it difficult to remove

6.4 Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust formation in confined areas, Prevent dust cloud

Hygiene measures

None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit 2.5 mg/m³ (total dust)
Xerox Exposure Limit 0.4 mg/m³ (respirable dust)

Exposure Limits For country specific exposure limits see Section 16

Chemical Name	ACGIH TLV	European Union
Green pigment	TWA: 1 mg/m ³	
Amorphous silica		TWA 0.1 mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protectionNone under normal use conditions
None under normal use conditions.

604E73190



Page 5/10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 Revision Date 2021-07-09 Version 2

Skin and body protection

None under normal use conditions

Respiratory protection

No protective equipment is needed under normal use conditions.

Thermal hazards None under normal processing

Environmental Exposure Controls

Environmental Exposure

Controls

Keep out of drains, sewers, ditches and waterways

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

AppearancePowderOdourFaint

Physical stateSolidOdour thresholdNot applicableColourGreenpHNot applicable

Flash point Not applicable

Melting / Freezing Point Not applicable

Boiling point/boiling range Not applicable 49-60 °C / 120-140 °F

Evaporation rate

Flammability

Flammability Limits in Air

Not applicable

Not applicable

Explosive Limits No data available

Vapour pressure
Vapour density
Specific gravity
Vater solubility
Partition coefficient
Autoignition temperature
Viscosity
Not applicable
Not applicable
Not applicable
Not applicable
Not determined
Not applicable

Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidising properties Not applicable

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability



Page 6 / 10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerisation Hazardous polymerisation does not occur

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product Information

Irritation No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

Component Information

	Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
	Amorphous silica	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>2.2 mg/L (Rat)1 h
Г	Titanium dioxide	10000 mg/kg (Rat)		

Chronic toxicity

Carcinogenicity See "Other Information" in this section.

Chemical Name	IARC		
Titanium dioxide	2B		

Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Sensitisation Not expected to be a sensitizer

604E73190



Page 7/10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 Revision Date 2021-07-09 Version 2

Target organ effects None known

Other adverse effects None known Aspiration Hazard Not applicable

Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations

Waste from Residues/Unused

Contaminated packaging

Dispose of in accordance with local regulations

Products

Dispose of in accordance with local regulations.

EWC Waste Disposal No. 08 03 17*



Page 8 / 10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2

Other information

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date2016-11-01Revision Date2021-07-09Revision NoteUpdate to format

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled





-

SDS #: A-10095

Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2

Exposure scenario

This product is intended solely for use in Xerographic printing. There is no exposure to hazardous components under normal use conditions. In case of spill or leak, prevent dust cloud. Avoid breathing dust

Additional advice EU Country Specific Exposure Limits

Chemical Name	The United	Ireland	France	Germany	The Netherlands
	Kingdom				
Amorphous silica	STEL 18 mg/m ³	TWA 6 mg/m ³		AGW 4 mg/m ³	TWA 0.075 mg/m ³
· .	STEL 7.2 mg/m ³	TWA 2.4 mg/m ³		· ·	
	STEL 0.3 mg/m ³	STEL 18 mg/m ³			
	TWA 6 mg/m ³	STEL 7.2 mg/m ³			
	TWA 2.4 mg/m ³				
	TWA 0.1 mg/m ³				
Titanium dioxide	STEL 30 mg/m ³	TWA 10 mg/m ³	TWA 10 mg/m ³		
	STEL 12 mg/m ³	TWA 4 mg/m ³			
	TWA 10 mg/m ³	STEL 30 mg/m ³			
	TWA 4 mg/m ³	STEL 12 mg/m ³			

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Green pigment			STEL 4 mg/m ³	STEL 4mg/m ³	
			STEL 0.4 mg/m ³		
			TWA 1 mg/m ³		
			TWA 0.1 mg/m ³		
Silicon dioxide		SS-C**	TWA 4 mg/m ³		TWA 0.1 mg/m ³
					TWA 4.0 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	SS-C**	STEL 10 mg/m ³		
		TWA 3 mg/m ³	TWA 5 mg/m ³		

- 3	STEL 15 mg/m ³ TWA 10 mg/m ³
	A 10 mg/m ³

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Green pigment				TWA 0.02 mg/m ³	
Silicon dioxide				TWA 5 mg/m ³	TWA 1.5 mg/m ³
				TWA 0.05 mg/m ³	STEL 3 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	TWA 6 mg/m ³	TLV 5 mg/m ³		TWA 5 mg/m ³
	STEL 30 mg/m ³	-	-		STEL 10 mg/m ³

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,



Page 10 / 10

SDS #: A-10095 Dry Ink - Green

Issuing Date 2016-11-01 **Revision Date** 2021-07-09 **Version** 2

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.