

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS # : A-10098	Dry Ink - Blue		
Issuing Date 2016-11-01	Revision Date 2022-05-13	Version 5	
1. IDENTIFICATION OF TH	E SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTA	KING	
1.1 Product Identifier			
Product Name Part no.	Dry Ink for Xerox iGen5 Press 006R03211, 006R03212		
UFI	C910-50RW-S000-MJ3C		
Colour	Blue		
1.2 Relevant identified uses	of the substance or mixture and uses advised against		
Recommended Use	Xerographic printing		
1.3 Details of the supplier of	the safety data sheet		
Supplier Xerox Ltd. Building 4 Uxbridge Business Park Sanderson Road Uxbridge Middlesex. UB8 1DH UK			
For further information, pleas			
Contact person Manager, Environment, Health, Safety & Sustainability			
Phone E-mail address	++44 (0)1707 353434 ehs-europe@xerox.com		
For the most current document https://safetysheets.business.xerox.com			
1.4 Emergency telephone number			
+44 1865 407333			
2. HAZARDS IDENTIFICAT	ION		
2.1 Classification of the subs	tance or mixture		
The product is classified and	d labelled in accordance with Regulation (EC) No. 1272/2008		

 The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

 Carcinogenicity

 Category 2

2.2 Label elements

GHS Label elements, including precautionary statements Symbol(s)

Page 1 / 10

xerc

SDS #: A-10098

Issuing Date 2016-11-01

Dry Ink - Blue

Revision Date 2022-05-13

Version 5

Signal Word

 Hazard Statements
 H351 - Suspected of causing cancer if inhaled

 Precautionary Statements
 P201 - Obtain special instructions before use

 P202 - Do not handle until all safety precautions have been read and understood

 P280 - Wear protective gloves/protective clothing/eye protection/face protection

 P308 + P313 - IF exposed or concerned: Get medical advice/attention

 P501 - Dispose of contents/container in accordance with local/regional/national/international regulation

UFI C910-50RW-S000-MJ3C EC Label EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Warning

2.3 Other hazards

May form explosible dust-air mixture if dispersed Not a PBT according to REACH Annex XIII

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polyester resin	80-90	39382-25-7	Not listed			
Cyan Pigment	<10	147-14-8	205-685-1			01-2119458771-32-0044
Amorphous silica	<10	7631-86-9	231-545-4			
Titanium dioxide	<3	13463-67-7	236-675-5	Carc (Inhal) 2	H351	

Full text of H- statements: see section 16 Note

"--" indicates no classification or hazard statements apply. Components marked as "Not Listed" are exempt from registration. Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes	

Xelox

Page 3/10

SDS # : A-10098	Dry Ink - Blue	
Issuing Date 2016-11-01	Revision Date 2022-05-13	Version
Skin contact	Wash skin with soap and water	
Inhalation	Move to fresh air	
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk	
4.2 Most important symptoms a	nd effects, both acute and delayed	
Acute toxicity		
Eyes	No known effect	
Skin	No known effect	
Inhalation	No known effect	
Ingestion	No known effect	
Chronic effects		
Chronic toxicity	No known effects under normal use conditions	
4.3 Indication of immediate med	lical attention and special treatment needed	
Notes to physician	Treat symptomatically	
5. FIREFIGHTING MEASURES	3	
5.1 Extinguishing media		
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam	

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	Not flammable
Flash point	Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment, Avoid breathing dust

6.2 Environmental precautions

Page 4/10

SDS #: A-10098

Dry Ink - Blue

Issuing Date 2016-11-01

Revision Date 2022-05-13

Version 5

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses
	the toner making it difficult to remove

6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust formation in confined areas, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit Xerox Exposure Limit Exposure Limits	2.5 mg/m³ (total dust) 0.4 mg/m³ (respirable dust) For country specific exposure limits see	e Section 16
Chemical Name	ACGIH TLV	European Union
Cyan Pigment	TWA: 1 mg/m ³	
Amorphous silica		TWA 0.1 mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	None under normal use conditions
Hand protection	None under normal use conditions.

Xelox

SDS #: A-10098	[Dry Ink - Blue		
ssuing Date 2016-11-01	Revision Date 2022-05-13 Vo		Versio	
Skin and body protection Respiratory protection Thermal hazards	 None under normal use conditions No protective equipment is needed under normal use conditions. None under normal processing 			
Environmental Exposure Cor Environmental Exposure Controls		Seep out of drains, sewers, ditches and waterways		
9. PHYSICAL AND CHEMI	CAL PROPERTIES			
0.1 Information on basic phy	vsical and chemical n	ronerties		
Appearance Physical state Colour	Powder Solid Blue	Odour Odour threshold pH	Faint Not applicable Not applicable	
Flash point	Not applicable			
Melting / Freezing Point Boiling point/boiling rang Softening point	Not applicable Not applicable 49-60 °C /			
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable Not applicable			
Explosive Limits	No data availa	ble		
Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity				
Explosive properties	source is a pot	ersed in air, in sufficient concentrati ential dust explosion hazard	ons, and in the presence of an ignition	
Oxidising properties	Not applicable			
0.2 Other information				

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Page 6 / 10

Version 5

xerox

SDS # : A-10098

Dry Ink - Blue

Issuing Date 2016-11-01

Revision Date 2022-05-13

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute	toxicitv

Product Information	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	nical Name Oral LD50 Dermal LD50		LC50 Inhalation
Cyan Pigment	10000 mg/kg (Rat)		
Amorphous silica	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>2.2 mg/L (Rat)1 h
Titanium dioxide	10000 mg/kg (Rat)		

Chronic toxicity

Carcinogenicity	See "Other Information" in this section.		
	Chemical Name	IARC	
	Titanium dioxide	2B	

Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Xelox

Page 7/10

SDS # : A-10098	Dry Ink - Blue					
Issuing Date 2016-11-01	Revision Date 2022-05-13	Version	5			
<u>Other toxic effects</u> Sensitisation Target organ effects	Not expected to be a sensitizer None known					
Other adverse effects Aspiration Hazard	None known Not applicable					
Information on other hazards						
Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors						
12. ECOLOGICAL INFORMA	TION					
40.4 Taviaitu						

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations

 Waste from Residues/Unused
 Dispose of in accordance with local regulations

 Products
 Dispose of in accordance with local regulations

xerox

Page 8/10

SDS # : A-10098	Dry Ink - Blue	
Issuing Date 2016-11-01	Revision Date 2022-05-13 Ve	ersion 5
Contaminated packaging	Dispose of in accordance with local regulations.	
EWC Waste Disposal No.	08 03 17*	
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to a and should not be allowed to enter drains, sewers, or waterways.	quatic life

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date	2016-11-01
Revision Date	2022-05-13

Page 9/10

xero

SDS # : A-10098

Issuing Date 2016-11-01

Dry Ink - Blue Revision Date 2022-05-13

Version 5

Revision Note Updated Emergency Telephone number in some geographies, (M)SDS sections updated, 3 Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

Exposure scenario

This product is intended solely for use in Xerographic printing. There is no exposure to hazardous components under normal use conditions. In case of spill or leak, prevent dust cloud. Avoid breathing dust

Additional advice EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Amorphous silica	STEL 18 mg/m ³ STEL 7.2 mg/m ³ STEL 0.3 mg/m ³ TWA 6 mg/m ³ TWA 2.4 mg/m ³ TWA 0.1 mg/m ³	TWA 6 mg/m ³ TWA 2.4 mg/m ³ STEL 18 mg/m ³ STEL 7.2 mg/m ³		AGW 4 mg/m ³	TWA 0.075 mg/m ³
Titanium dioxide	STEL 30 mg/m ³ STEL 12 mg/m ³ TWA 10 mg/m ³ TWA 4 mg/m ³	TWA 10 mg/m ³ TWA 4 mg/m ³ STEL 30 mg/m ³ STEL 12 mg/m ³	TWA 10 mg/m ³		

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Copper phthalocyanine			STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA 1 mg/m ³ TWA 0.1 mg/m ³	STEL 4mg/m ³	
Silicon dioxide		SS-C**	TWA 4 mg/m ³		TWA 0.1 mg/m ³ TWA 4.0 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	SS-C** TWA 3 mg/m ³	STEL 10 mg/m ³ TWA 5 mg/m ³		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Copper phthalocyanine	TWA 0.1 mg/m ³				
Titanium dioxide	TWA 10 mg/m ³	TWA 10 mg/m ³ C(A4)		TWA 10 mg/m ³ TWA 5 mg/m ³	STEL 15 mg/m ³ TWA 10 mg/m ³

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Copper phthalocyanine				TWA 0.02 mg/m ³	
Silicon dioxide				TWA 5 mg/m ³	TWA 1.5 mg/m ³
				TWA 0.05 mg/m ³	STEL 3 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	TWA 6 mg/m ³	TLV 5 mg/m ³		TWA 5 mg/m ³
	STEL 30 mg/m ³	•			STEL 10 mg/m ³

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.



Page 10/10

SDS #: A-10098

Dry Ink - Blue

Issuing Date 2016-11-01

Revision Date 2022-05-13

Version 5

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.