#### SAFETY DATA SHEET according to Regulation (EC) No. 2020/878 as amended

## Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23

SDS #: A-10147

Revision Date 2023-11-06

Version 8

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product Identifier

Product Name	Toner for WorkCentre 6515, Phaser 6510, Xerox® VersaLink C500, Xerox® Versal ink C505, Xerox® Versal ink C600, Xerox® Versal ink C605				
Product Name Part no.	Toner for WorkCentre 6515, Phaser 6510, Xerox® VersaLink C500, Xerox® VersaLink C505, Xerox® VersaLink C605 106R03473, 106R03474, 106R03475, 106R03476, 106R03477, 106R03478, 106R03479, 106R03480, 106R03481, 106R03482, 106R03483, 106R03484, 106R03485, 106R03486, 106R03487, 106R03488, 106R03489, 106R03490, 106R03491, 106R03492, 106R03690, 106R03691, 106R03692, 106R03693, 106R03694, 106R03695, 106R03855, 106R03856, 106R03857, 106R03858, 106R03866, 106R03860, 106R03861, 106R03862, 106R03863, 106R03864, 106R03865, 106R03866, 106R03867, 106R03868, 106R03869, 106R03877, 106R03871, 106R03872, 106R03873, 106R03874, 106R03875, 106R03876, 106R03877, 106R03878, 106R03879, 106R03881, 106R03881, 106R03882, 106R03884, 106R03885, 106R03887, 106R03881, 106R03893, 106R03895, 106R03895, 106R03897, 106R03897, 106R03892, 106R03892, 106R03909, 106R03901, 106R03904, 106R03905, 106R03909, 106R03907, 106R03904, 106R03905, 106R03906, 106R03907, 106R03908, 106R03909, 106R03914, 106R03914, 106R03915, 106R03916, 106R03917, 106R03914, 106R03915, 106R03914, 106R03902, 106R03904, 106R03912, 106R03902, 106R03907, 106R03914, 106R03914, 106R03915, 106R03914, 106R03902, 106R03904, 106R03912, 106R03902, 106R03907, 106R03904, 106R03905, 106R03907, 106R03907, 106R03908, 106R03909, 106R03904, 106R03905, 106R03907, 106R03907, 106R03904, 106R03905, 106R03907, 106R03907, 106R03908, 106R03909, 106R03904, 106R03905, 106R03906, 106R03907, 106R03908, 106R03909, 106R03904, 106R03905, 106R03907, 106R03907, 106R03915, 106R03916, 106R03914, 106R03915, 106R03916, 106R03914, 106R03922, 106R03923, 106R03924, 106R03925, 106R03926, 106R03927, 106R03928, 106R03929, 106R03923, 106R03925, 106R03926, 106R03927, 106R03928, 106R03929, 106R03923, 106R03925, 106R03926, 106R03927, 106R03928, 106R03929, 106R03920, 106R03920, 106R03926, 106R03927, 106R03928, 106R03928, 106R03929, 10				
	106R03931, 106R03932, 106R03933, 106R03934, 106R03935, 106R03936, 106R03937, 106R03938, 106R03939, 106R04009106R04013, 106R04017, 106R03854, 106R03891,				
	106R03931, 106R03932, 106R03933, 106R03934, 106R03935, 106R03936, 106R03937, 106R03938, 106R03939, 106R04009106R04013, 106R04017, 106R03854, 106R03891, 106R04007, 106R04011, 106R04015, 106R03852, 106R03889, 106R04006, 106R04010,				
	106R04014, 106R03851, 106R03888, 106R04008, 106R04012, 106R04016, 106R03853, 106R03890				

Colour

Supplier

Cyan, Black, Magenta, Yellow

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** 

Xerographic printing

#### 1.3 Details of the supplier of the safety data sheet

Xerox Ltd. Building 4 Uxbridge Business Park Sanderson Road Uxbridge Middlesex. UB8 1DH UK

# For further information, please contactContact personManager, Environment, Health, Safety<br/>& SustainabilityPhone++44 (0)1707 353434E-mail addressehs-europe@xerox.comFor the most current documenthttps://safetysheets.business.xerox.com



Page 1/9

Page 2/9

xero

**SDS # :** A-10147

# Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23

Revision Date 2023-11-06

#### Version 8

#### 1.4 Emergency telephone number

Not applicable

#### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

#### 2.2 Label elements

None

#### 2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Resin	60-80	Proprietary				
Paraffin wax	5-15	8002-74-2	232-315-6			
Silica (Surface Treated)	1-5	68909-20-6	272-697-1	STOT RE 2	H373	
Cyan Pigment	0-10	147-14-8	205-685-1			01-2119458771-32-0044
Carbon black	0-10	1333-86-4	215-609-9			01-2119384822-32-0065
Magenta pigment	0-10	Proprietary	Listed			01-2120029624-59-0007
Yellow pigment	0-10	6358-31-2	228-768-4			
Titanium dioxide	<0.5	13463-67-7	236-675-5	Carc (Inhal) 2	H351	

# Full text of H- statements: see section 16 Note

"--" indicates no classification or hazard statements apply. Components marked as "Not Listed" are exempt from registration. Where no REACH registration number is listed, it is considered confidential to the Only Representative.

#### SECTION 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes		

Page 3/9

**SDS # :** A-10147

# Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23	Revision Date 2023-11-06	Version
Skin contact	Wash skin with soap and water	
Inhalation	Move to fresh air	
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk	
4.2 Most important symptoms	and effects, both acute and delayed	
Acute toxicity		
Eyes	No known effect	
Skin	No known effect	
Inhalation	No known effect	
Ingestion	No known effect	
Chronic effects		
Chronic toxicity	No known effects under normal use conditions	
Main symptoms	Overexposure may cause:	
	mild respiratory irritation similar to nuisance dust.	

Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

#### SECTION 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

#### 5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

#### 5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

#### Other information

Flamm	nability
Flash	point

Not flammable Not applicable

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

xero

**SDS # :** A-10147

# Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23

Revision Date 2023-11-06

Version 8

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### 6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

#### 6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses
	the toner making it difficult to remove

#### 6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

#### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

#### 7.3 Specific end uses

Xerographic printing

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)
8.2 Exposure controls	

Engineering measures	None under normal use conditions
Engineering measures	None under normal use conditions

#### Personal protective equipment

Eye/face protection	No special protective equipment required

607E13120

# xerox

Page 5/9

<b>SDS #</b> : A-10147	Toner - Cyan, Black, Magenta, Yellow	
Issuing Date 2016-02-23	Revision Date 2023-11-06	Version
Hand protection Skin and body protection Respiratory protection Thermal hazards	No special protective equipment required No special protective equipment required No special protective equipment required None under normal processing	
Environmental Exposure Controls Environmental Exposure Controls	Keep out of drains, sewers, ditches and waterways	

#### 9.1 Information on basic physical and chemical properties

Appearance Physical state Colour	Powder Solid Cyan, Black, Magenta, Yellow	Odour Odour threshold pH	Faint Not applicable Not applicable
Flash point	Not applicable		
Melting / Freezing Point Boiling point/boiling rang Softening point	Not applicable Not applicable 49 - 60 °C /	120 - 140 °F	
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable Not applicable		
Explosive Limits	No data available		
Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperatu Viscosity			
Explosive properties	Fine dust dispersed in air source is a potential dust	r, in sufficient concentrations, and	I in the presence of an ignition
Oxidising properties	Not applicable		
9.2 Other information			

None

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

xero

SDS #: A-10147

# Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23

Revision Date 2023-11-06

Version 8

#### 10.2 Chemical stability

Stable under normal conditions

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

#### 10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### 10.5 Incompatible Materials

None

#### 10.6 Hazardous decomposition products

None under normal use

#### SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

#### 11.1 Information on toxicological effects

Acute toxicity
Product Information

Irritation Oral LD50 Dermal LD50 LC50 Inhalation	No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr)
<u>Chronic toxicity</u> Product Information Chronic effects Carcinogenicity Other information	No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies
	and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as

#### Page 7/9

xero

#### SDS #: A-10147 Toner - Cyan, Black, Magenta, Yellow Issuing Date 2016-02-23 Revision Date 2023-11-06 Version 8 "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner. Other toxic effects Product Information Sensitisation No sensitisation responses were observed **Mutagenic effects** Not mutagenic in AMES Test **Reproductive toxicity** This product does not contain any known or suspected reproductive hazards **Target organ effects** None known None known Other adverse effects **Aspiration Hazard** Not applicable

11.2 Information on other hazards Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

#### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

#### 12.2 Persistence and degradability

Not readily biodegradable

#### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely

#### 12.4 Mobility in soil

Insoluble in water

#### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

#### 12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### 12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

Page 8/9

xerox

**SDS # :** A-10147

# Toner - Cyan, Black, Magenta, Yellow

**Issuing Date** 2016-02-23

Revision Date 2023-11-06

Version 8

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste Disposal Method	No special precautions are needed in handling this material
EWC Waste Disposal No.	08 03 18
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

#### SECTION 14. TRANSPORT INFORMATION

#### 14.1 UN/ID No

Not regulated

#### 14.2 Proper shipping name

Not regulated

#### 14.3 Transport hazard class(es)

Not classified

#### 14.4 Packing Group

Not applicable

#### 14.5 Environmental hazards

Presents little or no hazard to the environment

#### 14.6 Special precautions for users

No special precautions are needed in handling this material

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

#### SECTION 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

#### 15.2 Chemical Safety Assessment

Page 9/9

Version 8

xero

# Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2016-02-23

SDS #: A-10147

Revision Date 2023-11-06

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

#### SECTION 16. OTHER INFORMATION

**Issuing Date** 2016-02-23 **Revision Date** 2023-11-06 Part number 106R04006, 106R04007, 106R04008, 106R04014, 106R04015, 106R04016, **Revision Note** 106R04017, 106R03851, 106R03852, 106R03853, 106R03854, 108R01510, 108R01511, 108R01512, 108R01513, 106R03888, 106R03889, 106R03890, 106R03891 added Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text,