# Safety Data Sheet

**SDS # :** B-20014

Issuing Date 2015-03-03

# **Developer - Blue**

Revision Date 2022-09-23

Version 1

Page 1/8

Active

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## Product Identifier

Product Name					
	Developer	for	Xerox iGen5 Press		
Part no.	50	05S00047	7, 502S69325, 505S00048		
Color Pure substance/mixture		ue ixture			
Relevant identified uses	s of the substar	nce or mi	ixture and uses advised against		
Recommended Use	X	erographi	ic printing		
Details of the supplier of	of the safety dat	ta sheet	_		
Manufactured by		erox Corp			
			NY 14580		
For further information, please contact					
Contact person		0,	Environment, Health, Safety & Sustainability		
E-mail address			erox.com		
Emergency telephor		,	rmation US: (800) 275-9376 Emergency only (Chemtrec) (800) 424-9300		
	C		inergency only (chemilec) (800) 424-9300		

For the most current document https://safetysheets.business.xerox.com

|--|

## Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

## Customer use / Cartridges and sealed bottles

OSHA Hazard ClassificationThis product is an article which contains a mixture / preparation in powder form. Safety<br/>information is given for exposure to the article as sold and used by the customer. Intended<br/>use of the product is not expected to result in exposure to the mixture / preparation based<br/>on the packaging and method of dispensing.While this material is not considered hazardous by the OSHA hazard Communication<br/>Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling<br/>and proper use of the product. This SDS should be retained and made available to<br/>employees and other users of this product.

### Label elements

Signal Word

None





Hazard Statements	None required
Precautionary Statements	None required

#### Other hazards

Not a PBT according to REACH Annex XIII

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### <u>Mixtures</u>

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Steel powder	7439-89-6	>90		
Polyester resin	39382-25-7	3-5		
Cyan Pigment	147-14-8	0.1-0.5		
Titanium dioxide	13463-67-7	<1	Carc (Inhal) 2	H351

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

## 4. FIRST AID MEASURES

#### Description of first-aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.
	Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and
	continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

#### Most important symptoms and effects, both acute and delayed

Acute toxicity				
Eyes	No known effect			
Skin	No known effect			
Inhalation	No known effect			
Ingestion	No known effect			
Chronic toxicity	No known effects under normal use conditions			
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.			
Aggravated Medical Conditions	None under normal use conditions			
Indication of immediate medical attention and special treatment needed				
Protection of first-aiders	No special protective equipment required			

Notes to physician Treat symptomatically

			MEASL	
lb.	FIRE			
J.				

## Extinguishing media

Suitable extinguishing mediaUse water spray or fog; do not use straight streams, FoamUnsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire

xerc

#### Special hazards arising from the substance or mixture

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

#### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

Other information	
Flammability	Not flammable. Will not readily ignite.
Flash point	Not applicable

#### 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

### Methods and material for containment and cleaning up

Methods for containment	Preve
Methods for cleaning up	Use a

Prevent dust cloud Use an electrically protected vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner, making it difficult to remove

#### Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

#### Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

#### Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters Exposure Limits ACGIH TLV TWA ACGIH TLV TWA

10 mg/m<sup>3</sup> (inhalable particles) 3 mg/m<sup>3</sup> (respirable dust)

Page 4/8

OSHA PEL TWA OSHA PEL TWA	15 mg/m³ (total dust) 5 mg/m³ (respirable du	st)			
Xerox Exposure Limit Xerox Exposure Limit	2.5 mg/m³ (total dust) 0.4 mg/m³ (respirable dust)				
Component Information					
Chemical Name		CGIH TLV	OSHA PEL		
Cyan Pigment		/A: 1 mg/m <sup>3</sup>			
Titanium dioxide	TW	A: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>		
Exposure controls Engineering measures	None under normal us	e conditions			
Individual protection measures, su	ich as personal protecti	ve equipment (PPE)	_		
Eye/Face protection Hand protection Skin and body protection Respiratory protection Thermal hazards	No special protective e No special protective e No special protective e No special protective e None under normal pro	quipment required quipment required quipment required.			
Environmental Exposure Controls Environmental Exposure Controls	Keep out of drains, sev	vers, ditches and wate	erways		
9. PHYSICAL AND CHEMIC	AL PROPERTIES				
Information on basic physical andAppearancePowderPhysical stateSolidColorblue	<u></u>	Odor Odor threshold pH	Faint Not applicable Not applicable		
Flash point	Not applicable				
Melting / Freezing Point Boiling point/range Softening point	Not applicable Not applicable 49 - 60 °C /	120 - 140 °F	-		
Evaporation rate Flammability Flammability Limits in Air	Not applicable Not flammable. Will no Not applicable	t readily ignite.			
Vapor pressure Vapor density Specific gravity	Not applicable Not applicable ~ 1				
Water solubility Partition coefficient Autoignition temperature	Negligible Not applicable Not applicable				
Decomposition temperature Viscosity Explosive properties	Not determined Not applicable Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion bazard				
Oxidizing properties	source is a potential dust explosion hazard Not applicable				
Other information None					



## **Developer - Blue**

Page 5/8

## 10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

#### Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactions Hazardous polymerization None under normal processing Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

#### Incompatible Materials

None

#### Hazardous decomposition products

None under normal use

#### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

#### Information on toxicological effects

Acute toxicity	
Product Information	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

#### **Component Information**

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Steel powder			30 g/kg (Rat)
Cyan Pigment			10000 mg/kg (Rat)
Titanium dioxide			10000 mg/kg (Rat)

Chronic toxicity

Sensitization	
Neurological Effects	
Target organ effects	

No sensitization responses were observed No information available None known

#### **CMR Effects**

Mutagenic effects Reproductive toxicity	Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards		
Carcinogenicity	See "Other Information" in this section.		
Chemical Name		NTP	IARC
Titanium dioxide			2B

#### Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO<sub>2</sub> particles of respirable size. Epidemiological studies do not suggest a carcinogenic effect in humans. In addition, the titanium dioxide in this mixture is



encapsulated in a matrix or bound to the surface of the toner.

## Other toxic effects

Aspiration Hazard	Not applicable
Other adverse effects	None known

#### Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

## 12. ECOLOGICAL INFORMATION

#### Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

### **Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Steel powder		LC50= 13.6 mg/L Morone		
		saxatilis 96 h		

#### Persistence and degradability

Not readily biodegradable

#### Bioaccumulative potential

Bioaccumulation is unlikely

## Mobility in soil

Insoluble in water

#### **Component Information**

Chemical Name	log Pow
Cyan Pigment	6.6

#### Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

#### Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDER	ATIONS
<u>Waste treatment methods</u> Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
Contaminated packaging	No special precautions are needed in handling this material
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

### 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

xerc

## 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

#### Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

#### International Inventories

TSCA	Complies
DSL/NDSL	Complies

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### **California Proposition 65**

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

#### 16. OTHER INFORMATION

Issuing Date2015-03-03Revision Date2022-09-23Revision Note(M)SDS sections updated:, 3, 16Full text of H-Statements referred to under sections 2 and 3H351 - Suspected of causing cancer if inhaled

**Xelox** 

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end