

# Safety Data Sheet

Developer-Black/Cyan/Magenta/Yellow

Issuing Date 2004-05-10

**SDS #:** B-2004

**Revision Date** 2022-07-20

Version 4

Active

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## Product Identifier

## Product Name

	Developer	for	CopyCentre C2128, CopyCentre C2636, CopyCentre C3545, WorkCentre Pro C2128, WorkCentre Pro C2636, WorkCentre Pro C3545, WorkCentre 7228, WorkCentre 7235, WorkCentre 7245, WorkCentre 7346, WorkCentre 7425, WorkCentre 7428, WorkCentre 7435, Phaser 7500
Part no.		604K22520, 675K67550	604K22530, 604K22540, 604K22550, 675K67520, 675K67530, 675K67540,
Color	(	Cyan/Magenta/Yellow/Black	
Pure substance/mixture		Mixture	
Recommended Use	)	Xerographic	t <mark>ture and uses advised against</mark> printing
Details of the supplier or Manufactured by		<u>ata sneet</u> Xerox Corpo	viction
wanuactured by		Webster, NY	
For further information,		,	
Contact person	-	Manager, Environment, Health, Safety & Sustainability	
E-mail address		askxerox@xerox.com	
Emergency telephon	(	Chemical Er	nation US: (800) 275-9376 nergency only (Chemtrec) (800) 424-9300 887 (collect outside the US or Canada)

For the most current document https://safetysheets.business.xerox.com

## 2. HAZARDS IDENTIFICATION

## Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

#### Customer use / Cartridges and sealed bottles

## OSHA Hazard Classification

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.



Page 2/8

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

#### Label elements

Signal Word	None
Hazard Statements	None required
Precautionary Statements	None required

#### Other hazards

Not a PBT according to REACH Annex XIII

3. COMPOSITION/INFORMATION ON INGREDIENTS

# <u>Mixtures</u>

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Ceramic materials	66402-68-4	>90		
Polymer	292629-36-8	5-10		
Carbon Black	1333-86-4	0-1		
Yellow Pigment	6358-31-2	0-1		
Cyan Pigment	147-14-8	0-1		
Magenta Pigment	980-26-7	0-1		
Titanium dioxide	13463-67-7	<1	Carc (Inhal) 2	H351

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

# 4. FIRST AID MEASURES

#### Description of first-aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.
	Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and
	continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

## Most important symptoms and effects, both acute and delayed

Main symptoms	Overexposure may cause:
Chronic toxicity	No known effects under normal use conditions
Ingestion	No known effect
Inhalation	No known effect
Skin	No known effect
Eyes	No known effect
Acute toxicity	



# **Developer- Black/Cyan/Magenta/Yellow**

_		-
Page	3/	8

Aggravated Medical Conditions	mild respiratory irritation similar to nuisance dust. None under normal use conditions
Indication of immediate medical att	ention and special treatment needed
Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

**Suitable extinguishing media** Use water spray or fog; do not use straight streams, Foam **Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

#### Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

#### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

## **Other information**

Flammability	Not flammable. Will not readily ignite.
Flash point	Not applicable

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

## Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

#### Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent dust cloud Use an electrically protected vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner, making it difficult to remove

#### Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

# 7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud
Hygiene measures	None under normal use conditions



Page 4/8

# **Developer- Black/Cyan/Magenta/Yellow**

# Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

#### Specific end uses

Xerographic printing

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Exposure Limits	
ACGIH TLV TWA	10 mg/m <sup>3</sup> (inhalable particles)
ACGIH TLV TWA	3 mg/m <sup>3</sup> (respirable dust)
OSHA PEL TWA	15 mg/m <sup>3</sup> (total dust)
OSHA PEL TWA	5 mg/m <sup>3</sup> (respirable dust)
Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)

#### **Component Information**

Chemical Name	ACGIH TLV	OSHA PEL
Ceramic materials	TWA: 5 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup>
	TWA: 0.1 mg/m <sup>3</sup>	
Carbon Black	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
Cyan Pigment	TWA: 1 mg/m <sup>3</sup>	
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>

#### Exposure controls

Controls

Engineering measures

None under normal use conditions

# Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection	No special protective equipment required
Hand protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Respiratory protection	No special protective equipment required.
Thermal hazards	None under normal processing

#### Environmental Exposure Controls **Environmental Exposure**

Keep out of drains, sewers, ditches and waterways

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Appearance Physical state Color	Powder Solid Cyan/Magenta	/Yellow/Black	Odor Odor threshold pH	Faint Not applicable Not applicable
Flash point		Not applicable		
Melting / Free Boiling point Softening poi	/range	Not applicable Not applicable Not applicable		
Evaporation	rate	Not applicable		



# Developer- Black/Cyan/Magenta/Yellow

Flammability Flammability Limits in Air	Not flammable. Will not readily ignite. Not applicable
Vapor pressure	Not applicable
Vapor density	Not applicable
Specific gravity	4 - 5
Water solubility	Negligible
Partition coefficient	Not applicable
Autoignition temperature	Not applicable
Decomposition temperature	Not determined
Viscosity	Not applicable
Explosive properties	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard
Oxidizing properties	Not applicable

#### Other information

None

10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

## Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactionsNone under normal processingHazardous polymerizationHazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

# Incompatible Materials

None

#### Hazardous decomposition products

None under normal use

#### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

## Information on toxicological effects

Acute toxicity Product Information

roduct Information	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

# Component Information

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Carbon Black		3 g/kg (Rabbit)	15400 mg/kg (Rat)
Cyan Pigment			10000 mg/kg (Rat)
Magenta Pigment		3 g/kg (Rabbit)	23 g/kg (Rat)



SDS #: B-2004

# **Developer- Black/Cyan/Magenta/Yellow**

Page 6/8

Titanium dioxide			10000 mg/kg (Rat)	
<u>Chronic toxicity</u> Sensitization Neurological Effects Target organ effects	No sensitization responses were observed No information available None known			
CMR Effects				
Mutagenic effects Not m		nutagenic in AMES Test		
Reproductive toxicity This product does not contain any known or s		product does not contain any known or susp	pected reproductive hazards	
Carcinogenicity	See "Other Information" in this section.			
Chemical Name		NTP	IARC	
Carbon Black			2B	
Titanium dioxide			2B	

# Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO<sub>2</sub> particles of respirable size. Epidemiological studies do not suggest a carcinogenic effect in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

# Other toxic effects Not applicable Aspiration Hazard Note known

#### Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION	
----------------------------	--

#### **Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

#### **Component Information**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Carbon Black				EC50 > 5600 mg/L 24 h

## Persistence and degradability

Not readily biodegradable

#### Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

Chemical Name	log Pow
---------------	---------



Cyar

an Pigment	6.6

#### Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

#### Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDER	ATIONS
Waste treatment methods Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
Contaminated packaging No special precautions are needed in handling this material	
Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquati and should not be allowed to enter drains, sewers, or waterways.	

# 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

# 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

# Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

## International Inventories

TSCA	Complies
DSL/NDSL	Complies

# **U.S. Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40



## CFR 122.42)

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

# CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

### **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon Black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

## U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

### 16. OTHER INFORMATION

Issuing Date	2004-05-10	
Revision Date	2022-07-20	
Revision Note	(M)SDS sections updated:, 3	
Full text of H-Statements referred to under sections 2 and 3		

H351 - Suspected of causing cancer if inhaled

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end