

Page 1/9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: P-06 Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Replenisher for Document Centre 535, Document Centre 545, Document Centre

555, CopyCentre C35, CopyCentre C45, CopyCentre C55, CopyCentre C165, CopyCentre C175, CopyCentre 232, CopyCentre 238, CopyCentre 245, CopyCentre 255, CopyCentre 265, CopyCentre 275, WorkCentre M35, WorkCentre M45, WorkCentre M55, WorkCentre Pro 35, WorkCentre Pro 45, WorkCentre Pro 55, WorkCentre Pro 165, WorkCentre Pro 175, WorkCentre M165, WorkCentre M175, WorkCentre 232, WorkCentre 238, WorkCentre 245, WorkCentre 255, WorkCentre 265, WorkCentre 275, WorkCentre Pro 232, WorkCentre Pro 238, WorkCentre Pro 245, WorkCentre Pro 255, WorkCentre Pro 265, WorkCentre Pro 275, WorkCentre 5030, WorkCentre 5050, WorkCentre 5135, WorkCentre 5150, WorkCentre 5632, WorkCentre 5638, WorkCentre 5645, WorkCentre 5655, WorkCentre 5665, WorkCentre 5675, WorkCentre 5687,

WorkCentre 5150, WorkCentre 5632, WorkCentre 5638, WorkCentre 5645 WorkCentre 5655, WorkCentre 5665, WorkCentre 5675, WorkCentre 5687, WorkCentre 5735, WorkCentre 5740, WorkCentre 5745, WorkCentre 575, WorkCentre 5765, WorkCentre 5775, WorkCentre 5790, WorkCentre Bookmark

40, WorkCentre Bookmark 55

Part no. 006R01046, 006R01047, 006R01186, 006R01146, 006R01229, 006R01230, 006R01727,

 $006R01728,\,093K06410,\,093K04541,\,093K14370,\,093K14380,\,504K11840$

Colour Black

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Europe Limited

Xerox Technology Park

Dublin Road Dundalk Co. Louth Ireland

For further information, please contact

 Contact person
 Andy Cosgrove

 Phone
 +353 429387410

 E-mail address
 ehs-europe@xerox.com

For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION



Page 2/9

SDS #: P-06

Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

None

2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Resin	80-90	Proprietary	Not listed			
Magnetite	10-20	1317-61-9	215-277-5			01-2119457646-28-0021
Carbon black	1-5	1333-86-4	215-609-9			01-2119384822-32-0065
Polypropylene wax	<5	9003-07-0	Not listed			
Titanium dioxide	<1	13463-67-7	236-675-5	Carc (Inhal) 2	H351	

Full text of H- statements: see section 16

Note

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes No known effect Skin No known effect

[&]quot;--" indicates no classification or hazard statements apply.



SDS#: P-06

Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

InhalationNo known effectIngestionNo known effect

Chronic effects

Chronic toxicity None under normal use
Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

4.3 Indication of immediate medical attention and special treatment needed

Protection of first-aiders

No special protective equipment required

Notes to physician Treat symptomatically

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability Not flammable Flash point Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up





SDS#: P-06

Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

Methods for containment Methods for cleaning up Prevent dust cloud

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses

the toner making it difficult to remove

6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit2.5 mg/m³ (total dust)Xerox Exposure Limit0.4 mg/m³ (respirable dust)

8.2 Exposure controls

Engineering measures None under normal use conditions

Personal protective equipment

Eye/face protection
Hand protection
Skin and body protection
Respiratory protection
Thermal hazards
No special protective equipment required
No special protective equipment required
No special protective equipment required
None under normal processing

Environmental Exposure Controls

Environmental Exposure Keep out of drains, sewers, ditches and waterways

Controls

9. PHYSICAL AND CHEMICAL PROPERTIES





SDS #: P-06 Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

9.1 Information on basic physical and chemical properties

Appearance Powder Odour Faint

Physical stateSolidOdour thresholdNot applicableColourBlackpHNot applicable

Flash point Not applicable

Melting / Freezing PointNot applicableBoiling point/boiling rangeNot applicable

Evaporation rateNot applicableFlammabilityNot flammableFlammability Limits in AirNot applicable

Explosive Limits No data available

Vapour pressureNot applicableVapour densityNot applicableSpecific gravity~ 1Water solubilityNegligiblePartition coefficientNot applicableAutoignition temperatureNot applicable

Autoignition temperature
Decomposition temperature
Viscosity

Not applicable
Not determined
Not applicable

Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidising properties Not applicable

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerisation Hazardous polymerisation does not occur

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a





SDS#: P-06

Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects

Acute toxicity

Product Information

Irritation No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

Chronic toxicity

Product Information

Chronic effectsNo known effects under normal use conditionsCarcinogenicitySee "Other Information" in this section.Other informationThe IARC (International Agency for Research of the IARC)

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Product Information

Sensitisation No sensitisation responses were observed

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity This product does not contain any known or suspected reproductive hazards

Target organ effects None known

607E08010





SDS #: P-06 Replenisher - Black

Issuing Date 2002-08-14 Revision Date 2022-09-16 Version 5

Other adverse effects
Aspiration Hazard

None known Not applicable

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal Method Can be landfilled or incinerated, when in compliance with local regulations

If incineration is to be carried out, care must be exercised to prevent dust clouds forming.

EWC Waste Disposal No. 08 03 18

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life

and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION



SDS #: P-06 Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

 Issuing Date
 2002-08-14

 Revision Date
 2022-09-16

Revision Note (M)SDS sections updated, 3, 16

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer



Page 9/9

SDS #: P-06

Replenisher - Black

Issuing Date 2002-08-14 **Revision Date** 2022-09-16 **Version** 5

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.