

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 as amended

SDS # : P-70003

**Replenisher - Black, Cyan, Magenta,  
Yellow**

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product Identifier****Product Name** Replenisher for Xerox® Versant™ 2100 Press, Xerox® Versant™ 3100 Press,  
Xerox® Versant™ 4100 Press**Part no.** 006R01626, 006R01627, 006R01628, 006R01629, 006R01630, 006R01631, 006R01632,  
006R01633, 006R01634, 006R01635, 006R01636, 006R01637, 006R01833, 006R01834,  
006R01835, 006R01836, 006R01837, 006R01838, 006R01839, 006R01840, 006R01841,  
006R01842, 006R01843, 006R01844**Colour** Black, Cyan, Magenta, Yellow**1.2 Relevant identified uses of the substance or mixture and uses advised against****Recommended Use** Xerographic printing**1.3 Details of the supplier of the safety data sheet****Supplier** Xerox Europe Limited  
Xerox Technology Park  
Dublin Road  
Dundalk  
Co. Louth  
Ireland**For further information, please contact****Contact person** Andy Cosgrove  
**Phone** +353 429387410  
**E-mail address** ehs-europe@xerox.com**For the most current document** <https://safetydatasheets.business.xerox.com>**1.4 Emergency telephone number**

Not applicable

**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

**2.2 Label elements**

None

**2.3 Other hazards**

Not a PBT according to REACH Annex XIII

SDS # : P-70003

# Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

May form explosible dust-air mixture if dispersed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Resin	50-75	Proprietary	Not listed	--	--	--
Ceramic materials	<10	Proprietary	Listed	--	--	--
Paraffin wax	5-10	8002-74-2	232-315-6	--	--	--
Yellow pigment	0-10	Proprietary	Listed	--	--	--
Carbon black	0-10	1333-86-4	215-609-9	--	--	01-2119384822-32-0065
Cyan Pigment	0-10	147-14-8	205-685-1	--	--	01-2119458771-32-0044
Magenta pigment	0-10	Proprietary	Listed	--	--	01-2119456804-33-0008
Titanium dioxide	<1	13463-67-7	236-675-5	Carc (Inhal) 2	H351	--
Silica	<2	67762-90-7	Not listed	--	--	--

Full text of H- statements: see section 16

#### Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

#### Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

#### Skin contact

Wash skin with soap and water

#### Inhalation

Move to fresh air

#### Ingestion

Rinse mouth with water and afterwards drink plenty of water or milk

### 4.2 Most important symptoms and effects, both acute and delayed

#### Acute toxicity

##### Eyes

No known effect

##### Skin

No known effect

##### Inhalation

No known effect

##### Ingestion

No known effect

#### Chronic effects

##### Chronic toxicity

No known effects under normal use conditions

#### Main symptoms

Overexposure may cause:  
mild respiratory irritation similar to nuisance dust.

SDS # : P-70003

## Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

### 4.3 Indication of immediate medical attention and special treatment needed

**Protection of first-aiders**  
**Notes to physician**

No special protective equipment required  
Treat symptomatically

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray or fog; do not use straight streams, Foam

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

**Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

### 5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flamm resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.  
Wear self-contained breathing apparatus and protective suit.

### Other information

**Flammability**  
**Flash point**

Not flammable  
Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

### 6.2 Environmental precautions

No special environmental precautions required

### 6.3 Methods and material for containment and cleaning up

**Methods for containment**  
**Methods for cleaning up**

Prevent dust cloud  
Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

### 6.4 Reference to other sections

SDS # : P-70003

# Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

See section 12 for additional ecological information  
See Section 13 for additional information

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

**Hygiene measures** None under normal use conditions

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

### 7.3 Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

**Xerox Exposure Limit** 2.5 mg/m<sup>3</sup> (total dust)  
**Xerox Exposure Limit** 0.4 mg/m<sup>3</sup> (respirable dust)

### 8.2 Exposure controls

**Engineering measures** None under normal use conditions

### Personal protective equipment

**Eye/face protection** No special protective equipment required  
**Hand protection** No special protective equipment required  
**Skin and body protection** No special protective equipment required  
**Respiratory protection** No special protective equipment required  
**Thermal hazards** None under normal processing

### Environmental Exposure Controls

**Environmental Exposure Controls** Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	Powder	<b>Odour</b>	Faint
<b>Physical state</b>	Solid	<b>Odour threshold</b>	Not applicable
<b>Colour</b>	Black, Cyan, Magenta, Yellow	<b>pH</b>	Not applicable

SDS # : P-70003

## Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

Flash point	Not applicable
Melting / Freezing Point	Not applicable
Boiling point/boiling range	Not applicable
Softening point	49-60 - °C / 120-140 - °F
Evaporation rate	Not applicable
Flammability	Not flammable
Flammability Limits in Air	Not applicable
Explosive Limits	No data available
Vapour pressure	Not applicable
Vapour density	Not applicable
Specific gravity	1-2
Water solubility	Negligible
Partition coefficient	Not applicable
Autoignition temperature	Not applicable
Decomposition temperature	Not determined
Viscosity	Not applicable
Explosive properties	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard
Oxidising properties	Not applicable

### 9.2 Other information

None

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

### 10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

### 10.5 Incompatible Materials

SDS # : P-70003

# Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

None

## 10.6 Hazardous decomposition products

None under normal use

## 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

### 11.1 Information on toxicological effects

#### Acute toxicity

Product Information

Irritation

No skin irritation, No eye irritation

Oral LD50

&gt; 5 g/kg (rat)

Dermal LD50

&gt; 5 g/kg (rabbit)

LC50 Inhalation

&gt; 5 mg/L (rat, 4 hr)

#### Chronic toxicity

Product Information

Chronic effects

No known effects under normal use conditions

Carcinogenicity

See "Other Information" in this section.

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO<sub>2</sub> particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

#### Other toxic effects

Product Information

Sensitisation

No sensitisation responses were observed

Mutagenic effects

Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

Target organ effects

None known

Other adverse effects

None known

Aspiration Hazard

Not applicable

SDS # : P-70003

## Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

### 11.2 Information on other hazards

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

### 12.2 Persistence and degradability

Not readily biodegradable

### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely

### 12.4 Mobility in soil

Insoluble in water

### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

### 12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

### 12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<b>Waste Disposal Method</b>	No special precautions are needed in handling this material
<b>EWC Waste Disposal No.</b>	08 03 18
<b>Other information</b>	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

## 14. TRANSPORT INFORMATION

### 14.1 UN/ID No

SDS # : P-70003

## Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2014-01-10

Revision Date 2022-12-07

Version 9

Not regulated

### 14.2 Proper shipping name

Not regulated

### 14.3 Transport hazard class(es)

Not classified

### 14.4 Packing Group

Not applicable

### 14.5 Environmental hazards

Presents little or no hazard to the environment

### 14.6 Special precautions for users

No special precautions are needed in handling this material

### 14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

### 15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

## 16. OTHER INFORMATION

Issuing Date 2014-01-10  
Revision Date 2022-12-07  
Revision Note (M)SDS sections updated, 3, 16  
Full text of H-Statements referred to under sections 2 and 3  
H351 - Suspected of causing cancer if inhaled

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,



---

**SDS # :** P-70003**Replenisher - Black, Cyan, Magenta,  
Yellow****Issuing Date** 2014-01-10**Revision Date** 2022-12-07**Version** 9

---

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.