

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: P-7005

**Replenisher - Black, Cyan, Magenta,
Yellow**

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product Identifier**

Product Name Replenisher for WorkCentre 7132, WorkCentre 7232, WorkCentre 7242
Part no. 006R01262, 006R01263, 006R01264, 006R01265, 006R01266, 006R01267, 006R01268,
006R01269, 006R01270, 006R01271, 006R01272, 006R01273, 006R01317, 006R01318,
006R01319

Colour Black, Cyan, Magenta, Yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Europe Limited
Xerox Technology Park
Dublin Road
Dundalk
Co. Louth
Ireland

For further information, please contact

Contact person Andy Cosgrove
Phone +353 429387410
E-mail address ehs-europe@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

None

2.3 Other hazards

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

SDS #: P-7005

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

| Chemical Name | Weight % | CAS No. | EC-No | Classification (Reg. 1272/2008) | Hazard Statements | REACH Registration Number |
|--------------------------|----------|-------------|------------|----------------------------------|-------------------|---------------------------|
| Polymer | >60 | 292629-36-8 | Not listed | -- | -- | -- |
| Ceramic materials | <20 | 66402-68-4 | 266-340-9 | -- | -- | -- |
| Paraffin wax | >5 | 8002-74-2 | 232-315-6 | -- | -- | -- |
| Carbon black | 0-10 | 1333-86-4 | 215-609-9 | -- | -- | 01-2119384822-32-0065 |
| Yellow pigment | 0-10 | 6358-31-2 | 228-768-4 | -- | -- | -- |
| Silica, amorphous | 1-5 | 7631-86-9 | 231-545-4 | -- | -- | -- |
| Cyan Pigment | 0-10 | 147-14-8 | 205-685-1 | -- | -- | 01-2119458771-32-0044 |
| Magenta pigment | 0-10 | 980-26-7 | 213-561-3 | -- | -- | 01-2119456804-33-0008 |
| Silica (Surface Treated) | <2 | 68909-20-6 | 272-697-1 | Acute tox (inhal) 2 STOT RE 2 | H330 H373 | -- |
| Titanium dioxide | <1 | 13463-67-7 | 236-675-5 | Carc 2 | H351 | -- |

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

| | |
|-----------------------|---|
| General advice | For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes |
| Skin contact | Wash skin with soap and water |
| Inhalation | Move to fresh air |
| Ingestion | Rinse mouth with water and afterwards drink plenty of water or milk |

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

| | |
|-------------------|-----------------|
| Eyes | No known effect |
| Skin | No known effect |
| Inhalation | No known effect |
| Ingestion | No known effect |

Chronic effects

Chronic toxicity No known effects under normal use conditions

Main symptoms

Overexposure may cause:
mild respiratory irritation similar to nuisance dust.

SDS #: P-7005

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

4.3 Indication of immediate medical attention and special treatment needed

| | |
|-----------------------------------|--|
| Protection of first-aiders | No special protective equipment required |
| Notes to physician | Treat symptomatically |

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

| | |
|---------------------|----------------|
| Flammability | Not flammable |
| Flash point | Not applicable |

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent dust cloud |
| Methods for cleaning up | Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove |

SDS #: P-7005

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

6.4 Reference to other sections

See section 12 for additional ecological information
See Section 13 for additional information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| | |
|-----------------------------|---|
| Xerox Exposure Limit | 2.5 mg/m ³ (total dust) |
| Xerox Exposure Limit | 0.4 mg/m ³ (respirable dust) |

8.2 Exposure controls

Engineering measures None under normal use conditions

Personal protective equipment

| | |
|---------------------------------|--|
| Eye/face protection | No special protective equipment required |
| Hand protection | No special protective equipment required |
| Skin and body protection | No special protective equipment required |
| Respiratory protection | No special protective equipment required |
| Thermal hazards | None under normal processing |

Environmental Exposure Controls

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | | | |
|-------------------|--------|--------------|-------|
| Appearance | Powder | Odour | Faint |
|-------------------|--------|--------------|-------|

SDS #: P-7005

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

| | | | |
|------------------------------------|--|------------------------|----------------|
| Physical state | Solid | Odour threshold | Not applicable |
| Colour | Black, Cyan, Magenta, Yellow | pH | Not applicable |
| Flash point | Not applicable | | |
| Melting / Freezing Point | Not applicable | | |
| Boiling point/boiling range | Not applicable | | |
| Softening point | 40 - 60 °C | / | 120 - 140 °F |
| Evaporation rate | Not applicable | | |
| Flammability | Not flammable | | |
| Flammability Limits in Air | Not applicable | | |
| Explosive Limits | No data available | | |
| Vapour pressure | Not applicable | | |
| Vapour density | Not applicable | | |
| Specific gravity | 1 - 2 | | |
| Water solubility | Negligible | | |
| Partition coefficient | Not applicable | | |
| Autoignition temperature | Not applicable | | |
| Decomposition temperature | Not determined | | |
| Viscosity | Not applicable | | |
| Explosive properties | Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard | | |
| Oxidising properties | Not applicable | | |

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

| | |
|---------------------------------|---|
| Hazardous reactions | None under normal processing |
| Hazardous polymerisation | Hazardous polymerisation does not occur |

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

SDS # : P-7005

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects

Acute toxicity

Product Information

Irritation

No skin irritation, No eye irritation

Oral LD50

> 5 g/kg (rat)

Dermal LD50

> 5 g/kg (rabbit)

LC50 Inhalation

> 5 mg/L (rat, 4 hr)

Chronic toxicity

Product Information

Chronic effects

No known effects under normal use conditions

Carcinogenicity

See "Other Information" in this section.

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Product Information

Sensitisation

No sensitisation responses were observed

Mutagenic effects

Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

Target organ effects

None known

SDS # : P-7005

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

| | |
|------------------------------|----------------|
| Other adverse effects | None known |
| Aspiration Hazard | Not applicable |

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| | |
|------------------------------|---|
| Waste Disposal Method | Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming. |
|------------------------------|---|

| | |
|-------------------------------|----------|
| EWC Waste Disposal No. | 08 03 18 |
|-------------------------------|----------|

| | |
|--------------------------|---|
| Other information | Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways. |
|--------------------------|---|

SDS #: P-7005

**Replenisher - Black, Cyan, Magenta,
Yellow**

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

14. TRANSPORT INFORMATION**14.1 UN/ID No**

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date 2006-02-21
Revision Date 2021-08-19
Revision Note (M)SDS sections updated, 3

Full text of H-Statements referred to under sections 2 and 3

H330 - Fatal if inhaled

H351 - Suspected of causing cancer if inhaled

SDS # : P-7005

**Replenisher - Black, Cyan, Magenta,
Yellow**

Issuing Date 2006-02-21

Revision Date 2021-08-19

Version 2

H373 - May cause damage to organs through prolonged or repeated exposure

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.