

Page 1/9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: P-7009 Dry Ink - Magenta

Issuing Date 2019-09-04 **Revision Date** 2022-09-26 **Version** 2

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Dry Ink for iGen3 Digital Production Press

Part no. 111R00011

Colour Magenta

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.

Building 4

Uxbridge Business Park Sanderson Road

Uxbridge

Middlesex. UB8 1DH

UK

For further information, please contact

Contact person Manager, Environment, Health, Safety

& Sustainability

Phone ++44 (0)1707 353434 E-mail address ++44 (0)1707 353434

For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

GHS Label elements, including precautionary statements

Symbol(s) None required Signal Word None required

Hazard Statements None required Precautionary Statements None required



Page 2/9

SDS #: P-7009 Dry Ink - Magenta

Issuing Date 2019-09-04 Revision Date 2022-09-26 Version 2

2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

Special Note Contains a chemical that can cause an allergic reaction in susceptible people

Product is not a sensitizer by Local Lymph Node Assay (LLNA)

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg.	Hazard	REACH Registration
	_			1272/2008)	Statements	Number
Iron powder	20-35	7439-89-6	231-096-4			1
Magenta pigment	1-10	75627-12-2	278-270-6	Skin Sens 1	H317	01-2120775793-39-0003
				Aquatic Chronic 4	H413	
Amorphous silica	1-3	7631-86-9	231-545-4			-
Titanium dioxide	<1	13463-67-7	236-675-5	Carc (Inhal) 2	H351	

Full text of H- statements: see section 16

Note

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic effects

Chronic toxicity No known effects under normal use conditions

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

4.3 Indication of immediate medical attention and special treatment needed

[&]quot;--" indicates no classification or hazard statements apply.



Page 3/9

SDS #: P-7009

Dry Ink - Magenta

Issuing Date 2019-09-04 **Revision Date** 2022-09-26 **Version** 2

Protection of first-aiders Notes to physician

No special protective equipment required

Treat symptomatically

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability Not flammable Flash point Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent dust cloud

Methods for cleaning up

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses

the toner making it difficult to remove

6.4 Reference to other sections

See section 12 for additional ecological information



Page 4/9

SDS #: P-7009 Dry Ink - Magenta

Issuing Date 2019-09-04 Revision Date 2022-09-26 Version 2

See Section 13 for additional information

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit2.5 mg/m³ (total dust)Xerox Exposure Limit0.4 mg/m³ (respirable dust)

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

expectate infinite editabilities by the region epecine regulatory beared							
Chemical Name	ACGIH TLV	European Union					
Amorphous silica		TWA 0.1 mg/m ³					
Titanium dioxide	TWA: 10 mg/m ³						

8.2 Exposure controls

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection
Hand protection
Skin and body protection
Respiratory protection
No special protective equipment required.
No special protective equipment required
No special protective equipment required.

Thermal hazards None under normal processing

Environmental Exposure Controls

Environmental Exposure Keep out of drains, sewers, ditches and waterways

Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

AppearancePowderOdourFaint



Page 5/9

SDS#: P-7009

Dry Ink - Magenta

Revision Date 2022-09-26 Issuing Date 2019-09-04 Version 2

Solid **Odour threshold** Not applicable Physical state Colour Magenta Not applicable pН

Flash point Not applicable

Melting / Freezing Point

Not applicable Boiling point/boiling range Not applicable

Softening point 49 - 60 °C 120 - 140 °F

Evaporation rate Not applicable Flammability Not flammable Flammability Limits in Air Not applicable

Explosive Limits No data available

Vapour pressure Not applicable Vapour density Not applicable

Specific gravity 1-2 Water solubility Negligible **Partition coefficient** Not applicable **Autoignition temperature** Not applicable **Decomposition temperature** Not determined **Viscosity** Not applicable

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition **Explosive properties**

source is a potential dust explosion hazard

Not applicable **Oxidising properties**

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerisation does not occur **Hazardous polymerisation**

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard



Page 6/9

SDS#: P-7009

Dry Ink - Magenta

Issuing Date 2019-09-04 Revision Date 2022-09-26 Version 2

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product Information

Irritation No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Iron powder	30 g/kg (Rat)		
Amorphous silica	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>2.2 mg/L (Rat) 1 h
Titanium dioxide	10000 mg/kg (Rat)		

Chronic toxicity

Chronic effectsNo known effects under normal use conditions **Carcinogenicity**See "Other Information" in this section.

Chemical Name IARC
Titanium dioxide 2B

Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Sensitisation Contains a chemical that can cause an allergic reaction in susceptible people

Product is not a sensitizer by Local Lymph Node Assay (LLNA)

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

Target organ effects None known

Other adverse effects None known Aspiration Hazard Not applicable



Page 7/9

SDS #: P-7009

Dry Ink - Magenta

Issuing Date 2019-09-04 Revision Date 2022-09-26 Version 2

Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.

EWC Waste Disposal No. 08 03 13

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life

and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION

14.1 UN/ID No



Page 8/9

SDS #: P-7009 Dry Ink - Magenta

Issuing Date 2019-09-04 **Revision Date** 2022-09-26 **Version** 2

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

 Issuing Date
 2019-09-04

 Revision Date
 2022-09-26

Revision Note (M)SDS sections updated, 3, 16

Full text of H-Statements referred to under sections 2 and 3

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H413 - May cause long lasting harmful effects to aquatic life

Additional advice

EU Country Specific Exposure Limits



SDS #: P-7009

Dry Ink - Magenta

Issuing Date 2019-09-04 **Revision Date** 2022-09-26 **Version** 2

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Magenta pigment		TWA 0.5 mg/m ³ STEL 1.5 mg/m ³			
Amorphous silica	STEL 18 mg/m ³ STEL 7.2 mg/m ³ STEL 0.3 mg/m ³ TWA 6 mg/m ³ TWA 2.4 mg/m ³ TWA 0.1 mg/m ³	TWA 6 mg/m ³ TWA 2.4 mg/m ³ STEL 18 mg/m ³ STEL 7.2 mg/m ³		AGW 4 mg/m ³	TWA 0.075 mg/m ³
Titanium dioxide	STEL 30 mg/m ³ STEL 12 mg/m ³ TWA 10 mg/m ³ TWA 4 mg/m ³	TWA 10 mg/m ³ TWA 4 mg/m ³ STEL 30 mg/m ³ STEL 12 mg/m ³	TWA 10 mg/m ³		

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Xanthylium, 3,6-bis(ethylamino)-9-(2-(TWA 5 mg/m ³ Ceiling 25 mg/m ³
methoxycarbonyl)phenyl)- 2,7-					
Silicon dioxide		SS-C**	TWA 4 mg/m ³		TWA 0.1 mg/m ³ TWA 4.0 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	SS-C** TWA 3 mg/m ³	STEL 10 mg/m ³ TWA 5 mg/m ³		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Titanium dioxide	TWA 10 mg/m ³	TWA 10 mg/m ³		TWA 10 mg/m ³	STEL 15 mg/m ³
		C(A4)		TWA 5 mg/m ³	TWA 10 mg/m ³

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Xanthylium,	TWA 4 mg/m ³				
3,6-bis(ethylamino)-9-(2-(STEL 10 mg/m ³				
methoxycarbonyl)phenyl)-					
2,7-					
Silicon dioxide				TWA 5 mg/m ³	TWA 1.5 mg/m ³
				TWA 0.05 mg/m ³	STEL 3 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	TWA 6 mg/m ³	TLV 5 mg/m ³		TWA 5 mg/m ³
	STEL 30 mg/m ³	-			STEL 10 mg/m ³

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.