Xelox

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

Toner -	Cyan, Black, Magenta,
	Yellow

Issuing Date 2018-06-11

SDS #: A-10346

Revision Date 2022-10-31 European Version Only

006R03008, 006R03009, 006R03010, 006R03011, 006R03012

Toner for HP Color LaserJet M551DN, HP Color LaserJet M551N, HP Color LaserJet M551XH, HP Color LaserJet M570DN MFP, HP LaserJet M570DW MFP, HP Color LaserJet M575C MFP, HP Color LaserJet M575DN MFP, HP Color

Version 3

Page 1/9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name

Part no.

Colour

Cyan, Black, Magenta, Yellow

LaserJet M575F MFP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier

Xerox Ltd. Building 4 Uxbridge Business Park Sanderson Road Uxbridge Middlesex. UB8 1DH UK

For further information, please con	ntact_
Contact person	Manager, Environment, Health, Safety
	& Sustainability
Phone	++44 (0)1707 353434
E-mail address	ehs-europe@xerox.com
For the most current document	https://safetysheets.business.xerox.com

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

None

Page 2/9

Version 3

xerox

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2022-10-31

2.3 Other hazards

SDS #: A-10346

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polyester resin	80-95	Proprietary	Not listed			
Cyan pigment	0-10	Proprietary	Listed			01-2119458771-32-0044
Carbon black	0-10	1333-86-4	215-609-9			01-2119384822-32-0065
Magenta pigment	0-10	Proprietary	Listed			
Yellow pigment	0-10	Proprietary	Listed			
Polyolefin	1-4	Proprietary	Not listed			
Charge Control Agent	0.25-1.5	42405-40-3	403-360-0	Flam. Sol. 1	H228	
				Acute Tox 4	H302	
				Aquatic Acute 1	H400	
				Aquatic Chronic 1	H410	
Silica (Surface Treated)	<1.5	68909-20-6	272-697-1	STOT RE 2	H373	

Full text of H- statements: see section 16 Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	



Page 3/9

SDS #: A-10346

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11	Revision Date 2022-10-31	Version 3
Chronic toxicity	No known effects under normal use conditions	
Main symptoms	Overexposure may cause:	
	mild respiratory irritation similar to nuisance dust.	
4.3 Indication of immediate me		

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	
Flash point	

Not flammable Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Page 4/9

SDS # : A-10346

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11	Revision Date 2022-10-31	Version	3
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. the toner making it difficult to remove	Hot water fuses	
6.4 Reference to other sections			
See section 12 for additional ecol See Section 13 for additional info			
7. HANDLING AND STORAGE			
7.1 Precautions for safe handling	_		
Handle in accordance with good i dust cloud	ndustrial hygiene and safety practice, Avoid dust accumulation in enclosed	l space, Prevent	
Hygiene measures	None under normal use conditions		
7.2 Conditions for safe storage, in	cluding any incompatibilities		
Keep container tightly closed in a	dry and well-ventilated place, Store at room temperature		
7.3 Specific end uses			
Xerographic printing			
8. EXPOSURE CONTROLS/PER	SONAL PROTECTION		
8.1 Control parameters			
Xerox Exposure Limit Xerox Exposure Limit	2.5 mg/m ³ (total dust) 0.4 mg/m ³ (respirable dust)		
8.2 Exposure controls			
Engineering measures	None under normal use conditions		
Personal protective equipment			
Eye/face protection Hand protection Skin and body protection Respiratory protection Thermal hazards	No special protective equipment required No special protective equipment required No special protective equipment required No special protective equipment required None under normal processing		
Environmental Exposure Controls Environmental Exposure Controls	Keep out of drains, sewers, ditches and waterways		

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Page 5/9

Xelox

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11

SDS #: A-10346

Revision Date 2022-10-31

Ve	rsion	3

Appearance Physical state Colour	Powder Solid Cyan, Black, Magenta, Yellow	Odour Odour threshold pH	Faint Not applicable Not applicable
Flash point	Not applicable		
Melting / Freezing Point Boiling point/boiling rang Softening point	Not applicable Not applicable 49 - 60 °C /	120 - 140 °F	
Evaporation rate Flammability Flammability Limits in Ai	Not applicable Not flammable Not applicable		
Explosive Limits	No data available		
Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity			
Explosive properties	Fine dust dispersed in a source is a potential dus	r, in sufficient concentrations, an	d in the presence of an ignition
Oxidising properties	Not applicable		
9.2 Other information			

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

10.4 Conditions to avoid

xerox

Page 6/9

SDS # : A-10346

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2022-10-31

Version 3

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects

Acute toxicity Product Information Irritation Oral LD50 Dermal LD50 LC50 Inhalation	No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr)
Chronic toxicity Product Information Chronic effects Carcinogenicity Other information	No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.
Other toxic effects Product Information Sensitisation Mutagenic effects Reproductive toxicity	No sensitisation responses were observed Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards
Target organ effects	None known
Other adverse effects Aspiration Hazard	None known Not applicable

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

Page 7/9

xerox

SDS # : A-10346

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2022-10-31

Version 3

12. ECOLOGICAL INFORMATION

12.1 Toxicity

EC50/72/algae = >1000 mg/L Fish (oryzia latipes) LC50 (96hr) >100 mg/L (WAF) Daphnia EC50 (48hr) >100 mg/L (WAF)

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal Method	This material and its container must be disposed of as hazardous waste
EWC Waste Disposal No.	08 03 17*
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

Page 8/9

xero

SDS # : A-10346

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2022-10-31

Version 3

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date2018-06-11Revision Date2022-10-31Revision Note(M)SDS sections updated, 3, 13, 16Full text of H-Statements referred to under sections 2 and 3H228 - Flammable solidH302 - Harmful if swallowedH373 - May cause damage to organs through prolonged or repeated exposureH400 - Very toxic to aquatic lifeH410 - Very toxic to aquatic life with long lasting effects

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.



xero

SDS # : A-10346

Toner - Cyan, Black, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2022-10-31

Version 3

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.