

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS #: A-10346

**Toner - Black, Cyan, Magenta,
Yellow**

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

European Version Only

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Toner for HP Color LaserJet M551DN, HP Color LaserJet M551N, HP Color LaserJet M551XH, HP Color LaserJet M570DN MFP, HP LaserJet M570DW MFP, HP Color LaserJet M575C MFP, HP Color LaserJet M575DN MFP, HP Color LaserJet M575F MFP
Part no. 006R03008, 006R03009, 006R03010, 006R03011, 006R03012
Colour Black, Cyan, Magenta, Yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.
 Building 4
 Uxbridge Business Park
 Sanderson Road
 Uxbridge
 Middlesex. UB8 1DH
 UK

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability
Phone ++44 (0)1707 353434
E-mail address ehs-europe@xerox.com
For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

None

SDS #: A-10346

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

2.3 Other hazards

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polyester resin	80-95	Proprietary	Not listed	--	--	--
Cyan pigment	2-8	Proprietary	Listed	--	--	01-2119458771-32-0044
Carbon black	2-8	1333-86-4	215-609-9	--	--	01-2119384822-32-0065
Magenta pigment	2-8	Proprietary	Listed	--	--	--
Yellow pigment	2-8	Proprietary	Listed	--	--	--
Polyolefin	1-4	Proprietary	Not listed	--	--	--
Metal complex dye	0.25-1.5	42405-40-3	403-360-0	Flam. Sol. 1 Acute Tox 4 Aquatic Acute 1 Aquatic Chronic 1	H228 H302 H400 H410	--
Treated Silica	1-4	Proprietary	Not listed	--	--	--

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

- Eyes** No known effect
- Skin** No known effect
- Inhalation** No known effect
- Ingestion** No known effect

Chronic effects

- Chronic toxicity** No known effects under normal use conditions

Main symptoms Overexposure may cause:
mild respiratory irritation similar to nuisance dust.

4.3 Indication of immediate medical attention and special treatment needed

SDS #: A-10346

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

**Protection of first-aiders
Notes to physician**

No special protective equipment required
Treat symptomatically

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	Not flammable
Flash point	Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

No special environmental precautions required

6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

6.4 Reference to other sections

The environmental impact of this product has not been fully investigated

SDS #: A-10346

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

However, this preparation is not expected to present significant adverse environmental effects.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit 2.5 mg/m³ (total dust)
Xerox Exposure Limit 0.4 mg/m³ (respirable dust)

8.2 Exposure controls

Engineering measures None under normal use conditions

Personal protective equipment

Eye/face protection No special protective equipment required
Hand protection No special protective equipment required
Skin and body protection No special protective equipment required
Respiratory protection No special protective equipment required
Thermal hazards None under normal processing

Environmental Exposure Controls

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Powder	Odour	Faint
Physical state	Solid	Odour threshold	Not applicable
Colour	Black, Cyan, Magenta, Yellow	pH	Not applicable
Flash point	Not applicable		

SDS #: A-10346

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

Melting / Freezing Point	Not applicable
Boiling point/boiling range	Not applicable
Softening point	49 - 60 °C / 120 - 140 °F

Evaporation rate	Not applicable
Flammability	Not flammable
Flammability Limits in Air	Not applicable

Explosive Limits No data available

Vapour pressure	Not applicable
Vapour density	Not applicable
Specific gravity	~ 1
Water solubility	Negligible
Partition coefficient	Not applicable
Autoignition temperature	Not applicable
Decomposition temperature	Not determined
Viscosity	Not applicable

Explosive properties	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard
Oxidising properties	Not applicable

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

SDS #: A-10346

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

10.6 Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects

Acute toxicity

Product Information

Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

Chronic toxicity

Product Information

Chronic effects	No known effects under normal use conditions
Carcinogenicity	See "Other Information" in this section.
Other information	The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

Other toxic effects

Product Information

Sensitisation	No sensitisation responses were observed
Mutagenic effects	Not mutagenic in AMES Test
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards
 Target organ effects	 None known
 Other adverse effects	 None known
Aspiration Hazard	Not applicable

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

EC50/72/algae = >1000 mg/L

SDS #: A-10346

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

Fish (oryzia latipes) LC50 (96hr) >100 mg/L (WAF)
Daphnia EC50 (48hr) >100 mg/L (WAF)

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

12.7 Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Disposal Method	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
EWC Waste Disposal No.	08 03 17*
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

SDS # : A-10346

**Toner - Black, Cyan, Magenta,
Yellow**

Issuing Date 2018-06-11

Revision Date 2021-03-04

Version 2

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date 2018-06-11

Revision Date 2021-03-04

Revision Note (M)SDS sections updated, 3

Full text of H-Statements referred to under sections 2 and 3 H228 - Flammable solid

H302 - Harmful if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.