

Page 1/8

# **Safety Data Sheet**

\_\_\_\_\_\_

SDS #: A-10651 Toner - Magenta

Issuing Date 2021-06-23 Revision Date 2024-03-27 Version 1

Active

This SDS pertains to products that contain "L" in the date code stamped on the packaging. If your products code does not contain "L" reach out to Askxerox@xerox.com

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

**Product Name** 

Toner for iGen4 220 Perfecting Press, Xerox Color 8250, Xerox

iGen4TM Press, iGen 150 Press, iGen4 Matte, Xerox

iGen5 Press

Part no. 006R01352, 006R01356, 006R01360, 006R01364, 006R01535, 006R01539, 006R01543,

006R01547

**Color** Magenta Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

Details of the supplier of the safety data sheet

Manufactured by Xerox Corporation
Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability

E-mail address askxerox@xerox.com

**Emergency telephone** Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

Label elements

GHS Label elements, including precautionary statements

Symbol(s) None required

Signal Word None

Hazard Statements None required



SDS #: A-10651 Toner - Magenta Page 2/8

Precautionary Statements None required

Other hazards

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

## **Special Note**

Contains a chemical that can cause an allergic reaction in susceptible people Product is not a sensitizer by Local Lymph Node Assay (LLNA)

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Polyester resin	39382-25-7	>90		
Magenta pigment	75627-12-2	1-10	Skin Sens 1 Aquatic Chronic 4	H317 H413
Red pigment	Proprietary	1-5		
Titanium Dioxide	13463-67-7	<1	Carc (Inhal) 2	H351

<sup>&</sup>quot;--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

## SECTION 4. FIRST AID MEASURES

Description of first-aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

**Inhalation** Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

## Most important symptoms and effects, both acute and delayed

**Acute toxicity** 

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic toxicity No known effects under normal use conditions

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions None under normal use conditions

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically

## SECTION 5. FIRE-FIGHTING MEASURES



SDS #: A-10651 Toner - Magenta Page 3/8

Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

### Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

## **Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

### Other information

**Flammability** Not flammable. Will not readily ignite.

Flash point Not applicable

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### **Environmental precautions**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

## Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Methods for cleaning up

Use an electrically protected vacuum cleaner to remove excess, then wash with COLD

water. Hot water fuses the toner, making it difficult to remove

#### Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust

accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

### Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

### Specific end uses

Xerographic printing



SDS #: A-10651 Toner - Magenta Page 4/8

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Limits** 

Xerox Exposure Limit 2.5 mg/m³ (total dust)
Xerox Exposure Limit 0.4 mg/m³ (respirable dust)

ACTOR Expedition Ellinic			
Chemical Name	ACGIH TLV	OSHA PEL	
Titanium Dioxide	TWA: 0.2 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	
	TWA: 2.5 mg/m <sup>3</sup>		

Exposure controls

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection
Hand protection
Skin and body protection
Respiratory protection
No special protective equipment required
No special protective equipment required
No special protective equipment required
No special protective equipment required.

Thermal hazards None under normal processing

**Environmental Exposure Controls** 

**Environmental Exposure** 

Keep out of drains, sewers, ditches and waterways

**Controls** 

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Powder Odor Faint

Physical state<br/>ColorSolid<br/>MagentaOdor threshold<br/>pHNot applicable<br/>Not applicable

Flash point Not applicable

Melting / Freezing PointNot applicableBoiling point/rangeNot applicable

**Softening point** 49 - 60 °C / 120 - 140 °F

**Evaporation rate** Not applicable

Flammability Not flammable. Will not readily ignite.

Flammability Limits in Air Not applicable

Vapor pressure Not applicable Vapor density Not applicable 1 - 2 Specific gravity Water solubility Negligible **Partition coefficient** Not applicable **Autoignition temperature** Not applicable **Decomposition temperature** Not determined **Viscosity** Not applicable

Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidizing properties Not applicable

Other information

None

607E38870



SDS #: A-10651 Toner - Magenta Page 5/8

## SECTION 10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

### Chemical stability

Stable under normal conditions.

### Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

### Incompatible Materials

None

## Hazardous decomposition products

None under normal use

### SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

## Information on toxicological effects

**Acute toxicity** 

**Product Information** 

Irritation No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation	
Red pigment	5000 mg/kg (Rat)	2500 mg/kg (Rat)	4.76 mg/L (Rat) 4 h	
Titanium Dioxide	10000 mg/kg (Rat)		5.09 mg/L (Rat) 4 h	

### **Chronic toxicity**

Sensitization Contains a chemical that can cause an allergic reaction in susceptible people

Product is not a sensitizer by Local Lymph Node Assay (LLNA)

Neurological Effects No information available

Target organ effects None known

## CMR Effects

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

**Carcinogenicity** See "Other Information" in this section.

Chemical Name	IARC		
Titanium Dioxide	2B		

## Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO 2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effect in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

607E38870



SDS #: A-10651 Toner - Magenta Page 6/8

\_

Other toxic effects

Aspiration Hazard Not applicable Other adverse effects None known

### Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

## SECTION 12. ECOLOGICAL INFORMATION

**Toxicity** 

Acute Aquatic Toxicity

On available data, substance is not harmful to aquatic life

Chronic Aquatic Toxicity

On available data, substance is not harmful to aquatic life

**Component Information** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Red pigment	190 mg/L EC50 72 h (Selenastrum capricornutum)	LC50= 33 mg/L Oryzias latipes 96 h		

### Persistence and degradability

Not readily biodegradable

## Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

## Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

### **Endocrine disrupting properties**

This product does not contain any known or suspected endocrine disruptors

### Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Can be landfilled or incinerated, when in compliance with local regulations If incineration is

to be carried out, care must be exercised to prevent dust clouds forming.

Contaminated packaging No special precautions are needed in handling this material

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life

and should not be allowed to enter drains, sewers, or waterways.

## SECTION 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping



SDS #: A-10651 Toner - Magenta Page 7/8

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

## **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

## Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

## **International Inventories**

TSCA Complies DSL/NDSL Complies

## <u>Legend</u>

TSCA United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

### **California Proposition 65**

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name		CAS No.	California Prop. 65	
Γ	Titanium Dioxide	13463-67-7	Carcinogen	

### U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Titanium Dioxide	X	X	X		

## SECTION 16. OTHER INFORMATION

 Issuing Date
 2021-06-23

 Revision Date
 2024-03-27

**Revision Note** (M)SDS sections updated:, 3, Update to Format

Full text of H-Statements referred to under sections 2 and 3

607E38870



SDS #: A-10651 Toner - Magenta Page 8/8

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H413 - May cause long lasting harmful effects to aquatic life

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end