

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

SDS # : B-20053

**Developer - White**

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product Identifier

**Product Name** Developer for Color C60 Printer, Color C70 Printer, Xerox PrimeLink® C9065 Printer, Xerox PrimeLink® C9070 Printer, Xerox® Versant™ 180 Press, Xerox® Versant™ 280 Press

**Part no.** 005R00767

**UFI** 4C00-M05J-D00J-ASPN

**Colour** White

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Xerographic printing

### 1.3 Details of the supplier of the safety data sheet

**Supplier** Xerox Ltd.  
Building 4  
Uxbridge Business Park  
Sanderson Road  
Uxbridge  
Middlesex. UB8 1DH  
UK

### For further information, please contact

**Contact person** Manager, Environment, Health, Safety  
& Sustainability

**Phone** ++44 (0)1707 353434

**E-mail address** ehs-europe@xerox.com

**For the most current document** <https://safetydatasheets.business.xerox.com>

### 1.4 Emergency telephone number

+44 1865 407333

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

Carcinogenicity	Category 2
-----------------	------------

### 2.2 Label elements

**GHS Label elements, including precautionary statements**

**Symbol(s)**

SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4



Signal Word

Warning

Hazard Statements  
Precautionary Statements

H351 - Suspected of causing cancer if inhaled  
P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P501 -Dispose of contents/container in accordance with local/regional/national/international regulation

UFI  
EC Label

4C00-M05J-D00J-ASPN

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

### 2.3 Other hazards

May form explosible dust-air mixture if dispersed  
Not a PBT according to REACH Annex XIII

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Ceramic materials	<85	66402-68-4	266-340-9	--	--	--
Titanium dioxide	<6	13463-67-7	236-675-5	Carc (Inhal) 2	H351	--
Resin	<10	Proprietary	Not listed	--	--	--

Full text of H- statements: see section 16

#### Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

General advice

For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

Skin contact

Wash skin with soap and water

SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

Inhalation  
Ingestion

Move to fresh air  
Rinse mouth with water and afterwards drink plenty of water or milk

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Acute toxicity

Eyes

No known effect

Skin

No known effect

Inhalation

No known effect

Ingestion

No known effect

##### Chronic effects

Chronic toxicity

No known effects under normal use conditions

#### 4.3 Indication of immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

#### 5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

##### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

#### 5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flammable resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.  
Wear self-contained breathing apparatus and protective suit.

#### Other information

Flammability

Not flammable

Flash point

Not applicable

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment, Avoid breathing dust

#### 6.2 Environmental precautions

SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

### 6.3 Methods and material for containment and cleaning up

**Methods for containment** Prevent dust cloud  
**Methods for cleaning up** Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

### 6.4 Reference to other sections

See section 12 for additional ecological information  
 See Section 13 for additional information

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust formation in confined areas, Prevent dust cloud

**Hygiene measures** None under normal use conditions

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

### 7.3 Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

**Xerox Exposure Limit** 2.5 mg/m<sup>3</sup> (total dust)  
**Xerox Exposure Limit** 0.4 mg/m<sup>3</sup> (respirable dust)  
**Exposure Limits** For country specific exposure limits see Section 16

Chemical Name	ACGIH TLV	European Union
Ceramic materials	TWA: 5 mg/m <sup>3</sup> TWA: 0.02 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	

### 8.2 Exposure controls

**Engineering measures** Ensure adequate ventilation, especially in confined areas

### Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection** None under normal use conditions  
**Hand protection** None under normal use conditions.  
**Skin and body protection** None under normal use conditions  
**Respiratory protection** No protective equipment is needed under normal use conditions.

SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

**Thermal hazards** None under normal processing

### Environmental Exposure Controls

**Environmental Exposure Controls** Keep out of drains, sewers, ditches and waterways

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	<b>Powder</b>	<b>Odour</b>	<b>Faint</b>
<b>Physical state</b>	<b>Solid</b>	<b>Odour threshold</b>	<b>Not applicable</b>
<b>Colour</b>	<b>White</b>	<b>pH</b>	<b>Not applicable</b>
<b>Flash point</b>	Not applicable		
<b>Melting / Freezing Point</b>	Not applicable		
<b>Boiling point/boiling range</b>	Not applicable		
<b>Softening point</b>	49-60 °C / 120-140 °F		
<b>Evaporation rate</b>	Not applicable		
<b>Flammability</b>	Not flammable		
<b>Flammability Limits in Air</b>	Not applicable		
<b>Explosive Limits</b>	No data available		
<b>Vapour pressure</b>	Not applicable		
<b>Vapour density</b>	Not applicable		
<b>Specific gravity</b>	4 - 5		
<b>Water solubility</b>	Negligible		
<b>Partition coefficient</b>	Not applicable		
<b>Autoignition temperature</b>	Not applicable		
<b>Decomposition temperature</b>	Not determined		
<b>Viscosity</b>	Not applicable		
<b>Explosive properties</b>	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard		
<b>Oxidising properties</b>	Not applicable		

### 9.2 Other information

None

## **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable under normal conditions

SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

### 10.3 Possibility of hazardous reactions

<b>Hazardous reactions</b>	None under normal processing
<b>Hazardous polymerisation</b>	Hazardous polymerisation does not occur

### 10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

### 10.5 Incompatible Materials

None

### 10.6 Hazardous decomposition products

None under normal use

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product Information

<b>Irritation</b>	No skin irritation, No eye irritation
<b>Oral LD50</b>	> 5 g/kg (rat)
<b>Dermal LD50</b>	> 5 g/kg (rabbit)
<b>LC50 Inhalation</b>	> 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Titanium dioxide	10000 mg/kg ( Rat )		

#### Chronic toxicity

**Carcinogenicity** See "Other Information" in this section.

Chemical Name	IARC
Titanium dioxide	2B

#### Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO<sub>2</sub> particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

#### Other toxic effects

<b>Sensitisation</b>	Not expected to be a sensitizer
<b>Target organ effects</b>	None known

SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

Other adverse effects  
Aspiration Hazard

None known  
Not applicable

#### Information on other hazards

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

#### 12.2 Persistence and degradability

Not readily biodegradable

#### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely

#### 12.4 Mobility in soil

Insoluble in water

#### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

#### 12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

#### 12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations

**Waste from Residues/Unused Products**

Dispose of in accordance with local regulations

**Contaminated packaging**

Dispose of in accordance with local regulations.

**EWC Waste Disposal No.**

08 03 17\*

**SDS # :** B-20053

**Developer - White**

**Issuing Date** 2020-06-18

**Revision Date** 2022-04-19

**Version** 4

**Other information**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

**14. TRANSPORT INFORMATION**

**14.1 UN/ID No**

Not regulated

**14.2 Proper shipping name**

Not regulated

**14.3 Transport hazard class(es)**

Not classified

**14.4 Packing Group**

Not applicable

**14.5 Environmental hazards**

Presents little or no hazard to the environment

**14.6 Special precautions for users**

No special precautions are needed in handling this material

**14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code**

Not applicable

**15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The product is classified and labelled in accordance with Regulation (EC) No. 1272/2008

**15.2 Chemical Safety Assessment**

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

**16. OTHER INFORMATION**

**Issuing Date** 2020-06-18

**Revision Date** 2022-04-19

**Revision Note** Updated Emergency Telephone number in some geographies

**Full text of H-Statements referred to under sections 2 and 3**

H351 - Suspected of causing cancer



SDS # : B-20053

Developer - White

Issuing Date 2020-06-18

Revision Date 2022-04-19

Version 4

### Additional advice

#### EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Ceramic materials	STEL 10 mg/m <sup>3</sup> TWA 0.6 mg/m <sup>3</sup> STEL 0.15 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup> STEL 0.6 mg/m <sup>3</sup> STEL 0.15 mg/m <sup>3</sup>		AGW 0.2 mg/m <sup>3</sup> AGW 0.02 mg/m <sup>3</sup>	TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup>
Titanium dioxide	STEL 30 mg/m <sup>3</sup> STEL 12 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup> TWA 4 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup> TWA 4 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup> STEL 12 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup>		

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Ceramic materials and wares, chemicals	TWA 0.2 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>	SS-C** TWA 5 mg/m <sup>3</sup> TWA 0.5 mg/m <sup>3</sup>	STEL 1.6 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup>	STEL 20mg/m <sup>3</sup> TWA 5mg/m <sup>3</sup>	TWA 2.0 mg/m <sup>3</sup> TWA 1 mg/m <sup>3</sup> Ceiling 2 mg/m <sup>3</sup>
Titanium dioxide	TWA 10 mg/m <sup>3</sup>	SS-C** TWA 3 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup>		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Ceramic materials and wares, chemicals	TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup> C(A4)		TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup>
Titanium dioxide	TWA 10 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup> C(A4)		TWA 10 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup>	STEL 15 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup>

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Ceramic materials and wares, chemicals	TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup>	TLV 0.2 mg/m <sup>3</sup> TLV 0.05 mg/m <sup>3</sup>	TWA 1 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.02 mg/m <sup>3</sup>	TWA 0.5 mg/m <sup>3</sup> TWA 5 mg/m <sup>3</sup> TWA 0.2 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> STEL 1.5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup> STEL 0.6 ppm STEL 0.15 mg/m <sup>3</sup>
Titanium dioxide	TWA 10 mg/m <sup>3</sup> STEL 30 mg/m <sup>3</sup>	TWA 6 mg/m <sup>3</sup>	TLV 5 mg/m <sup>3</sup>		TWA 5 mg/m <sup>3</sup> STEL 10 mg/m <sup>3</sup>

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

---

**SDS # :** B-20053**Developer - White****Issuing Date** 2020-06-18**Revision Date** 2022-04-19**Version** 4

---

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.