

SAFETY DATA SHEET

according to Regulation (EC) No. 2020/878 as amended

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

This SDS pertains to products that contain "L" in the date code stamped on the packaging. If your products code does not contain "L" reach out to EHS-Europe@Xerox.com

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name Replenisher for iGen3 Digital Production Press
Part no. 006R01206, 006R01302

Colour Magenta

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.
 Building 4
 Uxbridge Business Park
 Sanderson Road
 Uxbridge
 Middlesex. UB8 1DH
 UK

For further information, please contact

Contact person Manager, Environment, Health, Safety
 & Sustainability

Phone ++44 (0)1707 353434

E-mail address ehs-europe@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number

Not applicable

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

2.2 Label elements

GHS Label elements, including precautionary statements

Symbol(s)

Signal Word None

Hazard Statements None required

SDS #: P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

Precautionary Statements None required

EC Label

EUH208 - Contains (75627-12-2). May produce an allergic reaction

2.3 Other hazards

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

Special Note

Contains a chemical that can cause an allergic reaction in susceptible people
Product is not a sensitizer by Local Lymph Node Assay (LLNA)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Bisphenol A propylene oxide fumarate polymer	>60	39382-25-7	Not listed	--	--	--
Iron powder	20-35	7439-89-6	231-096-4	--	--	--
Magenta pigment	1-10	75627-12-2	278-270-6	Skin Sens 1 Aquatic Chronic 4	H317 H413	01-2120775793-39-0003
Titanium dioxide	<1	13463-67-7	236-675-5	Carc (Inhal) 2	H351	--

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.
Components marked as "Not Listed" are exempt from registration.
Where no REACH registration number is listed, it is considered confidential to the Only Representative.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

- Eyes** No known effect
- Skin** No known effect
- Inhalation** No known effect
- Ingestion** No known effect

Chronic effects

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

Chronic toxicity	No known effects under normal use conditions
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.

4.3 Indication of immediate medical attention and special treatment needed

Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products
Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	Not flammable
Flash point	Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

6.4 Reference to other sections

See section 12 for additional ecological information
See Section 13 for additional information

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit 2.5 mg/m³ (total dust)
Xerox Exposure Limit 0.4 mg/m³ (respirable dust)
Exposure Limits

Chemical Name	ACGIH TLV	European Union
Titanium dioxide	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	

8.2 Exposure controls

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection No special protective equipment required
Hand protection No special protective equipment required.
Skin and body protection No special protective equipment required
Respiratory protection No special protective equipment required.
Thermal hazards None under normal processing

Environmental Exposure Controls

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

9.1 Information on basic physical and chemical properties

<p>Appearance Physical state Colour</p>	<p>Powder Solid Magenta</p>	<p>Odour Odour threshold pH</p>	<p>Faint Not applicable Not applicable</p>
<p>Flash point</p>	<p>Not applicable</p>		
<p>Melting / Freezing Point Boiling point/boiling range Softening point</p>	<p>Not applicable Not applicable 49 - 60 °C /</p>	<p>120 - 140 °F</p>	
<p>Evaporation rate Flammability Flammability Limits in Air</p>	<p>Not applicable Not flammable Not applicable</p>		
<p>Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity</p>	<p>Not applicable Not applicable 1-2 Negligible Not applicable Not applicable Not determined Not applicable</p>		
<p>Explosive properties</p>	<p>Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard</p>		
<p>Oxidising properties</p>	<p>Not applicable</p>		

9.2 Other information

None

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

<p>Hazardous reactions Hazardous polymerisation</p>	<p>None under normal processing Hazardous polymerisation does not occur</p>
--	--

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on hazard classes as defined in Regulation (EC) No 2020/878

Acute toxicity

Product Information

Irritation No skin irritation, No eye irritation
Oral LD50 > 5 g/kg (rat)
Dermal LD50 > 5 g/kg (rabbit)
LC50 Inhalation > 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Iron powder	30 g/kg (Rat)		
Titanium dioxide	10000 mg/kg (Rat)		5.09 mg/L (Rat) 4 h

Chronic toxicity

Chronic effects No known effects under normal use conditions
Carcinogenicity See "Other Information" in this section.

Chemical Name	IARC
Titanium dioxide	2B

Other information

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Sensitisation Contains a chemical that can cause an allergic reaction in susceptible people
Product is not a sensitizer by Local Lymph Node Assay (LLNA)
Mutagenic effects Not mutagenic in AMES Test
Reproductive toxicity This product does not contain any known or suspected reproductive hazards
Target organ effects None known
Other adverse effects None known
Aspiration Hazard Not applicable

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Disposal considerations

Can be landfilled or incinerated, when in compliance with local regulations
If incineration is to be carried out, care must be exercised to prevent dust clouds forming.

EWC Waste Disposal No. 08 03 13

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 14. TRANSPORT INFORMATION

14.1 UN/ID No

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16. OTHER INFORMATION

Issuing Date 2021-06-23
Revision Date 2024-03-28
Revision Note (M)SDS sections updated, 3, Update to format

Full text of H-Statements referred to under sections 2 and 3

- H317 - May cause an allergic skin reaction
- H351 - Suspected of causing cancer
- H413 - May cause long lasting harmful effects to aquatic life

Additional advice

EU Country Specific Exposure Limits

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands

SDS # : P-70038

Replenisher - Magenta

Issuing Date 2021-06-23

Revision Date 2024-03-28

Version 1

Chemical Name	The United Kingdom	Ireland	France	Germany	The Netherlands
Magenta pigment		TWA 0.5 mg/m ³ STEL 1.5 mg/m ³			
Titanium dioxide	STEL 30 mg/m ³ STEL 12 mg/m ³ TWA 10 mg/m ³ TWA 4 mg/m ³	TWA 10 mg/m ³ TWA 4 mg/m ³ STEL 30 mg/m ³ STEL 12 mg/m ³	TWA 10 mg/m ³ C2	AGW 1.25 mg/m ³ AGW 10 mg/m ³	

Chemical Name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Xanthylum, 3,6-bis(ethylamino)-9-(2-(methoxycarbonyl)phenyl)- 2,7-					TWA 5 mg/m ³ Ceiling 25 mg/m ³
Titanium dioxide	TWA 10 mg/m ³	SS-C** TWA 3 mg/m ³ TWA 10 mg/m ³	STEL 10 mg/m ³ TWA 5 mg/m ³		

Chemical Name	Spain	Portugal	Italy	Greece	Romania
Titanium dioxide	TWA 10 mg/m ³	TWA 10 mg/m ³ C(A4)		TWA 10 mg/m ³ TWA 5 mg/m ³	STEL 15 mg/m ³ TWA 10 mg/m ³

Chemical Name	Poland	Denmark	Sweden	Finland	Norway
Xanthylum, 3,6-bis(ethylamino)-9-(2-(methoxycarbonyl)phenyl)- 2,7-	TWA 4 mg/m ³ STEL 10 mg/m ³				
Titanium dioxide	TWA 10 mg/m ³ STEL 30 mg/m ³	TWA 6 mg/m ³ STEL 12 mg/m ³	TLV 5 mg/m ³		TWA 5 mg/m ³ STEL 10 mg/m ³

This safety data sheet complies with the requirements of Regulation (EC) No. 2020/878 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.