

Page 1/8

## **Safety Data Sheet**

**SDS #:** A-10142 **MICR Dry Ink - Black** 

**Issuing Date** 2016-01-13 Revision Date 2024-05-06 Version 2

**Active** 

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

**Product Name** 

Xerox iGen5 Press MICR Dry Ink for

Part no. 006R03325

Color Black Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Xerographic printing

Details of the supplier of the safety data sheet

Manufactured by Xerox Corporation

Webster, NY 14580

For further information, please contact

Manager, Environment, Health, Safety & Sustainability **Contact person** 

E-mail address askxerox@xerox.com

Safety Information US: (800) 275-9376 **Emergency telephone** 

Chemical Emergency only (Chemtrec) (800) 424-9300

For the most current document https://safetysheets.business.xerox.com

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

Customer use / Cartridges and sealed bottles

**OSHA Hazard Classification** While this material is not considered hazardous by the OSHA hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling

and proper use of the product. This SDS should be retained and made available to

employees and other users of this product.

Label elements

Signal Word None

**Hazard Statements** None required

None required **Precautionary Statements** 



SDS #: A-10142 MICR Dry Ink - Black Page 2/8

## Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixtures

| Chemical Name     | CAS No.    | Weight % | Classification (Reg.<br>1272/2008) | Hazard Statements |
|-------------------|------------|----------|------------------------------------|-------------------|
| Polyester resin   | 39382-25-7 | 55-65    |                                    |                   |
| Iron oxide        | 1317-61-9  | 15-25    |                                    |                   |
| Polypropylene wax | 9003-07-0  | 3-10     |                                    |                   |
| Amorphous silica  | 7631-86-9  | 1-5      |                                    |                   |
| Carbon Black      | 1333-86-4  | 3-5      |                                    |                   |
| Titanium dioxide  | 13463-67-7 | <1       | Carc (Inhal) 2                     | H351              |

<sup>&</sup>quot;--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

## SECTION 4. FIRST AID MEASURES

Description of first-aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

**Skin contact** Wash skin with soap and water

**Inhalation** Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

## Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes No known effect
Skin No known effect
Inhalation No known effect
Ingestion No known effect

Chronic toxicity No known effects under normal use conditions

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions None under normal use conditions

Indication of immediate medical attention and special treatment needed

**Protection of first-aiders**No special protective equipment required

Notes to physician Treat symptomatically

## SECTION 5. FIRE-FIGHTING MEASURES

## Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

## Special hazards arising from the substance or mixture



SDS #: A-10142 MICR Dry Ink - Black Page 3/8

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### **Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

#### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

#### Other information

Flammability Not flammable. Will not readily ignite.

Flash point Not applicable

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### **Environmental precautions**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

#### Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Methods for cleaning up

Use an electrically protected vacuum cleaner to remove excess, then wash with COLD

water. Hot water fuses the toner, making it difficult to remove

## Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

## SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust

accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

#### Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

## Specific end uses

Xerographic printing

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters Exposure Limits

ACCILITIAL TIMA

ACGIH TLV TWA 10 mg/m³ (inhalable particles)



SDS #: A-10142 MICR Dry Ink - Black Page 4/8

ACGIH TLV TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

3 mg/m³ (respirable dust)

15 mg/m³ (respirable dust)

5 mg/m³ (respirable dust)

Xerox Exposure Limit 2.5 mg/m³ (total dust)
Xerox Exposure Limit 0.4 mg/m³ (respirable dust)

**Component Information** 

| Chemical Name    | ACGIH TLV                 | OSHA PEL                   |
|------------------|---------------------------|----------------------------|
| Carbon Black     | TWA: 3 mg/m <sup>3</sup>  | TWA: 3.5 mg/m <sup>3</sup> |
| Titanium dioxide | TWA: 10 mg/m <sup>3</sup> | TWA: 15 mg/m <sup>3</sup>  |

#### **Exposure controls**

Engineering measures None under normal use conditions

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protectionNo special protective equipment requiredHand protectionNo special protective equipment requiredSkin and body protectionNo special protective equipment requiredRespiratory protectionNo special protective equipment required

Thermal hazards None under normal processing

## **Environmental Exposure Controls**

Environmental Exposure Keep of

**Controls** 

Keep out of drains, sewers, ditches and waterways

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Powder Odor Faint

Physical stateSolidOdor threshold<br/>pHNot applicable<br/>Not applicable

Flash point Not applicable

Melting / Freezing PointNot applicableBoiling point/rangeNot applicable

**Softening point** 49-60 °C / 120-140 °F

Evaporation rate Not applicable

Flammability Not flammable. Will not readily ignite.

Flammability Limits in Air Not applicable

Vapor pressureNot applicableVapor densityNot applicable

Specific gravity ~ 1

Water solubility
Partition coefficient
Autoignition temperature
Decomposition temperature
Viscosity

Negligible
Not applicable
Not determined
Not applicable

**Explosive properties** Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidizing properties Not applicable

#### Other information

None



SDS #: A-10142 MICR Dry Ink - Black Page 5/8

## SECTION 10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

#### Chemical stability

Stable under normal conditions.

#### Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

#### Incompatible Materials

None

## Hazardous decomposition products

None under normal use

## SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

## Information on toxicological effects

Acute toxicity

**Product Information** 

**Irritation** No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

**Component Information** 

| Chemical Nar   | ne | LC50 Inhalation   | Dermal LD50          | Oral LD50         |
|----------------|----|-------------------|----------------------|-------------------|
| Iron oxide     |    |                   |                      | 10000 mg/kg (Rat) |
| Amorphous sil  | ca | >2.2 mg/L (Rat)1h | >2000 mg/kg (Rabbit) | >5000 mg/kg (Rat) |
| Carbon Blac    | <  |                   | 3 g/kg (Rabbit)      | 15400 mg/kg (Rat) |
| Titanium dioxi | de |                   |                      | 10000 mg/kg (Rat) |

## **Chronic toxicity**

Sensitization No sensitization responses were observed

Neurological Effects No information available

Target organ effects None known

#### **CMR Effects**

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

**Carcinogenicity** See "Other Information" in this section.

| Chemical Name    | NTP | IARC |
|------------------|-----|------|
| Carbon Black     |     | 2B   |
| Titanium dioxide |     | 2B   |

## Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially



SDS #: A-10142 MICR Dry Ink - Black Page 6/8

prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO 2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effect in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

#### Other toxic effects

Aspiration Hazard Not applicable Other adverse effects None known

## Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

## SECTION 12. ECOLOGICAL INFORMATION

#### **Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

**Component Information** 

| Chemical Name    | Toxicity to algae  | Toxicity to fish                          | Toxicity to    | Toxicity to daphnia and     |
|------------------|--|---|----------------|-----------------------------|
|                  |  |   | microorganisms | other aquatic invertebrates |
| Amorphous silica | 440 mg/L EC50 72 h<br>(Pseudokirchneriella<br>subcapitata) | LC50= 5000 mg/L<br>Brachydanio rerio 96 h |                | EC50 = 7600 mg/L 48 h       |
| Carbon Black     |  |   |                | EC50 > 5600 mg/L 24 h       |

#### Persistence and degradability

Not readily biodegradable

#### Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

#### Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

#### **Endocrine disrupting properties**

This product does not contain any known or suspected endocrine disruptors

#### Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Can be landfilled or incinerated, when in compliance with local regulations If incineration is

to be carried out, care must be exercised to prevent dust clouds forming.

Contaminated packaging No special precautions are needed in handling this material



SDS #: A-10142 MICR Dry Ink - Black Page 7/8

Other information

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

#### SECTION 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

## SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

## Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

## **International Inventories**

TSCA Complies DSL/NDSL Complies

Legend

TSCA United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List

## **U.S. Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

#### California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

| Chemical Name | CAS No.   | California Prop. 65 |
|---------------|-----------|---------------------|
| Carbon Black  | 1333-86-4 | Carcinogen          |



SDS #: A-10142 MICR Dry Ink - Black Page 8/8

Titanium dioxide 13463-67-7 Carcinogen

## U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

## SECTION 16. OTHER INFORMATION

 Issuing Date
 2016-01-13

 Revision Date
 2024-05-06

**Revision Note** (M)SDS sections updated:, 3, 9

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end