Safety Data Sheet

Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2022-05-16

SDS #: A-10684

Revision Date 2022-07-11

Version 2

Active

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name		
Ton	er for	Xerox® VersaLink C62X
Part no.	006R04619 006R04626 006R04637 006R04648 006R04663	6, 502S11767, 502S11768, 502S11769, 006R04616, 006R04617, 006R04618, 9, 006R04620, 006R04621, 006R04622, 006R04623, 006R04624, 006R04625, 6, 006R04627, 006R04632, 006R04633, 006R04634, 006R04635, 006R04636, 7, 006R04638, 006R04639, 006R04644, 006R04645, 006R04646, 006R046647, 8, 006R04649, 006R04650, 006R04651, 006R04660, 006R04661, 006R04662, 3, 006R04664, 006R04665, 006R04666, 006R04667, 006R04741, 006R04742, 3, 006R04744
Color Pure substance/mixture	Black, Cyar Mixture	n, Magenta, Yellow
Relevant identified uses of the sub	stance or mi	ixture and uses advised against
Recommended Use	Xerographi	ic printing
Details of the supplier of the safety		
Manufactured by	Xerox Corp	
For further information, please cor	Webster, N	11 14580
Contact person		Environment, Health, Safety & Sustainability
E-mail address	askxerox@	
Emergency telephone		rmation US: (800) 275-9376 Emergency only (Chemtrec) (800) 424-9300
For the most current documen	https://safet	tysheets.business.xerox.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

OSHA Hazard ClassificationThis product is an article which contains a mixture / preparation in powder form. Safety
information is given for exposure to the article as sold and used by the customer. Intended
use of the product is not expected to result in exposure to the mixture / preparation based
on the packaging and method of dispensing.
While this material is not considered hazardous by the OSHA hazard Communication
Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling
and proper use of the product. This SDS should be retained and made available to
employees and other users of this product.

Label elements

Page 1/8



Toner - Black, Cyan, Magenta, Yellow

Signal Word None **Hazard Statements** None required **Precautionary Statements** None required

Other hazards Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Polyester resin	Proprietary	75-85		
Magenta pigment	Proprietary	0-15		
Cyan Pigment	Proprietary	0-10		
Carbon black	1333-86-4	0-10		
Yellow Pigment	6358-31-2	0-10		
Titanium dioxide	13463-67-7	<1	Carc (Inhal) 2	H351

"--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

4. FIRST AID MEASURES

Eye contactShowEye contactImmedcontinicontiniSkin contactWash	ternal use only. When symptoms persist or in all cases of doubt seek medical advice. this material safety data sheet to the doctor in attendance. diately flush with plenty of water. After initial flushing, remove any contact lenses and ue flushing for at least 15 minutes skin with soap and water
Eye contact Immed contini Skin contact Wash	diately flush with plenty of water. After initial flushing, remove any contact lenses and ue flushing for at least 15 minutes
contin Skin contact Wash	ue flushing for at least 15 minutes
Skin contact Wash	
	skin with soap and water
Inhalation Move	oran man ooup and nator
	to fresh air
Ingestion Rinse	mouth with water and afterwards drink plenty of water or milk
Most important symptoms and effects, bot	h acute and delayed
Acute toxicity	i
	own effect
	own effect
Inhalation No kno	own effect
Ingestion No know	own effect
Chronic toxicity No kno	own effects under normal use conditions
Main symptoms Over	exposure may cause:
	espiratory irritation similar to nuisance dust.
Aggravated Medical Conditions None	under normal use conditions
Indication of immediate medical attention a	and special treatment needed
Protection of first-aiders No spe	ecial protective equipment required
Notes to physician Treat	symptomatically
5. FIRE-FIGHTING MEASURES	

Page 2/8

xerox

Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam Do not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

Other information

Flammability Flash point Not flammable. Will not readily ignite. Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Use an electrically protected vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner, making it difficult to remove

Reference to other sections

Methods for cleaning up

See section 12 for additional ecological information See Section 13 for additional information

7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud
Hygiene measures	None under normal use conditions
Conditions for safe storage, includi Technical measures and storag Keep container tightly closed in a	

Incompatible products None

Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Page 4/8

Control parameters					
Exposure Limits					
ACGIH TLV TWA	10 mg/m ³ (inhalable particles)				
ACGIH TLV TWA	3 mg/m ³ (respirable d	lust)			
OSHA PEL TWA	15 mg/m ³ (total dust)				
OSHA PEL TWA	5 mg/m ³ (respirable d				
Xerox Exposure Limit	2.5 mg/m ³ (total dust)				
Xerox Exposure Limit	0.4 mg/m ³ (respirable	e dust)			
Component Information					
Chemical Name		ACGIH TLV		OSHA PEL	
Cyan Pigment		WA: 1 mg/m ³			
Carbon black		WA: 3 mg/m ³		TWA: 3.5 mg/m ³	
Titanium dioxide		WA: 10 mg/m ³		TWA: 15 mg/m ³	
Exposure controls					
Engineering measures	None under normal u	se conditions			
Individual protection measures	ich ac naraanal mistar	tive equipreset (DDC)			
Individual protection measures, su					
Eye/Face protection	No special protective				
Hand protection	No special protective				
Skin and body protection	No special protective				
Respiratory protection Thermal hazards	No special protective				
Thermal hazarus	None under normal p	None under normal processing			
Environmental Exposure Controls					
Environmental Exposure		ewers, ditches and wat	erways		
Controls	•				
9. PHYSICAL AND CHEMIC	AL PROPERTIES				
Information on basic physical and	chemical properties				
Appearance Powder	chemical properties	Odor	Faint		
Physical state Solid		Odor threshold	Not applicable		
Color Black, Cyan, Mag	penta. Yellow	pH	Not applicable		
	j ,	P			
Flash point	Not applicable				
Melting / Freezing Point	Not applicable				
Boiling point/range	Not applicable				
Softening point	49 - 60 °C /	120 - 140 °	F		
Softening point	+0 00 0 /	120 140	I		
Evaporation rate	Not applicable				
Flammability	Not flammable. Will n	ot readily ignite.			
Flammability Limits in Air	Not applicable				
······································					
	Not opplicable				
Vapor pressure	Not applicable				
Vapor density	Not applicable				
Specific gravity	1 - 2 Nagligible				
Water solubility	Negligible				
Partition coefficient	Not applicable				

Decomposition temperature Not determined Not applicable Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition **Explosive properties** source is a potential dust explosion hazard Not applicable **Oxidizing properties**

Viscosity

xero

Other information

None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous reactionsNone under normal processingHazardous polymerizationHazardous polymerization does not occur

Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Incompatible Materials

None

Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity Product Information Irritation Oral LD50 Dermal LD50 LC50 Inhalation

No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Magenta pigment		3 g/kg (Rabbit)	23 g/kg (Rat)
Cyan Pigment		5000 mg/kg (Rat)	10000 mg/kg (Rat)
Carbon black		3 g/kg (Rabbit)	15400 mg/kg (Rat)
Titanium dioxide			10000 mg/kg (Rat)

Chronic toxicity	
Sensitization	No sensitization responses were observed
Neurological Effects	No information available
Target organ effects	None known

CMR Effects

Mutagenic effects Reproductive toxicity Carcinogenicity	This	nutagenic in AMES Test product does not contain any known or susp 'Other Information" in this section.	pected reproductive hazards
Chemical Name		NTP	IARC
Carbon black			2B
Titanium dioxide			2B

Other information



The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of respirable size. Epidemiological studies do not suggest a carcinogenic effect in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects	
Aspiration Hazard	Not applicable
Other adverse effects	None known

Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

	12 FC(INFORMATION	
- 1			

Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Carbon black				EC50 > 5600 mg/L 24 h

Persistence and degradability

Not readily biodegradable

Bioaccumulative potential

Bioaccumulation is unlikely

Mobility in soil

Insoluble in water

Component Information

Chemical Name	log Pow
Cyan Pigment	6.6

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.



Contaminated packaging	No special precautions are needed in handling this material
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne. unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

Page 8/8

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

16. OTHER INFORMATION

Issuing Date	2022-05-16
Revision Date	2022-07-11
Revision Note	Initial Release
Full text of H-Statements refer	red to under sections 2 and

H351 - Suspected of causing cancer if inhaled

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

3

end