

SAFETY DATA SHEET

according to Regulation (EC) No. 2020/878 as amended

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier Product Identifier

Product Name Replenisher for Xerox PrimeLink® C9265 Printer, Xerox PrimeLink® C9275 Printer, Xerox PrimeLink® C9281 Printer
Part no. 006R04847, 006R04848, 006R04849, 006R04850, 006R04851, 006R04852, 006R04853, 006R04854, 006R04855, 006R04856, 006R04857, 006R04858
Colour Cyan, black, Magenta, yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Ltd.
 Building 4
 Uxbridge Business Park
 Sanderson Road
 Uxbridge
 Middlesex. UB8 1DH
 UK

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability
Phone ++44 (0)1707 353434
Fax -
E-mail address ehs-europe@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number Emergency telephone

Not applicable

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

2.2 Label elements

None

2.3 Other hazards

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

| Chemical name | Weight-% | CAS No. | EC No (EU Index No) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Hazard Statements | REACH registration number |
|--------------------------|----------|-------------|---------------------|---|-------------------|---------------------------|
| Resin | 60-80 | Proprietary | Listed | -- | -- | -- |
| Ceramic materials | 10-20 | 66402-68-4 | 266-340-9 | -- | -- | -- |
| Paraffin wax | 5-10 | 8002-74-2 | 232-315-6 | -- | -- | -- |
| Yellow pigment | 0-10 | 6358-31-2 | 228-768-4 | -- | -- | -- |
| Carbon black | 0-10 | 1333-86-4 | 215-609-9 | -- | -- | 01-2119384822-32-0065 |
| Magenta pigment | 0-10 | Proprietary | Listed | -- | -- | 01-2120029624-59-0007 |
| Cyan Pigment | 0-10 | 147-14-8 | 205-685-1 | -- | -- | 01-2119458771-32-0044 |
| Silica (Surface Treated) | <2 | 68909-20-6 | 272-697-1 | STOT RE 2 | H373 | -- |
| Titanium dioxide | <1 | 13463-67-7 | 236-675-5 | Carc (Inhal) 2 | H351 | -- |

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

Skin contact

Wash skin with soap and water

Inhalation

Move to fresh air

Ingestion

Rinse mouth with water and afterwards drink plenty of water or milk

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes

No known effect

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

| | |
|-------------------------|--|
| Skin | No known effect |
| Inhalation | No known effect |
| Ingestion | No known effect |
| Chronic effects | |
| Chronic toxicity | No known effects under normal use conditions |
| Main symptoms | Overexposure may cause: mild respiratory irritation similar to nuisance dust. |

4.3 Indication of immediate medical attention and special treatment needed

| | |
|-----------------------------------|--|
| Protection of first-aiders | No special protective equipment required |
| Notes to physician | Treat symptomatically |

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

| | |
|---------------------|----------------|
| Flammability | Not flammable |
| Flash point | Not applicable |

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent dust cloud |
| Methods for cleaning up | Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove |

6.4 Reference to other sections

See section 12 for additional ecological information
See Section 13 for additional information

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| | |
|-----------------------------|---|
| Xerox Exposure Limit | 2.5 mg/m ³ (total dust) |
| Xerox Exposure Limit | 0.4 mg/m ³ (respirable dust) |
| Exposure Limits | For country specific exposure limits see Section 16 |

8.2 Exposure controls

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE) Personal protective equipment

| | |
|---------------------------------|--|
| Eye/face protection | No special protective equipment required |
| Hand protection | No special protective equipment required |
| Skin and body protection | No special protective equipment required |
| Respiratory protection | No special protective equipment required |
| Thermal hazards | None under normal processing |

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

Environmental Exposure Controls

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | | | |
|--|--|------------------------|----------------|
| Appearance | Powder | Odour | Faint |
| Physical state | Solid | Odour threshold | Not applicable |
| Colour | Cyan, black, Magenta, yellow | pH | Not applicable |
| Flash point | Not applicable | | |
| Melting point / freezing point | Not applicable | | |
| Initial boiling point and boiling range | Not applicable | | |
| Softening point | Not applicable | | |
| Evaporation rate | Not applicable | | |
| Flammability | Not flammable | | |
| Flammability Limits in Air | Not applicable | | |
| Vapour pressure @20 °C (kPa) | Not applicable | | |
| Relative vapor density | Not applicable | | |
| Specific gravity | 1 - 2 | | |
| Water solubility | negligible | | |
| Partition coefficient | Not applicable | | |
| Autoignition temperature | Not applicable | | |
| Decomposition temperature | Not determined | | |
| Viscosity | Not applicable | | |
| Explosive properties | Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard | | |
| Oxidising properties | Not applicable | | |

9.2 Other information

None

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

SDS # : P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

10.3 Possibility of hazardous reactions

| | |
|---------------------------------|---|
| Hazardous reactions | None under normal processing |
| Hazardous polymerisation | Hazardous polymerisation does not occur |

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects Information on hazard classes as defined in Regulation (EC) No 2020/878

Acute toxicity

Product Information

| | |
|------------------------|---------------------------------------|
| Irritation | No skin irritation, No eye irritation |
| Oral LD50 | > 5 g/kg (rat) |
| Dermal LD50 | > 5 g/kg (rabbit) |
| Inhalation LC50 | > 5 mg/L (rat, 4 hr) |

Chronic toxicity

Product Information

| | |
|--------------------------|---|
| Chronic effects | No known effects under normal use conditions |
| Carcinogenicity | See "Other Information" in this section. |
| Other information | The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively. |

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Product Information

| | |
|------------------------------|---|
| Sensitisation | No sensitisation responses were observed |
| Mutagenic effects | Not mutagenic in AMES Test |
| Reproductive toxicity | This product does not contain any known or suspected reproductive hazards |
| | |
| Target organ effects | None known |
| | |
| Other adverse effects | None known |
| Aspiration Hazard | Not applicable |

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

| |
|---|
| SECTION 12. ECOLOGICAL INFORMATION |
|---|

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SDS #: P-70050

**Replenisher - Cyan, black, Magenta,
yellow**

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal considerations

| | |
|--|---|
| Waste Disposal Method | Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming. |
| Waste codes / waste designations according to EWC | 08 03 18 |
| Other information | Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways. |

SECTION 14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16. OTHER INFORMATION

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Note Initial Release

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

Additional advice

EU Country Specific Exposure Limits

| Chemical name | United Kingdom | Ireland | France | Germany DFG | Netherlands |
|-------------------|---|--|---------------------------|---|---|
| Ceramic materials | STEL 10 mg/m ³ TWA 0.6 mg/m ³ STEL 0.15 mg/m ³ TWA 5 mg/m ³ 0.2 mg/m ³ TWA 0.05 mg/m ³ | TWA 5 mg/m ³ 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 10 mg/m ³ STEL 0.6 mg/m ³ STEL 0.15 mg/m ³ | | AGW 0.2 mg/m ³ AGW 0.02 mg/m ³ | TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ |
| Paraffin wax | STEL 6 mg/m ³ TWA 2 mg/m ³ | TWA 2 mg/m ³ STEL 6 mg/m ³ | TWA 2 mg/m ³ | | |
| Yellow pigment | | | | K1 | |
| Carbon black | STEL 7 mg/m ³ TWA 3.5 mg/m ³ | TWA 3 mg/m ³ STEL 15 mg/m ³ | TWA 3.5 mg/m ³ | | |
| Titanium dioxide | STEL 30 mg/m ³ STEL 12 mg/m ³ TWA 10 mg/m ³ TWA 4 mg/m ³ | TWA 10 mg/m ³ TWA 4 mg/m ³ STEL 30 mg/m ³ STEL 12 mg/m ³ | TWA 10 mg/m ³ | | |

| Chemical name | Belgium | Switzerland | Austria | Hungary | Czech Republic |
|-------------------|---|--|--|--|---|
| Ceramic materials | TWA 0.2 mg/m ³ TWA 5 mg/m ³ STEL 10 mg/m ³ | SS-C** TWA 5 mg/m ³ 0.5 mg/m ³ | STEL 1.6 mg/m ³ TWA 5 mg/m ³ 0.2 mg/m ³ | STEL 20mg/m ³ TWA 5mg/m ³ | TWA 2.0 mg/m ³ TWA 1 mg/m ³ Ceiling 2 mg/m ³ |
| Paraffin wax | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | | |
| Yellow pigment | | | C | | |
| Carbon black | TWA 3 mg/m ³ | | | | TWA 2.0 mg/m ³ |
| Cyan Pigment | | | STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA 1 mg/m ³ TWA 0.1 mg/m ³ | STEL 4mg/m ³ | |
| Titanium dioxide | TWA 10 mg/m ³ | SS-C** TWA 3 mg/m ³ | STEL 10 mg/m ³ TWA 5 mg/m ³ | | |

SDS # : P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

| Chemical name | Spain | Portugal | Italy MDLPS | Greece | Romania |
|-------------------|--|---|-------------|---|---|
| Ceramic materials | TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 10 mg/m ³ | TWA 5 mg/m ³ TWA 0.2 mg/m ³ STEL 10 mg/m ³ C(A4) | | TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ TWA 5 mg/m ³ STEL 10 mg/m ³ | STEL 10 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ TWA 5 mg/m ³ |
| Paraffin wax | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | TWA 2 mg/m ³ STEL 6 mg/m ³ | STEL 6 mg/m ³ TWA 2 mg/m ³ |
| Carbon black | TWA 3.5 mg/m ³ | TWA 3.5 mg/m ³ C(A4) | | TWA 3.5 mg/m ³ STEL 7 mg/m ³ | |
| Cyan Pigment | TWA 0.1 mg/m ³ | | | | |
| Titanium dioxide | TWA 10 mg/m ³ | TWA 10 mg/m ³ C(A4) | | TWA 10 mg/m ³ TWA 5 mg/m ³ | STEL 15 mg/m ³ TWA 10 mg/m ³ |

| Chemical name | Poland | Denmark | Sweden | Finland | Norway |
|-------------------|--|---|---|---|--|
| Ceramic materials | TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 10 mg/m ³ | TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ | TLV 0.2 mg/m ³ TLV 0.05 mg/m ³ | TWA 1 mg/m ³ TWA 0.2 mg/m ³ TWA 0.02 mg/m ³ | TWA 0.5 mg/m ³ TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 1.5 mg/m ³ STEL 10 mg/m ³ STEL 0,6 ppm STEL 0.15 mg/m ³ |
| Paraffin wax | TWA 2 mg/m ³ | TWA 2 mg/m ³ | | TWA 1 mg/m ³ | TWA 2 mg/m ³ STEL 4 mg/m ³ |
| Carbon black | TWA 4 mg/m ³ | TWA 3.5 mg/m ³ | TLV 3 mg/m ³ | TWA 3.5 mg/m ³ STEL 7 mg/m ³ | TWA 3.5 mg/m ³ STEL 7 mg/m ³ |
| Cyan Pigment | | | | TWA 0.02 mg/m ³ | |
| Titanium dioxide | TWA 10 mg/m ³ STEL 30 mg/m ³ | TWA 6 mg/m ³ | TLV 5 mg/m ³ | | TWA 5 mg/m ³ STEL 10 mg/m ³ |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) as amended.

Disclaimer

Xerox Corporation has developed this Product Safety Data sheet for informational purposes as a courtesy for Xerox customers. Any determination regarding the proper use of this information must be made by the user, including any use of the information for compliance with applicable laws, rules and regulations. Xerox believes the information herein to be accurate as of the date of issuance but makes no representations or warranties of any kind, either express or implied, as to the accuracy, completeness or fitness for use of the information. By issuance of this Product Safety Data Sheet, Xerox does not assume any liability or responsibility for losses, claims, liabilities or damages which may result from reliance upon the information herein. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality

SDS # : P-70050

**Replenisher - Cyan, black, Magenta,
yellow**

Issuing Date 22-Aug-2024

Revision date 09-Sep-2024

Revision Number 1

specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet