

SAFETY DATA SHEET

according to Regulation (EC) No. 2020/878 as amended

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier Product Identifier

Product Name Replenisher for Xerox PrimeLink® C9265 Printer, Xerox PrimeLink® C9275 Printer, Xerox PrimeLink® C9281 Printer
Part no. 006R04847, 006R04848, 006R04849, 006R04850, 006R04851, 006R04852, 006R04853, 006R04854, 006R04855, 006R04856, 006R04857, 006R04858
Colour Cyan, black, Magenta, yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

1.3 Details of the supplier of the safety data sheet

Supplier Xerox Europe Limited
 Xerox Technology Park
 Dublin Road
 Dundalk
 Co. Louth
 Ireland

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability
Phone +353 429387410
Fax -
E-mail address ehs-europe@xerox.com

For the most current document <https://safetysheets.business.xerox.com>

1.4 Emergency telephone number Emergency telephone

Not applicable

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

2.2 Label elements

None

2.3 Other hazards

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical name	Weight-%	CAS No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard Statements	REACH registration number
Resin	60-80	Proprietary	Listed	--	--	--
Ceramic materials and wares, chemicals	10-20	66402-68-4	266-340-9	--	--	--
Paraffin wax and Hydrocarbon wax fumes	5-10	8002-74-2	232-315-6	--	--	--
2-((2-Methoxy-4-nitrophenyl)azo)-o-acetoacetanilide	0-10	6358-31-2	228-768-4	--	--	--
Carbon black { Nipex35}	0-10	1333-86-4	215-609-9	--	--	01-2119384822-32-0065
Magenta pigment	0-10	Proprietary	Listed	--	--	01-2120029624-59-0007
Copper phthalocyanine	0-10	147-14-8	205-685-1	--	--	01-2119458771-32-0044
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products { X24-9600A-90}	<2	68909-20-6	272-697-1	STOT RE 2	H373	--
Titanium dioxide	<1	13463-67-7	236-675-5	Carc (Inhal) 2	H351	--

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes

Skin contact

Wash skin with soap and water

Inhalation

Move to fresh air

Ingestion

Rinse mouth with water and afterwards drink plenty of water or milk

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity

Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect

Chronic effects

Chronic toxicity No known effects under normal use conditions

Main symptoms

Overexposure may cause:
mild respiratory irritation similar to nuisance dust.

4.3 Indication of immediate medical attention and special treatment needed

Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

Flammability	Not flammable
Flash point	Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

6.4 Reference to other sections

See section 12 for additional ecological information
See Section 13 for additional information

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)
Exposure Limits	For country specific exposure limits see Section 16

8.2 Exposure controls

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE) Personal protective equipment

Eye/face protection No special protective equipment required

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

Hand protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Respiratory protection	No special protective equipment required
Thermal hazards	None under normal processing

Environmental Exposure Controls

Environmental Exposure Controls	Keep out of drains, sewers, ditches and waterways
--	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Powder	Odour	Faint
Physical state	Solid	Odour threshold	Not applicable
Colour	Cyan, black, Magenta, yellow	pH	Not applicable
Flash point	Not applicable		
Melting point / freezing point	Not applicable		
Initial boiling point and boiling range	Not applicable		
Softening point	Not applicable		
Evaporation rate	Not applicable		
Flammability	Not flammable		
Flammability Limits in Air	Not applicable		
Vapour pressure @20 °C (kPa)	Not applicable		
Relative vapor density	Not applicable		
Specific gravity	1 - 2		
Water solubility	negligible		
Partition coefficient	Not applicable		
Autoignition temperature	Not applicable		
Decomposition temperature	Not determined		
Viscosity	Not applicable		
Explosive properties	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard		
Oxidising properties	Not applicable		

9.2 Other information

None

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

None under normal use

SECTION 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

11.1 Information on toxicological effects Information on hazard classes as defined in Regulation (EC) No 2020/878

Acute toxicity

Product Information

Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
Inhalation LC50	> 5 mg/L (rat, 4 hr)

Chronic toxicity

Product Information

Chronic effects	No known effects under normal use conditions
Carcinogenicity	See "Other Information" in this section.
Other information	The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as “possibly carcinogenic to humans”. However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Product Information

Sensitisation	No sensitisation responses were observed
Mutagenic effects	Not mutagenic in AMES Test
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards
 Target organ effects	 None known
 Other adverse effects	 None known
Aspiration Hazard	Not applicable

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal considerations

Waste Disposal Method	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
Waste codes / waste designations according to EWC	08 03 18
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

SDS #: P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 2020/878.

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16. OTHER INFORMATION

Issuing Date 08-22-2024
Revision date 09-09-2024
Revision Note Initial Release

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

Additional advice

EU Country Specific Exposure Limits

Chemical name	United Kingdom	Ireland	France	Germany DFG	Netherlands
Ceramic materials and wares, chemicals	STEL 10 mg/m ³ TWA 0.6 mg/m ³ STEL 0.15 mg/m ³ TWA 5 mg/m ³ 0.2 mg/m ³ TWA 0.05 mg/m ³	TWA 5 mg/m ³ 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 10 mg/m ³ STEL 0.6 mg/m ³ STEL 0.15 mg/m ³		AGW 0.2 mg/m ³ AGW 0.02 mg/m ³	TWA 0.2 mg/m ³ TWA 0.05 mg/m ³
Paraffin wax and Hydrocarbon wax fumes	STEL 6 mg/m ³ TWA 2 mg/m ³	TWA 2 mg/m ³ STEL 6 mg/m ³	TWA 2 mg/m ³		
2-((2-Methoxy-4-nitrophenyl)azo)-o-acetoacetanilide				K1	
Carbon black { Nipex35}	STEL 7 mg/m ³ TWA 3.5 mg/m ³	TWA 3 mg/m ³ STEL 15 mg/m ³	TWA 3.5 mg/m ³		
Titanium dioxide	STEL 30 mg/m ³ STEL 12 mg/m ³ TWA 10 mg/m ³ TWA 4 mg/m ³	TWA 10 mg/m ³ TWA 4 mg/m ³ STEL 30 mg/m ³ STEL 12 mg/m ³	TWA 10 mg/m ³		

Chemical name	Belgium	Switzerland	Austria	Hungary	Czech Republic
Ceramic materials and wares, chemicals	TWA 0.2 mg/m ³ TWA 5 mg/m ³ STEL 10 mg/m ³	SS-C** TWA 5 mg/m ³ 0.5 mg/m ³	STEL 1.6 mg/m ³ TWA 5 mg/m ³ 0.2 mg/m ³	STEL 20mg/m ³ TWA 5mg/m ³	TWA 2.0 mg/m ³ TWA 1 mg/m ³ Ceiling 2 mg/m ³
Paraffin wax and Hydrocarbon wax fumes	TWA 2 mg/m ³	TWA 2 mg/m ³			
2-((2-Methoxy-4-nitrophenyl)azo)-o-acetoacetanilide			C		

SDS # : P-70050

Replenisher - Cyan, black, Magenta, yellow

Issuing Date 08-22-2024

Revision date 09-09-2024

Revision Number 1

Chemical name	Belgium	Switzerland	Austria	Hungary	Czech Republic
e					
Carbon black { Nipex35}	TWA 3 mg/m ³				TWA 2.0 mg/m ³
Copper phthalocyanine			STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA 1 mg/m ³ TWA 0.1 mg/m ³	STEL 4mg/m ³	
Titanium dioxide	TWA 10 mg/m ³	SS-C** TWA 3 mg/m ³	STEL 10 mg/m ³ TWA 5 mg/m ³		

Chemical name	Spain	Portugal	Italy MDLPS	Greece	Romania
Ceramic materials and wares, chemicals	TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³ TWA 0.2 mg/m ³ STEL 10 mg/m ³ C(A4)		TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ TWA 5 mg/m ³ STEL 10 mg/m ³	STEL 10 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ TWA 5 mg/m ³
Paraffin wax and Hydrocarbon wax fumes	TWA 2 mg/m ³	TWA 2 mg/m ³		TWA 2 mg/m ³ STEL 6 mg/m ³	STEL 6 mg/m ³ TWA 2 mg/m ³
Carbon black { Nipex35}	TWA 3.5 mg/m ³	TWA 3.5 mg/m ³ C(A4)		TWA 3.5 mg/m ³ STEL 7 mg/m ³	
Copper phthalocyanine	TWA 0.1 mg/m ³				
Titanium dioxide	TWA 10 mg/m ³	TWA 10 mg/m ³ C(A4)		TWA 10 mg/m ³ TWA 5 mg/m ³	STEL 15 mg/m ³ TWA 10 mg/m ³

Chemical name	Poland	Denmark	Sweden	Finland	Norway
Ceramic materials and wares, chemicals	TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³	TLV 0.2 mg/m ³ TLV 0.05 mg/m ³	TWA 1 mg/m ³ TWA 0.2 mg/m ³ TWA 0.02 mg/m ³	TWA 0.5 mg/m ³ TWA 5 mg/m ³ TWA 0.2 mg/m ³ TWA 0.05 mg/m ³ STEL 1.5 mg/m ³ STEL 10 mg/m ³ STEL 0,6 ppm STEL 0.15 mg/m ³
Paraffin wax and Hydrocarbon wax fumes	TWA 2 mg/m ³	TWA 2 mg/m ³		TWA 1 mg/m ³	TWA 2 mg/m ³ STEL 4 mg/m ³
Carbon black { Nipex35}	TWA 4 mg/m ³	TWA 3.5 mg/m ³	TLV 3 mg/m ³	TWA 3.5 mg/m ³ STEL 7 mg/m ³	TWA 3.5 mg/m ³ STEL 7 mg/m ³
Copper phthalocyanine				TWA 0.02 mg/m ³	
Titanium dioxide	TWA 10 mg/m ³ STEL 30 mg/m ³	TWA 6 mg/m ³	TLV 5 mg/m ³		TWA 5 mg/m ³ STEL 10 mg/m ³

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) as amended.

Disclaimer

Xerox Corporation has developed this Product Safety Data sheet for informational purposes as a courtesy for Xerox customers. Any determination regarding the proper use of this information must be made by the user, including any use of the information for compliance with applicable laws, rules and regulations. Xerox believes the information

SDS # : P-70050**Replenisher - Cyan, black, Magenta,
yellow****Issuing Date** 08-22-2024**Revision date** 09-09-2024**Revision Number** 1

herein to be accurate as of the date of issuance but makes no representations or warranties of any kind, either express or implied, as to the accuracy, completeness or fitness for use of the information. By issuance of this Product Safety Data Sheet, Xerox does not assume any liability or responsibility for losses, claims, liabilities or damages which may result from reliance upon the information herein. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet