

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: UK REACH Regulations (SI 2019/758 as amended)

SDS # : F-60052

HD Waterbased Ink - Magenta

Issuing Date 23-Feb-2021

Revision date 17-Aug-2026

Revision Number 1

United Kingdom**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product Name HD Waterbased Ink for Xerox® Trivor® 2400 HD Inkjet Press, Xerox® Impika® Compact, Evolution, Reference Inkjet Presses
Part no. 008R13313

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Ink jet printing For professional use only

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet**Supplier**

Xerox Ltd.
Uxbridge Business Park
Building 4
Sanderson Road
Uxbridge
Middlesex. UB8 1DH, UK

For further information, please contact

Contact Point Manager, Environment, Health, Safety & Sustainability

E-mail address ehs-europe@xerox.com

For the most current document <https://safetydatasheets.business.xerox.com>

1.4. Emergency telephone number

Emergency Telephone +44 1235 239670

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

GB CLP (SI 2020/1567 as amended)

Eye irritation	Category 2
-----------------------	------------

Skin sensitisation	Category 1A
--------------------	-------------

2.2. Label elements**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards**Other hazards**

Contains biocide(s).

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Special Note

Contains a chemical that can cause an allergic reaction in susceptible people

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	CAS No.	EC No (EU Index No)	Classification according to GB CLP (SI 2020/1567 as amended)	UK REACH registration number
Water	50-75	7732-18-5	231-791-2	-	-
Glycerin	15-25	56-81-5	200-289-5	-	-
Magenta pigment	5-12	Proprietary	Listed	-	-
2-Pyrrolidone	<3	616-45-5	210-483-1	Eye Irrit 2 (C ≥ 10 %) (H319) Repro Tox 1B (C ≥ 3 %) (H360)	-
Triethylene glycol,	<3	143-22-6	205-592-6	Eye Dam. 1 (C ≥ 30	-

monobutyl ether				%) (H318) Eye Irrit. 2 (20 % ≤ C < 30 %) (H319)	
Acrylic polymer	<2	Proprietary	Not Listed	-	-
Additive	<1	9014-85-1	500-022-5	Aquatic Chronic 3 (H412) Skin Sens. 1B (H317) Eye Dam. 1 (H318)	-
Polyethylene glycol monobutyl ether	<1	9004-77-7	500-012-0	Eye Dam. 1 (H318)	-
1,2-Benzisothiazolin-3-one	<0.05	2634-33-5	220-120-9	Acute Tox. 2/inhal. (ATE = 0.21 mg/L, dusts or mists) (H330) Acute Tox. 4/oral (ATE = 450 mg/kg bw) (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (C ≥ 0.036 %) (H317) Aquatic Acute 1 (M = 1) (H400) Aquatic Chronic 1 (M = 1) (H410)	-

Full text of H- and EUH-phrases: see section 16**Note**

"-" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

Acute Toxicity Estimate

In the absence of LD50/LC50 data, the conversion value (converted acute toxicity point estimate) may be indicated here; please note that these values do not represent test results

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Water	89838.9	No data available	No data available	No data available	No data available
Glycerin	27200	10000	5.85	No data available	No data available
Magenta pigment	23000	3000	No data available	No data available	No data available
2-Pyrrolidone	328	2000	No data available	No data available	No data available
Triethylene glycol, monobutyl ether	5300	3540	No data available	No data available	No data available
Polyethylene glycol monobutyl ether	No data available	3540	No data available	No data available	No data available
1,2-Benzisothiazolin-3-one	450 + 1020	2000	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in GB CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATE_{mix}) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration ≥ 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
-----------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use water spray or fog; do not use straight streams.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	May cause sensitisation by skin contact.
Hazardous combustion products	Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	In case of fire: Wear self-contained breathing apparatus. Use personal protective equipment.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
---------------------------	--

7.3. Specific end use(s)

Specific use(s)
Ink jet printing.

Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
--------------------------------------	--

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Exposure Limits

Chemical name	United Kingdom
Glycerin	TWA: 10 mg/m ³ STEL: 30 mg/m ³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Magenta pigment		42 mg/kg bw/day [4] [6]	147 mg/m ³ [4] [6] 3 mg/m ³ [5] [6]
2-Pyrrolidone		4.2 mg/kg bw/day [4] [6]	29.62 mg/m ³ [4] [6]
Additive		0.859 mg/kg bw/day [4] [6]	3.03 mg/m ³ [4] [6]
1,2-Benzisothiazolin-3-one		0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Magenta pigment	25 mg/kg bw/day [4] [6]		
2-Pyrrolidone	0.67 mg/kg bw/day [4] [6]		1.985 mg/m ³ [4] [6]
Additive	0.307 mg/kg bw/day [4] [6]		0.534 mg/m ³ [4] [6]
1,2-Benzisothiazolin-3-one			1.2 mg/m ³ [4] [6]

Notes

[4] Systemic health effects.
[6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Propylene glycol	260 mg/L	183 mg/L	26 mg/L		
2-Pyrrolidone	0.5 mg/L	5 mg/L	0.05 mg/L		
Additive	0.036 mg/L	0.36 mg/L	0.0036 mg/L	0.036 mg/L	
1,2-Benzisothiazolin-3-one	4.03 µg/L	1.1 µg/L	0.403 µg/L	110 ng/L	

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Propylene glycol	572 mg/kg sediment dw	57.2 mg/kg sediment dw	20000 mg/L	50 mg/kg soil dw	

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
2-Pyrrolidone	2.17 mg/kg sediment dw	0.217 mg/kg sediment dw	10 mg/L	0.14 mg/kg soil dw	
Additive	0.29 mg/kg sediment dw	0.029 mg/kg sediment dw	6.8 mg/L	0.036 mg/kg soil dw	
1,2-Benzisothiazolin-3-one	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	

8.2. Exposure controls

Engineering controls None under normal use conditions.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Thermal hazards None under normal processing.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Opaque
Colour	Magenta
Odour	Slight.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	Not applicable	None known
Initial boiling point and boiling range	Not applicable	None known
Flammability	Not flammable	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	Not applicable	
Lower flammability or explosive limits	Not applicable	
Flash point	> 100 °C	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	Not applicable	None known

pH	8.2 - 9.3	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	Not applicable	None known
Dynamic viscosity	Not applicable	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	Not applicable	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	Not applicable	
Liquid Density	1.08 g/cm ³	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	Not applicable	
Oxidising properties	No information available	

9.2. Other information

Softening point	Not applicable
VOC content	None

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	No dangerous reaction known under conditions of normal use.
------------	---

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	Extremes of temperature and direct sunlight.
---------------------	--

10.5. Incompatible materials

Incompatible materials	None known based on information supplied.
------------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	Undefined, but may include toxic oxides of carbon and nitrogen.
----------------------------------	---

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Information on likely routes of exposure**Product Information**

Inhalation	May cause irritation of respiratory tract.
Eye contact	Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. May cause redness and tearing of the eyes.
-----------------	---

Acute toxicity**Numerical measures of toxicity****Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
Glycerin	= 27200 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 5.85 mg/L (Rat) 4 h
Magenta pigment	> 23 g/kg (Rat)	> 3000 mg/kg (Rabbit)	> 3.055 mg/L (Rat) 4 h
2-Pyrrolidone	6500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 80 ppm (Rat) 8 h
Triethylene glycol, monobutyl ether	= 5300 mg/kg (Rat)	= 3540 mg/kg (Rabbit)	-
Polyethylene glycol monobutyl ether	-	= 3540 mg/kg (Rabbit)	-
1,2-Benzisothiazolin-3-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not mutagenic in AMES Test.
Carcinogenicity	Based on available data, the classification criteria are not met.

Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	Although liquid ink is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Not considered to be harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Glycerin	-	LC50: 51 - 57mL/L (96h, <i>Oncorhynchus mykiss</i>)	-	-
2-Pyrrolidone	EC50: =250mg/L (72h, <i>Desmodesmus subspicatus</i>) EC50: =84mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: 4600 - 10000mg/L (96h, <i>Brachydanio rerio</i>)	-	-
Triethylene glycol, monobutyl ether	EC50: >500mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =2400mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: >500mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Glycerin	-1.75
Magenta pigment	2.2
2-Pyrrolidone	-0.71
Triethylene glycol, monobutyl ether	0.51
Additive	2.5
Polyethylene glycol monobutyl ether	0.436
1,2-Benzisothiazolin-3-one	0.99

12.4. Mobility in soil

Mobility in soil The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Glycerin	Not PBT/vPvB
Magenta pigment	Not PBT/vPvB
2-Pyrrolidone	Not PBT/vPvB
Triethylene glycol, monobutyl ether	Not PBT/vPvB
Additive	Not PBT/vPvB
Polyethylene glycol monobutyl ether	Not PBT/vPvB
1,2-Benzisothiazolin-3-one	Not PBT/vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

Other information Do Not Pour Product Down the Drain; Do Not Rinse the Container Before Disposal. Although liquid ink is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (UK REACH - Annex XIV). This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH (SI 2015/483 as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
1,2-Benzisothiazolin-3-one	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)

Not applicable

Poisons and Explosive Precursors

Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status
TCSI	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment**Chemical Safety Report**

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H360 - May damage fertility or the unborn child
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitisers		

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	On basis of test data
Acute dermal toxicity	On basis of test data
Acute inhalation toxicity - gas	On basis of test data
Acute inhalation toxicity - vapour	On basis of test data
Acute inhalation toxicity - dust/mist	On basis of test data
Skin corrosion/irritation	On basis of test data
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	On basis of test data
Skin sensitisation	On basis of test data
Mutagenicity	On basis of test data
Carcinogenicity	On basis of test data
Reproductive toxicity	On basis of test data
STOT - single exposure	On basis of test data
STOT - repeated exposure	On basis of test data
Acute aquatic toxicity	On basis of test data
Chronic aquatic toxicity	On basis of test data
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Revision date 17-Aug-2026

Revision Note SDS sections updated. 1. 2.

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)**Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

UK SDS version information - XGHS

UL release:
GHS Revision 7
2024 Q3

United Kingdom

Partial process, including GHS Wizard, NO TW

Full text of H-Statements referred to under section 3 H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage H319 - Causes serious eye irritation H330 - Fatal if inhaled H360 - May damage fertility or the unborn child H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

Chemical name	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)
2-Pyrrolidone	Eye Irrit 2 (C ≥ 10 %) (H319) Repro Tox 1B (C ≥ 3 %) (H360)	
Triethylene glycol, monobutyl ether	Eye Dam. 1 (C ≥ 30 %) (H318) Eye Irrit. 2 (20 % ≤ C < 30 %) (H319)	Eye Dam. 1 :: C>=30% Eye Irrit. 2 :: 20%<=C<30%
Ethoxylated-2,4,7,9-tetramethyl-5-decyne-4,7-diol	Aquatic Chronic 3 (H412) Skin Sens. 1B (H317) Eye Dam. 1 (H318)	
Polyethylene glycol monobutyl ether	Eye Dam. 1 (H318)	
1,2-Benzisothiazolin-3-one	Acute Tox. 2/inhal.(ATE = 0.21 mg/L, dusts or mists) (H330) Acute Tox. 4/oral (ATE = 450 mg/kg bw) (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (C ≥ 0.036 %) (H317) Aquatic Acute 1 (M = 1) (H400) Aquatic Chronic 1 (M = 1) (H410)	Skin Sens. 1 :: C>=0.05%

Serious eye damage/eye irritation Category 2
Eye irritation Category 2