

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

SDS #: P-70042

Revision Date 2023-07-07

Version 1

Page 1/9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

| Product Name | Replenisher for Xerox® Iridesse™ Production Press |
|--------------|--|
| Part no. | 006R01707, 006R01708, 006R01709, 006R01710, 006R01711, 006R01712, 006R01713, 006R01714, 006R01719, 006R01720, 006R01721, 006R01722 |
| | |

Colour Black, Cyan, Magenta, Yellow

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Xerographic printing

1.3 Details of the supplier of the safety data sheet

| Supplier | Xerox Europe Limited | |
|----------|-----------------------|--|
| | Xerox Technology Park | |
| | Dublin Road | |
| | Dundalk | |
| | Co. Louth | |
| | Ireland | |

For further information, please contact

| Contact person | Andy Cosgrove |
|----------------|----------------------|
| Phone | +353 429387410 |
| E-mail address | ehs-europe@xerox.com |

For the most current document https://safetysheets.business.xerox.com

1.4 Emergency telephone number

Not applicable

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

2.2 Label elements

None

2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

Version 1

xerox

SDS # : P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

| Chemical Name | Weight % | CAS No. | EC-No | Classification (Reg. 1272/2008) | Hazard Statements | REACH Registration Number |
|-------------------|----------|-------------|-----------|---------------------------------|----------------------|------------------------------|
| Resin | <75 | Proprietary | | | | |
| Ceramic materials | <20 | Proprietary | Listed | | | |
| Paraffin wax | <10 | 8002-74-2 | 232-315-6 | | | |
| Cyan pigment | 0-10 | Proprietary | Listed | | | 01-2119458771-32-0044 |
| Magenta pigment | 0-10 | Proprietary | Listed | | | 01-2120029624-59-0007 |
| Carbon black | 0-10 | 1333-86-4 | 215-609-9 | | | 01-2119384822-32-0065 |
| Yellow pigment | 0-10 | Proprietary | Listed | | | |
| Titanium dioxide | <1 | 13463-67-7 | 236-675-5 | Carc (Inhal) 2 | H351 | |

Full text of H- statements: see section 16

Note

"--" indicates no classification or hazard statements apply.

Components marked as "Not Listed" are exempt from registration.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

4. FIRST AID MEASURES

4.1 Description of first aid measures

| General advice | For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. |
|----------------|--|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes |
| Skin contact | Wash skin with soap and water |
| Inhalation | Move to fresh air |
| Ingestion | Rinse mouth with water and afterwards drink plenty of water or milk |

4.2 Most important symptoms and effects, both acute and delayed

| Acute toxicity | |
|------------------|---|
| Eyes | No known effect |
| Skin | No known effect |
| Inhalation | No known effect |
| Ingestion | No known effect |
| Chronic effects | |
| Chronic toxicity | No known effects under normal use conditions |
| Main symptoms | Overexposure may cause: mild respiratory irritation similar to nuisance dust. |

4.3 Indication of immediate medical attention and special treatment needed

| Protection of first-aiders | No special protective equipment required | | |
|----------------------------|--|--|--|
| Notes to physician | Treat symptomatically | | |



Page 3/9

SDS #: P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

Version 1

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion. Carbon oxides Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

Other information

| Flammability | Not flammable | | |
|--------------|----------------|--|--|
| Flash point | Not applicable | | |

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

6.2 Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

6.3 Methods and material for containment and cleaning up

| Methods for containment | Prevent dust cloud |
|-------------------------|---|
| Methods for cleaning up | Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses |
| | the toner making it difficult to remove |

6.4 Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

Page 4/9

xero

SDS # : P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

Version 1

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

7.3 Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Xerox Exposure Limit | 2.5 mg/m ³ (total dust) |
|----------------------|---|
| Xerox Exposure Limit | 0.4 mg/m ³ (respirable dust) |

8.2 Exposure controls

Engineering measures

Personal protective equipment

| Eye/face protection | No special protective equipment required |
|--------------------------|--|
| Hand protection | No special protective equipment required |
| Skin and body protection | No special protective equipment required |
| Respiratory protection | No special protective equipment required |
| Thermal hazards | None under normal processing |

Environmental Exposure Controls Environmental Exposure Kee Controls

Keep out of drains, sewers, ditches and waterways

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Appearance Physical state Colour | Powder Solid Black, Cyan, Magenta, Yellow | Odour Odour threshold pH | Faint Not applicable Not applicable |
|--|---|--------------------------------|---|
| Flash point | Not applicable | | |
| Melting / Freezing Point | Not applicable | | |

None under normal use conditions



| SDS #: P-70042 Replenisher - Black, Cyan, Magenta, Yellow | | |
|--|---|----------------|
| Issuing Date 2017-08-30 | Revision Date 2023-07-07 | Version 1 |
| Boiling point/boiling range Softening point | Not applicable Not applicable 49 - 60 °C / 120 - 140 °F | |
| Evaporation rate Flammability Flammability Limits in Air | Not applicable Not flammable Not applicable | |
| Explosive Limits | No data available | |
| Vapour pressure Vapour density Specific gravity Water solubility Partition coefficient Autoignition temperature Decomposition temperature Viscosity | Not applicable Not applicable 1-2 Negligible Not applicable Not applicable Not determined Not applicable | |
| Explosive properties | Fine dust dispersed in air, in sufficient concentrations, and in the presence of source is a potential dust explosion hazard | of an ignition |
| Oxidising properties | Not applicable | |

9.2 Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

| Hazardous reactions | None under normal processing |
|--------------------------|---|
| Hazardous polymerisation | Hazardous polymerisation does not occur |

10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

10.5 Incompatible Materials

None

10.6 Hazardous decomposition products

Page 6/9

Version 1

Xelox

SDS #: P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

None under normal use

11. TOXICOLOGICAL INFORMATION

| The toxicity data noted below is base | d on the test results of similar reprographic materials. | |
|---|---|--|
| 11.1 Information on toxicological effects | | |
| Acute toxicity Product Information Irritation Oral LD50 Dermal LD50 LC50 Inhalation | No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr) | |
| Chronic toxicity Product Information Chronic effects Carcinogenicity Other information | No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively. The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner. | |
| Other toxic effects Product Information Sensitisation Mutagenic effects Reproductive toxicity | No sensitisation responses were observed Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards | |
| Target organ effects | None known | |
| Other adverse effects Aspiration Hazard | None known Not applicable | |

11.2 Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

xerox

SDS #: P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

Version 1

12. ECOLOGICAL INFORMATION

12.1 Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

12.2 Persistence and degradability

Not readily biodegradable

12.3 Bioaccumulative potential

Bioaccumulation is unlikely

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7 Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| Waste Disposal Method | Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming. |
|------------------------|---|
| EWC Waste Disposal No. | 08 03 18 |
| Other information | Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways. |

14. TRANSPORT INFORMATION

14.1 UN/ID No

Not regulated

xero

SDS # : P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

Version 1

14.2 Proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not classified

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Presents little or no hazard to the environment

14.6 Special precautions for users

No special precautions are needed in handling this material

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

16. OTHER INFORMATION

Issuing Date2017-08-30Revision Date2023-07-07Revision NoteUpdate to formatFull text of H-Statements referred to under sections 2 and 3H351 - Suspected of causing cancer if inhaled

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in



Page 9/9

SDS #: P-70042

Replenisher - Black, Cyan, Magenta, Yellow

Issuing Date 2017-08-30

Revision Date 2023-07-07

Version 1

combination with any other materials or in any process, unless specified in the text.